



EuCertPlast

CERTIFICATE OF COMPLIANCE

Name of the recycler: mtm plastics GmbH

Address: Bahnhofstrasse 106, 99759 Niedergerbra

Country: Germany

Registration office address: Bahnhofstrasse 106, 99759 Niedergerbra

Country: Germany

The recycling process and associated management systems for the waste place has met the required standard for certification under the **EuCertPlast Audit Scheme 4.2** in line with EN 15343:2007 and has the required procedures in place in order to ensure the traceability of recycled plastics incorporated in products listed in the attached Annex.

Certification module: General

Type of audit: Monitoring Certification

Traceability level: 1

Process overview: Mechanical recycling (shredding, separation, grinding, washing, drying, extrusion)

Input Plastic waste: Mixed Plastics (rigid and flexible) ; PP and PE (rigid and flexible); MPO

Type and source of waste: Post-consumer, Household

Recycled Output: PO regranulate; PO/PP/PE regranulate

Audit Report and Certificate Code: 0004-06-25-SVB-FW

Date of the audit: 23/05/2024


Period of validity: 26/06/2024 to 25/06/2025

CERTIFIED BY:

Sachverständigenbüro
Widmayer GmbH



**Sachverständigenbüro Widmayer
GmbH**
Mühlstrasse 12, 74399 Walheim
Germany


Dipl.-Geol. Frank Widmayer


Auditor



Output Recycled Content Share

Reference Output (colour code)	Recycled Content [%]		Origin source / sector / type
	(pre-consumer)	(post-consumer)	
Dipolen PP	-31 / -51 / -71 / -72 / -74 / -81 / -89 / -95 / -30 / -50 / -70 / -80 / -90 / -91	≥99	household / packaging / various
Dipolen PP A10		≥89	household / packaging / various
Dipolen PP F100		≥99	household / packaging / various
Dipolen PP F100 Y55		≥98	household / packaging / various
Dipolen PP Y55		≥98	household / packaging / various
Dipolen PP HW Y55		≥98	household / packaging / various
Dipolen S		≥99	household / packaging / various
Dipolen S A10		≥89	household / packaging / various
Dipolen S A10 Z10		≥79	household / packaging / various
Dipolen S A15		≥84	household / packaging / various
Dipolen S A20		≥79	household / packaging / various
Dipolen S A20 Z10		≥69	household / packaging / various
Dipolen S B10		≥89	household / packaging / various
Dipolen S C15		≥84	household / packaging / various
Dipolen SP		≥99	household / packaging / various
Dipolen H		≥99	household / packaging / various
Purpolen PP		≥99	municipal / various / various
Purpolen PP Y40		≥98	municipal / various / various
Purpolen PP Y55		≥98	municipal / various / various
Purpolen PP HW Y55		≥98	household / various / various
Purpolen PP C8		≥91	municipal / various / various
Purpolen PP C8 Z5		≥86	municipal / various / various
Purpolen PE		≥99	municipal / various / various
Purpolen PE FF		≥99	municipal / various / various
Purpolen PE F100		≥99	municipal / various / various
Purpolen PP F100		≥99	municipal / various / various

CERTIFIED BY:



Sachverständigenbüro Widmayer GmbH
Mühlstrasse 12, 74399 Walheim
Germany

Frank Widmayer
Dipl.-Geol. Frank Widmayer

Auditor




Output Recycled Content Share

Reference Output (colour code)	Recycled Content [%]		Origin source / sector / type
	(pre-consumer)	(post-consumer)	
Dipolen PP		≥98	household / packaging / various
Dipolen PP A10		≥88	household / packaging / various
Dipolen PP F100		≥98	household / packaging / various
Dipolen PP F100 Y55		≥97	household / packaging / various
Dipolen PP Y55		≥97	household / packaging / various
Dipolen PP HW Y55		≥97	household / packaging / various
Dipolen S		≥98	household / packaging / various
Dipolen S A10		≥88	household / packaging / various
Dipolen S A10 Z10		≥78	household / packaging / various
Dipolen S A15		≥83	household / packaging / various
Dipolen S A20		≥78	household / packaging / various
Dipolen S A20 Z10		≥68	household / packaging / various
Dipolen S B10		≥88	household / packaging / various
Dipolen S C15		≥83	household / packaging / various
Dipolen SP		≥98	household / packaging / various
Dipolen H		≥98	household / packaging / various
Purpolen PP		≥98	municipal / various / various
Purpolen PP Y40		≥97	municipal / various / various
Purpolen PP Y55		≥97	municipal / various / various
Purpolen PP HW Y55		≥97	household / various / various
Purpolen PP C8		≥90	municipal / various / various
Purpolen PP C8 Z5		≥85	municipal / various / various
Purpolen PE		≥98	municipal / various / various
Purpolen PE FF		≥98	municipal / various / various
Purpolen PE F100		≥98	municipal / various / various
Purpolen PP F100		≥98	municipal / various / various

-61 / -73 / -96 / -60 / -92

CERTIFIED BY:



Sachverständigenbüro Widmayer GmbH
Mühlstrasse 12, 74399 Walheim
Germany

Frank Widmayer

Dipl.-Geol. Frank Widmayer


Auditor



Output Recycled Content Share

Reference Output (colour code)	Recycled Content [%]		Origin source / sector / type	
	(pre-consumer)	(post-consumer)		
Dipolen PP	-97 / -93	≥95	household / packaging / various	
Dipolen PP A10		≥85	household / packaging / various	
Dipolen PP F100		≥95	household / packaging / various	
Dipolen PP F100 Y55		≥94	household / packaging / various	
Dipolen PP Y55		≥94	household / packaging / various	
Dipolen PP HW Y55		≥94	household / packaging / various	
Dipolen S		≥95	household / packaging / various	
Dipolen S A10		≥85	household / packaging / various	
Dipolen S A10 Z10		≥75	household / packaging / various	
Dipolen S A15		≥80	household / packaging / various	
Dipolen S A20		≥75	household / packaging / various	
Dipolen S A20 Z10		≥65	household / packaging / various	
Dipolen S B10		≥85	household / packaging / various	
Dipolen S C15		≥80	household / packaging / various	
Dipolen SP		≥95	household / packaging / various	
Dipolen H		≥95	household / packaging / various	
Purpolen PP		≥95	municipal / various / various	
Purpolen PP Y40		≥94	municipal / various / various	
Purpolen PP Y55		≥94	municipal / various / various	
Purpolen PP HW Y55		≥94	household / various / various	
Purpolen PP C8		≥87	municipal / various / various	
Purpolen PP C8 Z5		≥82	municipal / various / various	
Purpolen PE		≥95	municipal / various / various	
Purpolen PE FF		≥95	municipal / various / various	
Purpolen PE F100		≥95	municipal / various / various	
Purpolen PP F100		≥95	municipal / various / various	
PP Trial Product		-31 / -51 / -71 / -72 / -74 / -81 / -89 / -95 / -30 / -50 / -70 / -80 / -90 / -91	≥99	household / packaging / various
PP Trial Product FF			≥99	municipal / various / various
PP Trial Product F100			≥99	municipal / various / various
PE Trial Product			≥99	municipal / various / various
PE Trial Product FF			≥99	municipal / various / various
PE Trial Product F100			≥99	municipal / various / various
Purpolen PP Probe			≥99	municipal / various / various
Purpolen PE Probe	≥99		municipal / various / various	
Dipolen PP Probe	≥99		household / packaging / various	
Dipolen S Probe	≥99		household / packaging / various	

CERTIFIED BY:



Sachverständigenbüro Widmayer GmbH
Mühlstrasse 12, 74399 Walheim
Germany

Frank Widmayer
Dipl.-Geol. Frank Widmayer


Auditor



Output Recycled Content Share

Reference Output (colour code)		Recycled Content [%]		Origin source / sector / type
		(pre-consumer)	(post-consumer)	
PP Trial Product	-61 / -73 / -96 / -60 / -92		≥98	municipal / various / various
PP Trial Product FF			≥98	municipal / various / various
PP Trial Product F100			≥98	municipal / various / various
PE Trial Product			≥98	municipal / various / various
PE Trial Product FF			≥98	municipal / various / various
PE Trial Product F100			≥98	municipal / various / various
Purpolen PP Probe			≥98	municipal / various / various
Purpolen PE Probe			≥98	municipal / various / various
Dipolen PP Probe			≥98	household / packaging / various
Dipolen S Probe			≥98	household / packaging / various
PP Trial Product	-97 / -93		≥95	municipal / various / various
PP Trial Product FF			≥95	municipal / various / various
PP Trial Product F100			≥95	municipal / various / various
PE Trial Product			≥95	municipal / various / various
PE Trial Product FF			≥95	municipal / various / various
PE Trial Product F100			≥95	municipal / various / various
Purpolen PP Probe			≥95	municipal / various / various
Purpolen PE Probe			≥95	municipal / various / various
Dipolen PP Probe			≥95	household / packaging / various
Dipolen S Probe			≥95	household / packaging / various
MK-PO Mahlgut (ca. 20 mm)	-31 / -51 / -71 / -72 / -74 / -81 / -89 / -95 / -30 / -50 / -70 / -80 / -90 / -91 / mixed / mono / off-white		≥99	household / packaging / various
MK-PO Regrind <20mm			≥99	household / packaging / various
MPO- Mahlgut			≥99	household / packaging / various
Sonstiges Mahlgut			≥99	household / packaging / various
PO Mahlgut schwarz			≥99	municipal / various / various
Dipolen H Flakes (black)			≥99	municipal / various / various
Siebkorn			≥99	municipal / various / various
MK-PO Mahlgut (ca. 10 mm)			≥99	household / packaging / various
MG-PP van Werfen			≥99	municipal / various / various
PO-Feinmahlgut			≥99	municipal / various / various
Mini Regrind <10mm			≥99	municipal / various / various
Purpolen PE Mahlgut			≥99	municipal / various / various
Purpolen PE Flakes			≥99	municipal / various / various
Purpolen PP Mahlgut			≥99	municipal / various / various
DSD324 Flakes			≥99	household / packaging / various
PP Flakes			≥99	household / packaging / various
PP Trial Flakes			≥99	household / packaging / various
DSD323 Flakes			≥99	household / packaging / various
PE Flakes			≥99	household / packaging / various
PE Trial Flakes			≥99	household / packaging / Various

CERTIFIED BY:



Sachverständigenbüro Widmayer GmbH
Mühlstrasse 12, 74399 Walheim
Germany

Frank Widmayer
Dipl.-Geol. Frank Widmayer


Auditor



Output Recycled Content Share

Reference Output (colour code)		Recycled Content [%]		Origin source / sector / type
		(pre-consumer)	(post-consumer)	
MK-PO Mahlgut (ca. 20 mm)	-61 / -73 / -96 / -60 / -92 / mixed / mono / off-white		≥98	household / packaging / various
MK-PO Regrind <20mm			≥98	household / packaging / various
MPO- Mahlgut			≥98	household / packaging / various
Sonstiges Mahlgut			≥98	household / packaging / various
PO Mahlgut schwarz			≥98	municipal / various / various
Dipolen H Flakes (black)			≥98	municipal / various / various
Siebkorn			≥98	municipal / various / various
MK-PO Mahlgut (ca. 10 mm)			≥98	household / packaging / various
MG-PP van Werfen			≥98	municipal / various / various
PO-Feinmahlgut			≥98	municipal / various / various
Mini Regrind <10mm			≥98	municipal / various / various
Purpolen PE Mahlgut			≥98	municipal / various / various
Purpolen PE Flakes			≥98	municipal / various / various
Purpolen PP Mahlgut			≥98	municipal / various / various
DSD324 Flakes			≥98	household / packaging / various
PP Flakes			≥98	household / packaging / various
PP Trial Flakes			≥98	household / packaging / various
DSD323 Flakes			≥98	household / packaging / various
PE Flakes			≥98	household / packaging / various
PE Trial Flakes			≥98	household / packaging / Various
PP Trial Flakes	-97 / -93 / mixed / mono / off-white		≥95	household / packaging / various
DSD323 Flakes			≥95	household / packaging / various
PE Flakes			≥95	household / packaging / various
PE Trial Flakes			≥95	household / packaging / various
MK-PO Mahlgut (ca. 20 mm)			≥95	municipal / various / various
MK-PO Regrind <20mm			≥95	municipal / various / various
MPO- Mahlgut			≥95	municipal / various / various
Sonstiges Mahlgut			≥95	household / packaging / various
PO Mahlgut schwarz			≥95	municipal / various / various
Dipolen H Flakes (black)			≥95	municipal / various / various
Siebkorn			≥95	municipal / various / various
MK-PO Mahlgut (ca. 10 mm)			≥95	municipal / various / various
MG-PP van Werfen			≥95	municipal / various / various
PO-Feinmahlgut			≥95	municipal / various / various
Mini Regrind <10mm			≥95	household / packaging / various
Purpolen PE Mahlgut			≥95	household / packaging / various
Purpolen PE Flakes			≥95	household / packaging / various
Purpolen PP Mahlgut			≥95	household / packaging / various
DSD324 Flakes			≥95	household / packaging / various
PP Flakes			≥95	household / packaging / Various

CERTIFIED BY:



Sachverständigenbüro Widmayer GmbH
Mühlstrasse 12, 74399 Walheim
Germany

Frank Widmayer
Dipl.-Geol. Frank Widmayer


Auditor



Output Recycled Content Share

Reference Output (colour code)		Recycled Content [%]		Origin source / sector / type
		(pre-consumer)	(post-consumer)	
PP-02		100		industrial / various / various
PP Y05-02		≥99		industrial / various / various
PP Y10-02		≥98		industrial / various / various
PP Y15-02		≥98		industrial / various / various
PP Y20-02		≥98		industrial / various / various
PP Y30-02		≥98		industrial / various / various
PP Y40-02		≥98		industrial / various / various
PP Y55-02		≥98		industrial / various / various
PP-03		100		industrial / various / various
PP Y05-03		≥99		industrial / various / various
PP Y10-03		≥98		industrial / various / various
PP Y15-03		≥98		industrial / various / various
PP Y20-03		≥98		industrial / various / various
PP Y30-03		≥98		industrial / various / various
PP Y40-03		≥98		industrial / various / various
PP Y55-03		≥98		industrial / various / various
PP-04		≥99		industrial / various / various
PP Y05-04		≥98		industrial / various / various
PP Y10-04		≥97		industrial / various / various
PP Y15-04		≥97		industrial / various / various
PP Y20-04		≥97		industrial / various / various
PP Y30-04		≥97		industrial / various / various
PP Y40-04		≥97		industrial / various / various
PP Y55-04		≥97		industrial / various / various
Borcycle MF1981SY			85	household / various / various
Borcycle UJ599MO			55	household / various / various
Borcycle UG522MO			55	household / various / various
Borcycle UG521MO			55	household / various / various
Borcycle AH1040MO			≥98	household / packaging / various
Borcycle AB2681 (XHB1011SY)			≥99	household / packaging / various
AG1020MO (XPF1011SY)			≥99	household / packaging / various
HD120-YNN			≥95	household / packaging / various
BCX400NP			≥95	household / packaging / various

CERTIFIED BY:



Sachverständigenbüro Widmayer GmbH
Mühlstrasse 12, 74399 Walheim
Germany

Frank Widmayer
Dipl.-Geol. Frank Widmayer

Auditor