

# RecyClass

## RECYCLING PROCESS CERTIFICATE

### Name of the recycler: mtm plastics GmbH

**Address:** Bahnhofstraße 106 - 99759 Niedergebra

Country: Germany

**Registration office address:** Bahnhofstraße 106 - 99759 Niedergebra

Country: Germany

The audited recycling process and associated management systems have met the requirements of Recycling Process Audit Scheme Version 1.2, in line with EN 15343:2007 and has the required procedures in place in order to ensure the traceability of recycled plastics produced listed in the annex of this certificate.

**Certification compliant with EN 15343:2007.**

#### Certification module:

- ☒ General requirements - Level 1
- ☐ General requirements - Level 2
- ☐ Module A1: Food Contact Pre-Processing\*\*
- ☐ Module A2: Food contact decontamination\*\*
- ☐ Module B: Cosmetics and households' applications
- ☐ Module C: Corporate Social Responsibility
- ☐ Module D: PVC requirements

**Type of audit:** Initial audit

**Initial certificate issue date:** 20/06/2025

**Chain of Custody model:** Segregation

**Traceability level:** Level 1

**Process overview:** Shredding, Washing, Drying, Extrusion

**Input Plastic waste:** PE-HD, PP, Mixed plastics, mixed polyolefins (MPO)

- Big Bag, Bales

**Type and source of waste:** Rigid, Rigid, flexible, film - Households, Commercial, Industrial

**Recycled Output:** PE-HD, PP, Mixed plastics, mixed polyolefins (MPO) - Pellets

**Pre-processed waste outputs:** Sludge, dust, waste from extrusion

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

## LIST OF CERTIFIED RECYCLED OUTPUTS

| Recycled Output                             | Recycled Content %<br>(pre-consumers) | Recycled Content %<br>(post-consumers) | Origin                            | Module  |
|---|---------------------------------------|--|-----------------------------------|---------|
| [-]/ Borcycle AB2681-90<br>(XHB1011SY-90)   | 0                                     | 99.5                                   | household,<br>packaging / various | General |
| [-]/ XHB1011SY-74                           | 0                                     | 99.5                                   | household,<br>packaging / various | General |
| [-]/ Borcycle AB2681-99<br>(XHB1011SY-99)   | 0                                     | 99.5                                   | household,<br>packaging / various | General |
| [-]/ Borcycle AH1040MO-74                   | 0                                     | 98                                     | household,<br>packaging / various | General |
| [-]/ Borcycle AH1040MO-90                   | 0                                     | 96.5                                   | household,<br>packaging / various | General |
| [-]/ Borcycle AH1040MO-99                   | 0                                     | 98                                     | household,<br>packaging / various | General |
| [-]/ Borcycle AG1020MO-74<br>(XPF1011SY-74) | 0                                     | 99                                     | household,<br>packaging / various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer  
GmbH**

Mühlstrasse 12  
74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|   |   |      |                                   |         |
|---|---|------|-----------------------------------|---------|
| [-]/ Borcycle AG1020MO-90<br>(XPF1011SY-90) | 0 | 97   | household,<br>packaging / various | General |
| [-]/ XPF1011SY-99                           | 0 | 99   | household,<br>packaging / various | General |
| [-]/ Borcycle AG1020MO-99                   | 0 | 99   | household,<br>packaging / various | General |
| [-]/ UG522MO-99                             | 0 | 55   | household,<br>packaging / various | General |
| [-]/ Dipolen H-73                           | 0 | 98   | municipal, various                | General |
| [-]/ Dipolen H-74                           | 0 | 100  | municipal, various                | General |
| [-]/ Dipolen H-95                           | 0 | 99   | municipal, various                | General |
| [-]/ Dipolen SP-74                          | 0 | 100  | household,<br>packaging / various | General |
| [-]/ Dipolen SP-89                          | 0 | 99.5 | household,<br>packaging / various | General |
| [-]/ Dipolen SP-95                          | 0 | 99   | household,<br>packaging / various | General |
| [-]/ Dipolen PP-74                          | 0 | 100  | household,<br>packaging / various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**


Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                             |   |      |                                   |         |
|-----------------------------|---|------|-----------------------------------|---------|
| [-]/ Dipolen PP Y55-74      | 0 | 99   | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100-74     | 0 | 100  | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100 Y55-74 | 0 | 99   | household,<br>packaging / various | General |
| [-]/ Dipolen PP-89          | 0 | 99.5 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100-89     | 0 | 99.5 | household,<br>packaging / various | General |
| [-]/ Dipolen PP-95          | 0 | 99   | household,<br>packaging / various | General |
| [-]/ Dipolen PP Y55-95      | 0 | 98   | household,<br>packaging / various | General |
| [-]/ Dipolen PP Y55-96      | 0 | 97   | household,<br>packaging / various | General |
| [-]/ Dipolen PP A10-97      | 0 | 85   | household,<br>packaging / various | General |
| [-]/ Dipolen S-61           | 0 | 98   | household,<br>packaging / various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                          |   |     |                                   |         |
|--------------------------|---|-----|-----------------------------------|---------|
| [-]/ Dipolen S A10-61    | 0 | 88  | household,<br>packaging / various | General |
| [-]/ Dipolen S-72        | 0 | 99  | household,<br>packaging / various | General |
| [-]/ Dipolen S A10-72    | 0 | 89  | household,<br>packaging / various | General |
| [-]/ Dipolen S-73        | 0 | 98  | household,<br>packaging / various | General |
| [-]/ Dipolen S-74        | 0 | 100 | household,<br>packaging / various | General |
| [-]/ Dipolen S A10-74    | 0 | 90  | household,<br>packaging / various | General |
| [-]/ Dipolen S A10Z10-74 | 0 | 80  | household,<br>packaging / various | General |
| [-]/ Dipolen S A20Z10-74 | 0 | 70  | household,<br>packaging / various | General |
| [-]/ Dipolen S-81        | 0 | 100 | household,<br>packaging / various | General |
| [-]/ Dipolen S-95        | 0 | 99  | household,<br>packaging / various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**


Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                          |   |      |                                   |         |
|--------------------------|---|------|-----------------------------------|---------|
| [-]/ Dipolen S A10-95    | 0 | 89   | household,<br>packaging / various | General |
| [-]/ Dipolen S A15-95    | 0 | 84   | household,<br>packaging / various | General |
| [-]/ Dipolen S A20-95    | 0 | 79   | household,<br>packaging / various | General |
| [-]/ Dipolen S B10-95    | 0 | 89   | household,<br>packaging / various | General |
| [-]/ Dipolen S-96        | 0 | 98   | household,<br>packaging / various | General |
| [-]/ Dipolen S-97        | 0 | 95   | household,<br>packaging / various | General |
| [-]/ Purpolen PE-73      | 0 | 98   | municipal, various                | General |
| [-]/ Purpolen PE-74      | 0 | 100  | municipal, various                | General |
| [-]/ Purpolen PE F100-74 | 0 | 100  | municipal, various                | General |
| [-]/ Purpolen PE-89      | 0 | 99.5 | municipal, various                | General |
| [-]/ Purpolen PE-95      | 0 | 99   | municipal, various                | General |
| [-]/ Purpolen PE F100-96 | 0 | 98   | municipal, various                | General |
| [-]/ Purpolen PP-61      | 0 | 98   | municipal, various                | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                            |      |      |                                   |         |
|----------------------------|------|------|-----------------------------------|---------|
| [-]/ Purpolen PP-71        | 0    | 99.5 | municipal, various                | General |
| [-]/ Purpolen PP Y55-71    | 0    | 97.5 | municipal, various                | General |
| [-]/ Purpolen PP HW Y55-71 | 0    | 97.5 | municipal, various                | General |
| [-]/ Purpolen PP-74        | 0    | 100  | municipal, various                | General |
| [-]/ Purpolen PP Y40-74    | 0    | 98.5 | municipal, various                | General |
| [-]/ Purpolen PP Y55-74    | 0    | 98.5 | municipal, various                | General |
| [-]/ Purpolen PP HW Y55-74 | 0    | 98.5 | municipal, various                | General |
| [-]/ Purpolen PP-89        | 0    | 99.5 | municipal, various                | General |
| [-]/ Purpolen PP-95        | 0    | 99   | municipal, various                | General |
| [-]/ Purpolen PP-96        | 0    | 98   | municipal, various                | General |
| [-]/ PP Trial Product      | 0    | 98   | household,<br>packaging / various | General |
| [-]/ PP Y40-02             | 98.5 | 0    | industrial, various/<br>various   | General |
| [-]/ PP Y40-03             | 98.5 | 0    | industrial, various/<br>various   | General |
| [-]/ PP-04                 | 99.5 | 0    | industrial, various/<br>various   | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**


Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                           |      |      |                                   |         |
|---------------------------|------|------|-----------------------------------|---------|
| [-]/ PP Y20-04            | 99   | 0    | industrial, various/<br>various   | General |
| [-]/ PP Y40-04            | 98.5 | 0    | industrial, various/<br>various   | General |
| [-]/ Borcycle MF1981SY-95 | 0    | 84.9 | household,<br>packaging / various | General |
| [-]/ Dipolen PP A15-74    | 0    | 85   | household,<br>packaging / various | General |
| [-]/ PP Y40Z10-02         | 88.5 | 0    | industrial, various/<br>various   | General |
| [-]/ Purpolen PP Z30-74   | 0    | 70   | municipal, various                | General |
| [-]/ Dipolen PP-71        | 0    | 99.5 | household,<br>packaging / various | General |
| [-]/ Dipolen PP-72        | 0    | 99   | household,<br>packaging / various | General |
| [-]/ Dipolen PP-73        | 0    | 98   | household,<br>packaging / various | General |
| [-]/ Dipolen PP-96        | 0    | 98   | household,<br>packaging / various | General |
| [-]/ Dipolen PP-97        | 0    | 95   | household,<br>packaging / various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**


Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**



# RecyClass

|                            |   |      |                                   |         |
|----------------------------|---|------|-----------------------------------|---------|
| [-]/ Dipolen S-51          | 0 | 98   | household,<br>packaging / various | General |
| [-]/ Dipolen S A10-51      | 0 | 88   | household,<br>packaging / various | General |
| [-]/ Dipolen S A10-73      | 0 | 88   | household,<br>packaging / various | General |
| [-]/ Dipolen S A10-89      | 0 | 89.5 | household,<br>packaging / various | General |
| [-]/ Dipolen S A15-74      | 0 | 85   | household,<br>packaging / various | General |
| [-]/ Purpolen PP-51        | 0 | 98   | municipal, various                | General |
| [-]/ Purpolen PP-72        | 0 | 99   | municipal, various                | General |
| [-]/ Purpolen PP-73        | 0 | 98   | municipal, various                | General |
| [-]/ Purpolen PP Y55-72    | 0 | 97.5 | municipal, various                | General |
| [-]/ Purpolen PP Y55-73    | 0 | 96.5 | municipal, various                | General |
| [-]/ Purpolen PP Y55-89    | 0 | 98   | municipal, various                | General |
| [-]/ Purpolen PP Y55-95    | 0 | 97.5 | municipal, various                | General |
| [-]/ Purpolen PP HW Y55-72 | 0 | 97.5 | municipal, various                | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**


Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                            |   |      |                                   |         |
|----------------------------|---|------|-----------------------------------|---------|
| [-]/ Purpolen PP HW Y55-73 | 0 | 96.5 | municipal, various                | General |
| [-]/ Purpolen PP HW Y55-95 | 0 | 97.5 | municipal, various                | General |
| [-]/ Purpolen PE-71        | 0 | 99.5 | municipal, various                | General |
| [-]/ Purpolen PE-72        | 0 | 99   | municipal, various                | General |
| [-]/ Purpolen PE F100-71   | 0 | 99   | municipal, various                | General |
| [-]/ Purpolen PE F100-72   | 0 | 99   | municipal, various                | General |
| [-]/ Purpolen PE F100-73   | 0 | 98   | municipal, various                | General |
| [-]/ Purpolen PE F100-89   | 0 | 99.5 | municipal, various                | General |
| [-]/ Purpolen PE F100-95   | 0 | 99   | municipal, various                | General |
| [-]/ Dipolen SL-95         | 0 | 99   | household,<br>packaging / various | General |
| [-]/ Dipolen PP A10-61     | 0 | 88   | household,<br>packaging / various | General |
| [-]/ Dipolen PP A10-71     | 0 | 89   | household,<br>packaging / various | General |
| [-]/ Dipolen PP A10-72     | 0 | 89   | household,<br>packaging / various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**


Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                         |   |    |                                   |         |
|-------------------------|---|----|-----------------------------------|---------|
| [-]/ Dipolen PP A10-73  | 0 | 88 | household,<br>packaging / various | General |
| [-]/ Dipolen PP A10-74  | 0 | 89 | household,<br>packaging / various | General |
| [-]/ Dipolen PP A10-89  | 0 | 89 | household,<br>packaging / various | General |
| [-]/ Dipolen PP A10-90  | 0 | 88 | household,<br>packaging / various | General |
| [-]/ Dipolen PP A10-95  | 0 | 89 | household,<br>packaging / various | General |
| [-]/ Dipolen PP A10-96  | 0 | 88 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100-61 | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100-71 | 0 | 99 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100-72 | 0 | 99 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100-73 | 0 | 98 | household,<br>packaging / various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                             |   |    |                                   |         |
|-----------------------------|---|----|-----------------------------------|---------|
| [-]/ Dipolen PP F100-90     | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100-95     | 0 | 99 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100-96     | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100-97     | 0 | 95 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100 Y55-61 | 0 | 96 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100 Y55-71 | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100 Y55-72 | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100 Y55-73 | 0 | 97 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100 Y55-89 | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100 Y55-90 | 0 | 98 | household,<br>packaging / various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                             |   |    |                                   |         |
|-----------------------------|---|----|-----------------------------------|---------|
| [-]/ Dipolen PP F100 Y55-95 | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100 Y55-96 | 0 | 97 | household,<br>packaging / various | General |
| [-]/ Dipolen PP F100 Y55-97 | 0 | 94 | household,<br>packaging / various | General |
| [-]/ Dipolen PP Y55-61      | 0 | 96 | household,<br>packaging / various | General |
| [-]/ Dipolen PP Y55-71      | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP Y55-72      | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP Y55-73      | 0 | 97 | household,<br>packaging / various | General |
| [-]/ Dipolen PP Y55-89      | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP Y55-90      | 0 | 97 | household,<br>packaging / various | General |
| [-]/ Dipolen PP Y55-97      | 0 | 94 | household,<br>packaging / various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                           |   |    |                                   |         |
|---------------------------|---|----|-----------------------------------|---------|
| [-]/ Dipolen PP HW Y55-61 | 0 | 96 | household,<br>packaging / various | General |
| [-]/ Dipolen PP HW Y55-71 | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP HW Y55-72 | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP HW Y55-73 | 0 | 97 | household,<br>packaging / various | General |
| [-]/ Dipolen PP HW Y55-74 | 0 | 99 | household,<br>packaging / various | General |
| [-]/ Dipolen PP HW Y55-89 | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP HW Y55-90 | 0 | 97 | household,<br>packaging / various | General |
| [-]/ Dipolen PP HW Y55-95 | 0 | 98 | household,<br>packaging / various | General |
| [-]/ Dipolen PP HW Y55-96 | 0 | 97 | household,<br>packaging / various | General |
| [-]/ Dipolen PP HW Y55-97 | 0 | 95 | household,<br>packaging / various | General |
| [-]/ Dipolen S-31         | 0 | 99 | packing /various                  | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                       |   |      |                  |         |
|-----------------------|---|------|------------------|---------|
| [-]/ Dipolen S-71     | 0 | 99   | packing /various | General |
| [-]/ Dipolen S-89     | 0 | 99.5 | packing /various | General |
| [-]/ Dipolen S-90     | 0 | 98   | packing /various | General |
| [-]/ Dipolen S A10-90 | 0 | 86   | packing /various | General |
| [-]/ Dipolen S A10-96 | 0 | 88   | packing /various | General |
| [-]/ Dipolen S A10-97 | 0 | 85   | packing /various | General |
| [-]/ Dipolen S A10-61 | 0 | 88   | packing /various | General |
| [-]/ Dipolen S A10-71 | 0 | 89   | packing /various | General |
| [-]/ Dipolen S A15-61 | 0 | 83   | packing /various | General |
| [-]/ Dipolen S A15-71 | 0 | 84   | packing /various | General |
| [-]/ Dipolen S A15-72 | 0 | 84   | packing /various | General |
| [-]/ Dipolen S A15-73 | 0 | 83   | packing /various | General |
| [-]/ Dipolen S A15-89 | 0 | 84   | packing /various | General |
| [-]/ Dipolen S A15-90 | 0 | 83   | packing /various | General |
| [-]/ Dipolen S A15-96 | 0 | 83   | packing /various | General |
| [-]/ Dipolen S A15-97 | 0 | 80   | packing /various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**


Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                       |   |      |                                   |         |
|-----------------------|---|------|-----------------------------------|---------|
| [-]/ Dipolen S B10-61 | 0 | 88   | packing /various                  | General |
| [-]/ Dipolen S B10-71 | 0 | 89   | packing /various                  | General |
| [-]/ Dipolen S B10-72 | 0 | 89   | packing /various                  | General |
| [-]/ Dipolen S B10-73 | 0 | 88   | packing /various                  | General |
| [-]/ Dipolen S B10-74 | 0 | 90   | packing /various                  | General |
| [-]/ Dipolen S B10-89 | 0 | 89.5 | packing /various                  | General |
| [-]/ Dipolen S B10-90 | 0 | 88   | packing /various                  | General |
| [-]/ Dipolen S B10-96 | 0 | 88   | packing /various                  | General |
| [-]/ Dipolen S B10-97 | 0 | 85   | packing /various                  | General |
| [-]/ Dipolen SP-61    | 0 | 98   | household,<br>packaging / various | General |
| [-]/ Dipolen SP-71    | 0 | 99   | household,<br>packaging / various | General |
| [-]/ Dipolen SP-72    | 0 | 99   | household,<br>packaging / various | General |
| [-]/ Dipolen SP-73    | 0 | 98   | household,<br>packaging / various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**



# RecyClass

|                         |   |      |                                   |         |
|-------------------------|---|------|-----------------------------------|---------|
| [-]/ Dipolen SP-90      | 0 | 97   | household,<br>packaging / various | General |
| [-]/ Dipolen SP-96      | 0 | 98   | household,<br>packaging / various | General |
| [-]/ Dipolen SP-97      | 0 | 95   | household,<br>packaging / various | General |
| [-]/ Purpolen PP-90     | 0 | 98   | municipal, various                | General |
| [-]/ Purpolen PP-96     | 0 | 98   | municipal, various                | General |
| [-]/ Purpolen PP Y40-61 | 0 | 96.5 | municipal, various                | General |
| [-]/ Purpolen PP Y40-71 | 0 | 97.5 | municipal, various                | General |
| [-]/ Purpolen PP Y40-72 | 0 | 97.5 | municipal, various                | General |
| [-]/ Purpolen PP Y40-73 | 0 | 96.5 | municipal, various                | General |
| [-]/ Purpolen PP Y40-89 | 0 | 98   | municipal, various                | General |
| [-]/ Purpolen PP Y40-90 | 0 | 96.5 | municipal, various                | General |
| [-]/ Purpolen PP Y40-95 | 0 | 97.5 | municipal, various                | General |
| [-]/ Purpolen PP Y40-96 | 0 | 96.5 | municipal, various                | General |
| [-]/ Purpolen PP Y40-97 | 0 | 100  | municipal, various                | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                            |   |      |                    |         |
|----------------------------|---|------|--------------------|---------|
| [-]/ Purpolen PP Y55-61    | 0 | 96   | municipal, various | General |
| [-]/ Purpolen PP Y55-90    | 0 | 96.5 | municipal, various | General |
| [-]/ Purpolen PP Y55-96    | 0 | 96.5 | municipal, various | General |
| [-]/ Purpolen PP Y55-97    | 0 | 93.5 | municipal, various | General |
| [-]/ Purpolen PP HW Y55-61 | 0 | 93.5 | municipal, various | General |
| [-]/ Purpolen PP HW Y55-90 | 0 | 93.5 | municipal, various | General |
| [-]/ Purpolen PP HW Y55-97 | 0 | 93.5 | municipal, various | General |
| [-]/ Purpolen PE-61        | 0 | 98   | municipal, various | General |
| [-]/ Purpolen PE-90        | 0 | 98   | municipal, various | General |
| [-]/ Purpolen PE-96        | 0 | 98   | municipal, various | General |
| [-]/ Purpolen PE-97        | 0 | 95   | municipal, various | General |
| [-]/ Purpolen PE F100-61   | 0 | 98   | municipal, various | General |
| [-]/ Purpolen PE F100-90   | 0 | 98   | municipal, various | General |
| [-]/ Purpolen PE F100-97   | 0 | 95   | municipal, various | General |
| [-]/ Purpolen PP F100-61   | 0 | 98   | municipal, various | General |
| [-]/ Purpolen PP F100-71   | 0 | 99   | municipal, various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                          |    |      |                                   |         |
|--------------------------|----|------|-----------------------------------|---------|
| [-]/ Purpolen PP F100-72 | 0  | 99   | municipal, various                | General |
| [-]/ Purpolen PP F100-73 | 0  | 98   | municipal, various                | General |
| [-]/ Purpolen PP F100-74 | 0  | 100  | municipal, various                | General |
| [-]/ Purpolen PP F100-89 | 0  | 99.5 | municipal, various                | General |
| [-]/ Purpolen PP F100-90 | 0  | 98   | municipal, various                | General |
| [-]/ Purpolen PP F100-95 | 0  | 99   | municipal, various                | General |
| [-]/ Purpolen PP F100-96 | 0  | 98   | municipal, various                | General |
| [-]/ Purpolen PP F100-97 | 0  | 95   | municipal, various                | General |
| [-]/ PE Trial Product    | 0  | 98   | household,<br>packaging / various | General |
| [-]/ MK-PO 10            | 0  | 99   | household,<br>packaging / various | General |
| [-]/ MK-PO 20            | 0  | 99   | household,<br>packaging / various | General |
| [-]/ PP Y1-02            | 99 | 0    | industrial, various/<br>various   | General |
| [-]/ PP Y5-02            | 99 | 0    | industrial, various/<br>various   | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**


Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                |      |   |                                 |         |
|----------------|------|---|---------------------------------|---------|
| [-]/ PP Y10-02 | 98.5 | 0 | industrial, various/<br>various | General |
| [-]/ PP Y15-02 | 98.5 | 0 | industrial, various/<br>various | General |
| [-]/ PP Y20-02 | 98.5 | 0 | industrial, various/<br>various | General |
| [-]/ PP Y30-02 | 98.5 | 0 | industrial, various/<br>various | General |
| [-]/ PP Y55-02 | 97.5 | 0 | industrial, various/<br>various | General |
| [-]/ PP Y1-03  | 99   | 0 | industrial, various/<br>various | General |
| [-]/ PP Y5-03  | 99   | 0 | industrial, various/<br>various | General |
| [-]/ PP Y10-03 | 98.5 | 0 | industrial, various/<br>various | General |
| [-]/ PP Y15-03 | 98.5 | 0 | industrial, various/<br>various | General |
| [-]/ PP Y20-03 | 98.5 | 0 | industrial, various/<br>various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                       |      |    |                                 |         |
|-----------------------|------|----|---------------------------------|---------|
| [-]/ PP Y30-03        | 98.5 | 0  | industrial, various/<br>various | General |
| [-]/ PP Y55-03        | 97.5 | 0  | industrial, various/<br>various | General |
| [-]/ PP Y1-04         | 99.5 | 0  | industrial, various/<br>various | General |
| [-]/ PP Y5-04         | 99.5 | 0  | industrial, various/<br>various | General |
| [-]/ PP Y10-04        | 99   | 0  | industrial, various/<br>various | General |
| [-]/ PP Y15-04        | 99   | 0  | industrial, various/<br>various | General |
| [-]/ PP Y30-04        | 99   | 0  | industrial, various/<br>various | General |
| [-]/ PP Y55-04        | 98   | 0  | industrial, various/<br>various | General |
| [-]/ Dipolen S A20-61 | 0    | 78 | packing /various                | General |
| [-]/ Dipolen S A20-71 | 0    | 79 | packing /various                | General |
| [-]/ Dipolen S A20-72 | 0    | 79 | packing /various                | General |
| [-]/ Dipolen S A20-73 | 0    | 78 | packing /various                | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**

# RecyClass

|                        |   |      |                  |         |
|------------------------|---|------|------------------|---------|
| [-]/ Dipolen S A20-74  | 0 | 80   | packing /various | General |
| [-]/ Dipolen S A20-89  | 0 | 79.5 | packing /various | General |
| [-]/ Dipolen S A20-90  | 0 | 78   | packing /various | General |
| [-]/ Dipolen S A20-95  | 0 | 79   | packing /various | General |
| [-]/ Dipolen S A20-96  | 0 | 78   | packing /various | General |
| [-]/ Dipolen S A20-97  | 0 | 75   | packing /various | General |
| [-]/ Dipolen PP A15-61 | 0 | 83   | packing /various | General |
| [-]/ Dipolen PP A15-71 | 0 | 84   | packing /various | General |
| [-]/ Dipolen PP A15-72 | 0 | 84   | packing /various | General |
| [-]/ Dipolen PP A15-73 | 0 | 83   | packing /various | General |
| [-]/ Dipolen PP A15-89 | 0 | 84.5 | packing /various | General |
| [-]/ Dipolen PP A15-90 | 0 | 83   | packing /various | General |
| [-]/ Dipolen PP A15-95 | 0 | 84   | packing /various | General |
| [-]/ Dipolen PP A15-96 | 0 | 83   | packing /various | General |
| [-]/ Dipolen PP A15-97 | 0 | 80   | packing /various | General |

Audit Report and Certificate Code:

**RP552-B0R-06-26-SVB-FW**

Date of the on-site audit:

**16/04/2025**

Date of issue of certificate:

**20/06/2025**

Period of validity\*:

**20/06/2025 - 19/06/2026**

\*Validity conditions and terms of use may be found in the Audit Scheme documents.

\*\*RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:



**Mr. Maik Schulte**

Legal Representative

**Sachverständigenbüro Widmayer**

**GmbH**

Mühlstrasse 12

74399 - Walheim, Germany



**SACHVERSTÄNDIGENBÜRO  
WIDMAYER GMBH**