# **Propylene (ambient)**

Version 6.0

Revision Date: 29.04.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	: Chemical Grade Propylene (ambient), Polymer Gra Propylene (ambient)	ade
REACH Registration Number :	01-2119447103-50-0001, 01-2119447103-50-0002 2119447103-50-0003, 01-2119447103-50-0008, 0 2119447103-50-XXXX	
Substance name :	propylene	
EC-No.	: 204-062-1	
1.2 Relevant identified uses of the	substance or mixture and uses advised against	
Use of the Substance/Mixture	: Manufacture, Use as an intermediate, Formulation (re)packing of substances and mixtures, Use in po production, Fuel, Propellant	
1.3 Details of the supplier of the sa	fety data sheet	

# 1.3 Details of the supplier of the safety data sneed

Manufacturer :	Borealis AB S-444 86 Stenungsund, Sweden Telephone: +46 303 86000
	Borealis Polymers Oy P.O.Box 330, FI-06101 Porvoo, Finland Telephone: +358 9 394900
	Borealis Kallo N.V. Haven 1568, Sint-Jansweg 2, B-9130 Kallo-Kieldrecht, Belgium Telephone: +32 3 570 5211
Supplier :	Borealis AG Trabrennstrasse 6-8, 1020 Vienna, Austria Telephone: +43 1 22400 0
E-mail address :	sds@borealisgroup.com

## 1.4 Emergency telephone number



## Propylene (ambient)

Version 6.0

Revision Date: 29.04.2024

+1 760 476 3962 (3E), Access code: 336296

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Flammable gases, Category 1A Gases under pressure, Compressed gas H220: Extremely flammable gas. H280: Contains gas under pressure; may explode if heated.

#### 2.2 Label elements

Labelling (REGULATION (E	EC)	No 1272/2008)
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<ul><li>H220 Extremely flammable gas.</li><li>H280 Contains gas under pressure; may explode if heated.</li></ul>
Precautionary statements	:	Prevention:
		P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		flames and other ignition sources. No smoking.
		<ul><li>flames and other ignition sources. No smoking.</li><li>Response:</li><li>P377 Leaking gas fire: Do not extinguish, unless leak can be</li></ul>
		<ul><li>flames and other ignition sources. No smoking.</li><li><b>Response:</b></li><li>P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.</li></ul>

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



**Propylene (ambient)** 

Version 6.0

Revision Date: 29.04.2024

Rapid evaporation of the product may cause frostbite. May displace oxygen and cause rapid suffocation. Risk of explosion if heated under confinement. Vapours may form explosive mixtures with air.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Substance name	:	propylene
EC-No.	:	204-062-1

## Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
propene	115-07-1 204-062-1	>= 90 - <= 100	
propane	74-98-6 200-827-9	>= 0 - < 10	

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice	: Move out of dangerous area. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
If inhaled	: Remove from exposure. Keep warm and at rest and provide fresh air. Give oxygen or artificial respiration if needed. Seek medical advice immediately.
In case of skin contact	<ul> <li>Remove/ Take off immediately all contaminated clothing. If clothing already frozen and stuck to the skin: Do not remove contaminated clothing. Wash frost-bitten areas with plenty of lukewarm water. Do not rub affected area. Seek medical advice.</li> </ul>
In case of eye contact	: Remove contact lenses. Rinse thoroughly with plenty of water, also under the eyelids.



Propylene (ambient)						
Version 6.0	on 6.0 Revision Date: 29.04.2024 Former date: 31.05					
	Keep eye wide open while rinsing. Seek medical advice.					
If swallowed	: Not probable: The product evaporates readily.					
4.2 Most important symptoms and effects, both acute and delayed						
Symptoms	<ul> <li>Inhalation may provoke the following synchrony</li> <li>Drowsiness</li> <li>Suffocation</li> <li>Inhalation may cause central nervous synchrony</li> </ul>					
	Skin contact may provoke the following Frostbite					
4.3 Indication of any immediate medical attention and special treatment needed						
Treatment	: Treat symptomatically. Control of circulatory system, shock the Treat frost-bitten areas as needed.	erapy if needed.				

## **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	: Dry powder, carbon dioxide, foam and water mist.
Unsuitable extinguishing media	: Do NOT use water jet.
5.2 Special hazards arising from Specific hazards during firefighting	<ul> <li>the substance or mixture</li> <li>Risk of explosion.</li> <li>Exposure to decomposition products may be a hazard to health.</li> <li>Incomplete combustion may produce:</li> <li>Carbon monoxide</li> </ul>

## 5.3 Advice for firefighters Special protective equipment

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus and protective suit.
Further information	:	Keep people away from and upwind of spill/leak. Attempt to stop leakage without personal risk. If conditions permit, let fire burn itself out. Cool tanks with water spray. If possible, containers should be moved to safe place.



## **Propylene (ambient)**

Version 6.0

Revision Date: 29.04.2024

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep people away from and upwind of spill/leak. Attempt to stop leakage without personal risk. Eliminate all ignition sources if safe to do so. Ensure adequate ventilation, especially in confined areas. Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.

#### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent product from entering environment and drains. Observe the risk of explosion. If major spillage occurs, contact the proper local authorities.

#### 6.3 Methods and material for containment and cleaning up

Allow to evaporate. Ensure adequate ventilation, especially in confined areas. Do NOT use water jet.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Refill and handle product only in closed system. Prevent leaks by checking valves, pipelines and joints regularly.
Advice on protection against fire and explosion	:	Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Ensure adequate ventilation. Risk of explosion if heated under confinement. Vapours may form explosive mixtures with air. High risk of fire in case of leakage.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep in a dry, cool and well-ventilated place. Keep product



# **Propylene (ambient)**

Version 6.0	Revision Date: 29.04.2024	Former date: 31.05.2022
areas and containers	and empty container away from heat and sources of ignition Protect from sunlight.	
Further information on storage conditions	: Protect container from physical sh	nock.
Advice on common storage	: Incompatible with strong bases ar	nd oxidizing agents.
Recommended storage temperature	: < 50 °C	
7.3 Specific end use(s) Specific use(s)	: Not applicable	

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value	
Propylene (ambient)					
Remarks:	Not possible from current data.				

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name		Environmental Compartment	Value
Propylene (ambient)			
Remarks:	Not applic	able	

## 8.2 Exposure controls

## Engineering measures

Application in a closed system Provide adequate ventilation. Use personal protective equipment.

## Personal protective equipment

Eye protection	: Safety goggles or face-shield.
Hand protection	Equipment should conform to EN 166
Remarks	: Cold-insulating gloves (e.g. nitrile rubber). The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Take note of the information given by the producer concerning permeability and break through



Propylene (ambient)		
Version 6.0	Revision Date: 29.04.2024	Former date: 31.05.2022
	times, and of special workplace cor strain, duration of contact).	nditions (mechanical
Skin and body protection	: Wear suitable protective clothing. Safety shoes Leather boots	
Respiratory protection	<ul> <li>In case of insufficient ventilation: Se apparatus.</li> <li>Vapours are heavier than air and ca reducing oxygen available for breat</li> </ul>	an cause suffocation by
Protective measures	: Avoid contact with skin, eyes and c The type of protective equipment m to the concentration and amount of at the specific workplace.	nust be selected according
Environmental exposure co	ontrols	
General advice	<ul> <li>Prevent further leakage or spillage product from entering environment risk of explosion. If major spillage o local authorities.</li> </ul>	and drains. Observe the

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state Colour Odour Odour Threshold	:	Liquefied gas, Compressed gas colourless mild, aromatic 69,3 - 203,5 ppm
Melting point	:	-185 °C (1013,0 hPa)
Boiling point	:	-48 °C (1013,0 hPa)
Flammability	:	Extremely flammable.
Upper explosion limit / Upper flammability limit	:	11 %(V)
Lower explosion limit / Lower flammability limit	:	2 %(V)
Flash point	:	Not applicable, (gaseous)
Auto-ignition temperature	:	455 °C (1.013 hPa)
Decomposition temperature	:	Heating or fire can release toxic and irritating gases.



## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 **Propylene (ambient)**

Version 6.0	Revision Date: 29.04.2024	Former date: 31.05.2022
рН	: No data available	
Viscosity Viscosity, dynamic	: Not applicable (gaseous)	
Viscosity, kinematic	: Not applicable (gaseous)	
Solubility(ies) Water solubility	: 0,2 g/l (25 °C)	
Partition coefficient: n- octanol/water	: log Pow: 1,77	
Vapour pressure	: 11.580 hPa (25 °C)	
Relative density	: Not applicable (gaseous)	
Relative vapour density	: 1,4 (Air = 1.0)	
2 Other information		
Evaporation rate	: No data available	
Molecular weight	: 42,08 g/mol	

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

## **10.2 Chemical stability**

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions: Vapours may form explosive mixture with air.<br/>Hazardous polymerisation may occur.

## 10.4 Conditions to avoid

Conditions to avoid

: Keep away from heat and sources of ignition. Observe the risk of explosion.



Propylene (ambient)		E 14 04 05 0000
Version 6.0	Revision Date: 29.04.2024	Former date: 31.05.2022
10.5 Incompatible materials		
Materials to avoid	: Strong bases Strong oxidizing agents	
10.6 Hazardous decompositio	n products	
In case of fire hazardous de Carbon monoxide	ecomposition products may be produced	d such as:
SECTION 11: Toxicological	information	
	mormation	
11.1 Information on hazard cla	asses as defined in Regulation (EC) N	lo 1272/2008
11.1 Information on hazard cla Acute toxicity	asses as defined in Regulation (EC) N	lo 1272/2008
Acute toxicity	asses as defined in Regulation (EC) N ne classification criteria are not met.	lo 1272/2008
Acute toxicity		lo 1272/2008
Acute toxicity Based on available data, th <u>Components:</u> propene:	ne classification criteria are not met.	lo 1272/2008
Acute toxicity Based on available data, th <u>Components:</u>		lo 1272/2008
Acute toxicity Based on available data, th <u>Components:</u> propene:	e classification criteria are not met.	
Acute toxicity Based on available data, th <u>Components:</u> propene: Acute oral toxicity	e classification criteria are not met. : Remarks: Not relevant (gaseous) : Remarks: No adverse effect has	
Acute toxicity Based on available data, th <u>Components:</u> propene: Acute oral toxicity Acute inhalation toxicity	<ul> <li>Remarks: Not relevant (gaseous)</li> <li>Remarks: No adverse effect has toxicity tests.</li> <li>Remarks: Not relevant</li> </ul>	s been observed in acute

Acute inhalation toxicity	: LC50: 1.443 mg/l Exposure time: 15 min Symptoms: Central nervous system depression Remarks: Acute toxicity: low.
Acute dermal toxicity	: Remarks: study technically not feasible (gaseous)

## Skin corrosion/irritation

Based on available data, the classification criteria are not met.

## Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.



# **Propylene (ambient)**

Version 6.0

Respiratory or skin sensitisation				
Skin sensitisation Based on available data, the classification criteria are not met.				
<b>Respiratory sensitisation</b> Based on available data, the cla	ssification criteria are not met.			
Germ cell mutagenicity Based on available data, the cla	ssification criteria are not met.			
Components:				
<b>propene:</b> Genotoxicity in vitro	: Remarks: No significant adverse effects were reported			
Genotoxicity in vivo	<ul> <li>Test Type: Micronucleus test Species: Rat (male) Method: OECD Test Guideline 474 Remarks: In vivo tests did not show mutagenic effects</li> </ul>			
<b>propane:</b> Genotoxicity in vitro	: Test Type: Ames test Result: negative Remarks: In vitro tests did not show mutagenic effects			
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Result: negative Remarks: Read-across (Analogy)			

Revision Date: 29.04.2024

## Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Components:**

propene:		
Species	:	Rat
	:	10.000 ppm
Method	:	OECD Test Guideline 453
Remarks	:	negative
propane:		
Remarks	:	This information is not available.

## **Reproductive toxicity**

Based on available data, the classification criteria are not met.

## **Components:**

propene: Effects on fertility

: Application Route: inhalation (gas) Remarks: No adverse effects

Borealis AG | Trabrennstrasse 6-8 | 1020 Vienna | Austria Felephone +43 1 224 00 0 | Fax +43 1 22 400 33 FN 269858a | CCC Commercial Court of Vienna | Website <u>www.borealisgroup.com</u>



Former date: 31.05.2022

Propylene (ambient)		
Version 6.0	Revision Date: 29.04.2024	Former date: 31.05.2022
Effects on foetal development	: Application Route: Inhalation Symptoms: No adverse effects	
<b>propane:</b> Effects on foetal development	: General Toxicity Maternal: NOAEL Teratogenicity: NOAEL F1: 12.000 Method: OECD Test Guideline 422	ppm
STOT - single exposure Based on available data, the STOT - repeated exposure	e classification criteria are not met.	
Based on available data, the	e classification criteria are not met.	
<b>Aspiration toxicity</b> Based on available data, the	e classification criteria are not met.	
<u>Components:</u> propane: No aspiration toxicity classifi	cation	
11.2 Information on other haza	rds	
Endocrine disrupting prop	erties	
Product: Assessment	: The substance/mixture does not co considered to have endocrine disru to REACH Article 57(f) or Commiss (EU) 2017/2100 or Commission Re levels of 0.1% or higher.	pting properties according sion Delegated regulation
Further information		
Product:		
Remarks	: Absorbs into the body by inhalation	l.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

# Components:

**propene:** Toxicity to fish

: LC50 : 51,7 mg/l



Propylene (ambient)		
/ersion 6.0	Revision Date: 29.04.2024	Former date: 31.05.202
	Exposure time: 96 h Method: QSAR	
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Daphnia (water flea)): 28,2 mg/l Exposure time: 48 h Method: QSAR	
Toxicity to algae/aquatic plants	: EC50 (algae): 12,1 mg/l Exposure time: 96 h Method: QSAR	
	NOEC (algae): 4,5 mg/l Exposure time: 96 h Method: QSAR	
Toxicity to microorganisms	: Remarks: No data available	
Toxicity to fish (Chronic toxicity)	: Chronic Toxicity Value: 5,3 mg/l Exposure time: 30 d Method: QSAR	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: Chronic Toxicity Value: 3,1 mg/l Exposure time: 16 d Species: Daphnia sp. (water flea) Method: QSAR	
Toxicity to soil dwelling organisms	: LC50: 39,55 mg/kg Exposure time: 28 d Species: Eisenia fetida (earthworms)	
<b>propane:</b> Toxicity to fish	: LC50 : 49,47 mg/l Exposure time: 96 h Test Type: Short term	

Method: QSAR : LC50 (Daphnia (water flea)): 27,14 mg/l Toxicity to daphnia and other aquatic invertebrates Exposure time: 48 h Test Type: Short term Method: QSAR Toxicity to algae/aquatic : EC50: 11,89 mg/l plants Method: QSAR Toxicity to microorganisms 2 Remarks: No data available Toxicity to fish (Chronic : Remarks: No data available



# Propylene (ambient)

Version 6.0	Revision Date: 29.04.2024	Former date: 31.05.2022
toxicity) Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: Remarks: No data available	
12.2 Persistence and degradabil	ity	
Components:		
<b>propene:</b> Biodegradability	: Remarks: Readily biodegradable.	
<b>propane:</b> Biodegradability	: Method: QSAR Remarks: Readily biodegradable.	
Physico-chemical removability	: Remarks: Prone to photochemical of OH radicals and ozone. Estimated atmospheric lifetime: ca. 14 days	degradation, reacting with
12.3 Bioaccumulative potential		
Components:		
<b>propene:</b> Bioaccumulation	: Remarks: Bioaccumulation not expe (n-octanol/water) log Pow < 3.	ected: Partition coefficient
<b>propane:</b> Bioaccumulation	: Remarks: Bioaccumulation not expe (n-octanol/water) log Pow < 3.	ected: Partition coefficient
12.4 Mobility in soil		
<u>Components:</u> propene: Mobility	: Medium: Soil Remarks: Not expected to adsorb o evaporates readily to air.	on soil., The product
<b>propane:</b> Mobility	: Medium: Soil Remarks: Not expected to adsorb o (n-octanol/water) log Kow < 3., The readily to air.	

## 12.5 Results of PBT and vPvB assessment

## Product:



Propylene (ambient)		
Version 6.0	Revision Date: 29.04.2024	Former date: 31.05.2022
Assessment	: This substance/mixture contains r to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher	lative and toxic (PBT), or
12.6 Endocrine disrupting properties		
Product:		
Assessment	: The substance/mixture does not of considered to have endocrine dist to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	rupting properties according ssion Delegated regulation
12.7 Other adverse effects		
Product: Additional ecological information	: This product has no known ecoto:	xicological effects.

## **SECTION 13: Disposal considerations**

13.1	Waste	treatment	methods
	114010	ti outinonit	

Product

: Where possible recycling is preferred to disposal or incineration.

## **SECTION 14: Transport information**

14.1 UN number or ID number		
ADR	:	UN 1077
IMDG	:	UN 1077
14.2 UN proper shipping name		
ADR	:	PROPYLENE
IMDG	:	PROPYLENE
14.3 Transport hazard class(es)		
ADR	:	2
IMDG	:	2.1



## Propylene (ambient)

Version 6.0

Revision Date: 29.04.2024

## 14.4 Packing group

ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	:	Not assigned by regulation 2F 23 2.1 (B/D)
IMDG Packing group Labels EmS Code	:	Not assigned by regulation 2.1 F-D, S-U

## 14.5 Environmental hazards

ADR Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

## 14.6 Special precautions for user

Remarks : SDS: No specific instructions needed. The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Category Quantity 1 Quantity 2 P2 FLAMMABLE GASES 10 t 50 t

## Other regulations:

No data available

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.



**Propylene (ambient)** 

Version 6.0

Revision Date: 29.04.2024

## **SECTION 16: Other information**

#### Full text of other abbreviations

Further information		
Training advice	:	Provide adequate information, instruction and training for operators. Regular trainings of all employees which are involved in the transport of dangerous goods (according to chapter 1.3 ADR).
Other information	:	Changes since the last version are highlighted in the margin. This version replaces all previous versions.
Issuer	•	Borealis, Group Product Stewardship
Sources of key data used to compile the Safety Data Sheet	:	Chemical Safety Report, Propene. Lower Olefins and Aromatics REACH Consortium, 2022 International Chemical Safety Card, Propylene, Nov. 1998, updated 2007 (http://www.inchem.org/documents/icsc/icsc/eics0559.htm)

#### Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

