according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : BYPMXU91C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Raw material for plastics industry

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Supplier : Borealis AG

Trabrennstrasse 6-8, 1020 Vienna, Austria

Telephone: +43 1 22400 0

E-mail address : sds@borealisgroup.com

1.4 Emergency telephone number

+1 760 476 3962 (3E), Access code: 336296

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

## **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains N,N,N,N-tetrakis(4,6-bis(butyl-(N-methyl-2,2,6,6-tetramethyl piperidin-

4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine, 1,3-propanediamine, N,N"-1,2-ethanediylbis-, polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products with N-butyl-2,2,6,6-tetramethyl-4-piperidinamine, 6,6'-di-tert-butyl-

4,4'-thiodi-m-cresol. May produce an allergic reaction.



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product burns, but is not classified as flammable.

Dust from the product gives a potential risk for dust explosion.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : The product is a polyethylene polymer.

# Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
bis(2,2,6,6-tetramethyl-4- piperidinyl)decanedioate	52829-07-9 258-207-9	Eye Dam. 1; H318 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 1	>= 0,25 - < 1
N,N,N,N-tetrakis(4,6-bis(butyl-(N-methyl-2,2,6,6-tetramethyl piperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine	106990-43-6 401-990-0 613-078-00-1 01-0000015180-83	Skin Sens. 1; H317 Aquatic Chronic 2; H411 STOT RE 2; H373	>= 0,25 - < 1
Poly[(N,N"-1,2-ethanediylbis-1,3-propanediamine)-co-(2,4,6-trichloro-1,3,5-triazine)-co-( N-butyl-2,2,6,6-tetramethyl-4-piperidinam	136504-96-6 500-311-6 01-2119917320-51	Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 0,25 - < 1
6,6'-di-tert-butyl-4,4'-thiodi-m- cresol	96-69-5 202-525-2 01-2119514452-49	Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 0,1 - < 0,25



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

 Version 3.0
 Revision Date: 24.02.2025
 Former date: 19.03.2024

 H410
 Skin Sens. 1; H317

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

Call a physician if irritation develops or persists.

If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as

removal could result in severe tissue damage.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : Rinse mouth with water.

Consult a physician if necessary.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation of dust may irritate the respiratory tract.

Prolonged inhalation of high doses of decomposition products

may give headache or irritation of the respiratory tract.

Skin contact may provoke the following symptoms:

Local irritation

Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

No specific instructions needed.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.



### SAFFTY DATA SHFFT

according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Principal toxicant in the smoke is carbon monoxide.

### 5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus and protective suit.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Ensure adequate ventilation.

### 6.2 Environmental precautions

Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

#### 6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill.

All spill of material must be removed immediately to prevent slipping accidents.

Recycle or dispose loose material properly.

Do not flush into surface water or sanitary sewer system.

#### 6.4 Reference to other sections

For personal protection see section 8.

For disposal considerations see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : During processing and thermal treatment of the product, small

amounts of volatile hydrocarbons may be released.

Provide adequate ventilation.

Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes.

Avoid contact with skin and eyes.

The product contains small amounts of a substance classified as sensitising, which may produce an allergic reaction to



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

susceptible personnel.

Personnel sensitised to this substance should not be allowed

to handle the product.

Advice on protection against

fire and explosion

Dust from the product gives a potential risk for dust explosion. All equipment shall be grounded. Routine housekeeping

should be instituted to ensure that dusts do not accumulate on

surfaces.

Hygiene measures : When using do not eat, drink or smoke. Wash hands before

breaks and at the end of workday.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Safety aspects do not require any special precautions in terms

of storage.

Further information on

storage stability

Keep in a dry place.

7.3 Specific end use(s)

Specific use(s) : Raw material for plastics industry

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

For national exposure limit (OEL) values, check country specific safety data sheets.

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
6,6'-di-tert-butyl-4,4'- thiodi-m-cresol	Workers	Skin contact	Long-term systemic effects	4,2 mg/kg bw/d

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
6,6'-di-tert-butyl-4,4'-thiodi-m-	Fresh water	0,00016 mg/l
cresol		
	Marine water	0,000016 mg/l
	Intermittent use/release	0,0016 mg/l
	Fresh water sediment	6,52 mg/kg
	Marine sediment	0,652 mg/kg
	Soil	1,3 mg/kg

#### 8.2 Exposure controls

# **Engineering measures**

Provide adequate ventilation.

Local exhaust ventilation may be necessary.



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

Personal protective equipment

Eye protection : Safety glasses

Use eye protection according to EN 166.

Hand protection

Remarks : Protective gloves complying with EN 374.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Skin and body protection

Respiratory protection : In case of insufficient ventilation: Respirator with ABEK-P3

: Protective clothing

filter or self-contained breathing apparatus.

Protective measures : Appropriate personal protective equipment (PPE) shall be

worn in accordance with Regulation (EU) 2016/425.

**Environmental exposure controls** 

General advice : Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of

plastics in to the environment.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : solid, pellets, granules, powder

Colour : coloured Odour : slight

Odour Threshold : No data available

Melting range : 100 - 140 °C

Boiling range : Decomposes on heating.

Flammability : The product is not flammable.

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower :

flammability limit

Not applicable

Flash point : Not applicable, (solid)

Auto-ignition temperature : > 320 °C



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

pH : Not applicable insoluble

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n- : Not applicable octanol/water : insoluble

Vapour pressure : Not applicable

(solid)

Density : 0,9 - 1,0 g/cm<sup>3</sup>

Particle size : 3 - 10 mm

Method: Image analysis (volume-based)

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

(solid)

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions.

#### 10.2 Chemical stability

The product is a stable thermoplastic, with no chemical reactivity.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : None known.



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

### 10.6 Hazardous decomposition products

Under fire conditions:

Carbon monoxide

During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Based on available data, the classification criteria are not met.

**Product:** 

Acute oral toxicity : Remarks: No known effect.

Acute inhalation toxicity : Remarks: No known effect.

Acute dermal toxicity : Remarks: No known effect.

**Components:** 

bis(2,2,6,6-tetramethyl-4-piperidinyl)decanedioate:

Acute oral toxicity : LD50 (Rat): 3.700 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,5 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 (Rat): > 3.170 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : No known effect.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : Dust contact with the eyes can lead to mechanical irritation.

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

### Respiratory sensitisation

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : The product contains small amounts of a substance classified

as sensitising, which may produce an allergic reaction to

susceptible personnel.

Personnel sensitised to this substance should not be allowed

to handle the product.

# Germ cell mutagenicity

Based on available data, the classification criteria are not met.

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

# Carcinogenicity

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : Not classified based on available information.

# Reproductive toxicity

Based on available data, the classification criteria are not met.

**Product:** 

Effects on fertility

Remarks: No known effect.

# STOT - single exposure

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : No data available

# STOT - repeated exposure

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : Health injuries are not known or expected under normal use.



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

# **Aspiration toxicity**

Based on available data, the classification criteria are not met.

### **Product:**

Not applicable

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : The product is not classified as hazardous to human health.

Information given is based on data of the components.

Remarks : Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: The product is not classified as hazardous for the

environment.

**Components:** 

bis(2,2,6,6-tetramethyl-4-piperidinyl)decanedioate:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,57 mg/l

aquatic invertebrates Exposure time: 48 h

Test Type: Short term

M-Factor (Short-term (acute) : 1

aquatic hazard)

Toxicity to daphnia and other : EC50: 0,96 mg/l

aquatic invertebrates Exposure time: 21 d



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

(Chronic toxicity) Species: Daphnia magna (Water flea)

Poly[(N,N"-1,2-ethanediylbis-1,3-propanediamine)-co-(2,4,6-trichloro-1,3,5-triazine)-co-(Nbutyl-2,2,6,6-tetramethyl-4-piperidinam:

Toxicity to fish : LC50 (zebrafish (Brachydanio rerio)): > 119 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 7,3 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

: IC50 (Selenastrum capricornutum (green algae)): 1,2 mg/l

Exposure time: 72 h

6,6'-di-tert-butyl-4,4'-thiodi-m-cresol:

: LC50 (fathead minnow (Pimephales promelas)): 0,36 mg/l Toxicity to fish

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,16 mg/l

aquatic invertebrates

Exposure time: 48 h

## 12.2 Persistence and degradability

**Product:** 

plants

Biodegradability : Remarks: Not readily biodegradable.

#### 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Does not accumulate in organisms.

12.4 Mobility in soil

**Product:** 

Mobility : Remarks: Not expected to adsorb on soil.

# 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

# 12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:** 

Additional ecological

information

: Should not be released into the environment.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of contents/ container to an approved waste disposal

plant.

Reuse or recycle if not contaminated.

Check with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### **SECTION 14: Transport information**

### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

## 14.3 Transport hazard class(es)

Not regulated as a dangerous good

## 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,

IMDG-Code, ICAO/IATA-DGR



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

#### 15.2 Chemical safety assessment

no

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H361f : Suspected of damaging fertility.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

## Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Repr. : Reproductive toxicity Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

### **Further information**

Other information : Issued according to Regulation (EC) No 1907/2006, Annex II,

and its amendments.

Changes since the last version are highlighted in the margin.

This version replaces all previous versions.

Issuer : Borealis, Group Product Stewardship

Sources of key data used to : The classification information of components is based on raw



according to Regulation (EC) No. 1907/2006

# BYPMXU91C

Version 3.0 Revision Date: 24.02.2025 Former date: 19.03.2024

compile the Safety Data Sheet material supplier data.

#### Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

