Daplen™ EF150HP-7099

Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Pr	oduct	t identifier	
		ouuo		

Trade name

: Daplen EF150HP-7099

1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the : Raw material for plastics industry Substance/Mixture

1.3 Details of the supplier of the safety data sheet

		-
Supplier	:	Borealis AG
		Trabrennstrasse 6-8, 1020 Vienna, Austria
		Telephone: +43 1 22400 0

E-mail address : <u>sds@borealisgroup.com</u>

1.4 Emergency telephone number

+1 760 476 3962 (3E), Access code: 336296

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Borealis AG | Trabrennstrasse 6-8 | 1020 Vienna | Austria Telephone +43 1 224 00 0 | Fax +43 1 22 400 333

FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com



Daplen is a trademark of the Borealis group.

Version 2.0

Revision Date: 01.03.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product burns, but is not classified as flammable. Dust from the product gives a potential risk for dust explosion.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: The product is a polypropylene polymer.

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titaniumdioxide	13463-67-7	Carc. 2; H351	>= 0,1 - < 1
	236-675-5		
	01-2119489379-17		
bis(2,2,6,6-tetramethyl-4-	52829-07-9	Eye Dam. 1; H318	>= 0,1 - < 0,25
piperidinyl)decanedioate	258-207-9	Repr. 2; H361f	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 2;	
		H411	
		M-Factor (Acute	
		aquatic toxicity): 1	
Substances with a workplace exposure limit :			
magnesium silicate	14807-96-6		>= 10 - < 20
	238-877-9		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

: Move to fresh air.

In case of skin contact

: If molten material comes in contact with the skin, cool with



Dapien Er isune-7098	1	
Version 2.0	Revision Date: 01.03.2024	Former date: 03.08.2023
	plenty of water. DO NOT remove removal could result in severe tiss Obtain medical attention.	•
In case of eye contact	: Flush eyes with water as a precau Get medical attention if irritation d	
If swallowed	: Rinse mouth with water. Consult a physician if necessary.	
4.2 Most important symptoms	and effects, both acute and delayed	
Symptoms	: Inhalation of dust may irritate the Prolonged inhalation of high dose may give headache or irritation of	s of decomposition products
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment	: Treat symptomatically. No specific instructions needed.	

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Specific hazards during	: Principal toxicant in the smoke is carbon monoxide.
firefighting	

5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus and protective suit. for firefighters

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation.

6.2 Environmental precautions

Should not be released into the environment.



Daplen EF150HP-7099

Version 2.0

Revision Date: 01.03.2024

Former date: 03.08.2023

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill. All spill of material must be removed immediately to prevent slipping accidents. Recycle or dispose loose material properly. Do not flush into surface water or sanitary sewer system.

6.4 Reference to other sections

For personal protection see section 8. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Advice on protection against	 During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. Provide adequate ventilation. Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes. Avoid contact with skin and eyes. Dust from the product gives a potential risk for dust explosion.
fire and explosion	All equipment shall be grounded. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
Hygiene measures	: When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	ncluding any incompatibilities
Requirements for storage areas and containers	: Safety aspects do not require any special precautions in terms of storage.
Further information on storage stability	: Keep in a dry place.
7.3 Specific end use(s)	
Specific use(s)	: Raw material for industry
Specific use(s)	: Raw material for industry



Daplen EF150HP-7099

Version 2.0

Revision Date: 01.03.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

For national exposure limit (OEL) values, check country specific safety data sheets.

8.2 Exposure controls

Engineering measures

Provide adequate ventilation. Local exhaust ventilation may be necessary.				
Personal protective equipn	nent			
Eye protection	: Safety glasses Use eye protection according to EN 166.			
Hand protection				
Material	: Nitrile rubber			
Remarks	: Protective gloves complying with EN 374. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.			
Skin and body protection Respiratory protection	 Protective clothing In case of insufficient ventilation: Respirator with ABEK-P3 filter or self-contained breathing apparatus. In case of dust development use dust mask. 			
Protective measures	: Appropriate personal protective equipment (PPE) shall be worn in accordance with Regulation (EU) 2016/425.			
Environmental exposure co	ontrols			
General advice	: Should not be released into the environment. It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: pellets
Colour	: grey
Odour	: odourless
Melting point/range	: 130 - 170 °C
Boiling range	: Decomposes on heating.

Borealis AG | Trabrennstrasse 6-8 | 1020 Vienna | Austria Telephone +43 1 224 00 0 | Fax +43 1 22 400 333 FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com



Dapieli Er 150HP-7099		
Version 2.0	Revision Date: 01.03.2024	Former date: 03.08.2023
Flammability	: The product is not flammable.	
Upper explosion limit / Upper flammability limit	: Not applicable	
Lower explosion limit / Lower flammability limit	: Not applicable	
Flash point	: Not applicable, (solid)	
Auto-ignition temperature	: > 320 °C	
рН	: Not applicable insoluble	
Viscosity Viscosity, kinematic	: No data available	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: Not applicable insoluble	
Vapour pressure	: Not applicable (solid)	
Density	: 0,9 - 1,0 g/cm³	
Particle size	: 3 - 10 mm Method: Image analysis (surface-based))
9.2 Other information		
Explosives	: Not explosive	
Oxidizing properties	: The substance or mixture is not classified	ed as oxidizing.
Evaporation rate	: Not applicable (solid)	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.



Daplen EF150HP-7099

Version 2.0	Revision Date: 01.03.2024	Former date: 03.08.2023	
10.2 Chemical stability			
The product is a stable therm	oplastic, with no chemical reactivity.		
10.3 Possibility of hazardous re	actions		
Hazardous reactions	: None known.		
10.4 Conditions to avoid			
Conditions to avoid	: Extremes of temperature and direc	t sunlight.	
10.5 Incompatible materials			
Materials to avoid	: None known.		
10.6 Hazardous decomposition	products		
Under fire conditions:			
Carbon monoxide			
During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may			

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

be released.

Based on available data, the classification criteria are not met.

Components:

bis(2,2,6,6-tetramethyl-4-pipe Acute oral toxicity	eridinyl)decanedioate: : LD50 (Rat): 3.700 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0,5 mg/l Exposure time: 4 h
Acute dermal toxicity	: LD50 (Rat): > 3.170 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.



Daplen EF150HP-7099

Version 2.0

Revision Date: 01.03.2024

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Remarks

: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter <= 10 μm.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

:

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

The product is not classified as hazardous to human health. Information given is based on data of the components.



Version 2.0

Revision Date: 01.03.2024

SECTION 12: Ecological information

12.1 Toxic	city
------------	------

	Components:		
	bis(2,2,6,6-tetramethyl-4-pipe Toxicity to daphnia and other aquatic invertebrates		linyl)decanedioate: EC50 (Daphnia magna (Water flea)): 0,57 mg/l Exposure time: 48 h Test Type: Short term
	M-Factor (Short-term (acute) aquatic hazard)	:	1
	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)		
12.2	2 Persistence and degradabili	ty	
	Product:		
	Biodegradability	:	Remarks: Not readily biodegradable.
12.3	Bioaccumulative potential		
	Product:		
	Bioaccumulation	:	Remarks: Does not accumulate in organisms.
12.4	A Mobility in soil		
	Product:		
	Mobility	:	Remarks: Not expected to adsorb on soil.
12.5	5 Results of PBT and vPvB as	ses	ssment
	Product:		
	Assessment	:	This substance/mixture contains no components considered

12.6 Endocrine disrupting properties

Assessment	
~>><>>	

: The substance/mixture does not contain components

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

Borealis AG | Trabrennstrasse 6-8 | 1020 Vienna | Austria Telephone +43 1 224 00 0 | Fax +43 1 22 400 333 FN 269858a | CCC Commercial Court of Vienna | Website <u>www.borealisgroup.com</u>



0.1% or higher..

Version 2.0	Revision Date: 01.03.2024	Former date: 03.08.2023			
	considered to have endocrine disr to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	sion Delegated regulation			
12.7 Other adverse effects					
Product: Additional ecological information	: Should not be released into the er	wironment.			

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Dispose of contents/ container to an approved waste disposal plant. Reuse or recycle if not contaminated. Check with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

Borealis AG | Trabrennstrasse 6-8 | 1020 Vienna | Austria Telephone +43 1 224 00 0 | Fax +43 1 22 400 333 FN 269858a | CCC Commercial Court of Vienna | Website <u>www.borealisgroup.com</u>

:



Daplen EF150HP-7099

Version 2.0

Revision Date: 01.03.2024

Former date: 03.08.2023

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

15.2 Chemical safety assessment

no

SECTION 16: Other information

Full text of H-Statements							
H318 H351 H361f H400 H411		Causes serious eye damage. Suspected of causing cancer if inhaled. Suspected of damaging fertility. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.					
Full text of other abbreviations							
Aquatic Acute Aquatic Chronic Carc. Eye Dam. Repr.		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Reproductive toxicity					
Further information							
Other information	:	and its amendments. Changes since the last version are highlighted in the margin. This version replaces all previous versions.					
Issuer	:	Borealis, Group Product Stewardship					
Sources of key data used to compile the Safety Data Sheet	:	The classification information of components is based on raw material supplier data.					



Version 2.0

Revision Date: 01.03.2024

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

