Daplen™ EH340AE-9554

Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	1.1	I P	rodu	ct id	entifier
------------------------	-----	-----	------	-------	----------

Trade name

: Daplen EH340AE-9554

1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the : Raw material for plastics industry Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Supplier	: Borealis AG Trabrennstrasse 6-8, 1020 Vienna, Austria Telephone: +43 1 22400 0
----------	--

E-mail address : <u>sds@borealisgroup.com</u>

1.4 Emergency telephone number

+1 760 476 3962 (3E), Access code: 336296

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Borealis AG | Trabrennstrasse 6-8 | 1020 Vienna | Austria Telephone +43 1 224 00 0 | Fax +43 1 22 400 333

FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com



Daplen is a trademark of the Borealis group.

Version 2.0

Revision Date: 26.03.2024

Former date: 03.08.2023

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product burns, but is not classified as flammable. Dust from the product gives a potential risk for dust explosion.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: The product is a polypropylene polymer.

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titaniumdioxide	13463-67-7	Carc. 2; H351	>= 0,1 - < 1
	236-675-5		
	01-2119489379-17		
bis(2,2,6,6-tetramethyl-4-	52829-07-9	Eye Dam. 1; H318	>= 0,1 - < 0,25
piperidinyl)decanedioate	258-207-9	Repr. 2; H361f	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 2;	
		H411	
		M-Factor (Acute	
		aquatic toxicity): 1	
Substances with a workplace exposure limit :			
magnesium silicate	14807-96-6		>= 20 - < 30
	238-877-9		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

: Move to fresh air.

In case of skin contact

: If molten material comes in contact with the skin, cool with



Dapien EH340AE-9554	+			
Version 2.0	Revision Date: 26.03.2024	Former date: 03.08.2023		
	plenty of water. DO NOT remove removal could result in severe tise Obtain medical attention.	•		
In case of eye contact	: Flush eyes with water as a preca Get medical attention if irritation of			
If swallowed	: Rinse mouth with water. Consult a physician if necessary.			
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms	: Inhalation of dust may irritate the Prolonged inhalation of high dose may give headache or irritation of	es of decomposition products		
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment	: Treat symptomatically. No specific instructions needed.			

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Specific hazards during	:	Principal toxicant in the smoke is carbon monoxide.
firefighting		

5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus and protective suit. for firefighters

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation.

6.2 Environmental precautions

Should not be released into the environment.



Daplen EH340AE-9554

Version 2.0

Revision Date: 26.03.2024

Former date: 03.08.2023

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill. All spill of material must be removed immediately to prevent slipping accidents. Recycle or dispose loose material properly. Do not flush into surface water or sanitary sewer system.

6.4 Reference to other sections

For personal protection see section 8. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Advice on protection against		During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. Provide adequate ventilation. Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes. Avoid contact with skin and eyes. Dust from the product gives a potential risk for dust explosion.			
fire and explosion		All equipment shall be grounded. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.			
Hygiene measures	:	When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.			
7.2 Conditions for safe storage, including any incompatibilities					
Requirements for storage areas and containers	:	Safety aspects do not require any special precautions in terms of storage.			
Further information on storage stability	:	Keep in a dry place.			
7.3 Specific end use(s)					
Specific use(s)	:	Raw material for automotive applications.			



Daplen EH340AE-9554

Version 2.0

Revision Date: 26.03.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

For national exposure limit (OEL) values, check country specific safety data sheets.

8.2 Exposure controls

Engineering measures
Provide adequate ventilation.
Local exhaust ventilation may be necessary.

Personal protective equipment

Personal protective equipme	711L			
Eye protection	:	Safety glasses Use eye protection according to EN 166.		
Hand protection				
Remarks	:	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Protective gloves complying with EN 374.		
Skin and body protection	:	Protective clothing		
Respiratory protection	:	In case of insufficient ventilation: Respirator with ABEK-P3 filter or self-contained breathing apparatus.		
Protective measures	:	Appropriate personal protective equipment (PPE) shall be worn in accordance with Regulation (EU) 2016/425.		
Environmental exposure controls				
General advice	:	Should not be released into the environment. It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour Melting range	: : :	pellets black odourless 130 - 170 °C
Boiling range	:	Decomposes on heating.
Flammability	:	The product is not flammable.



р -	vision Data: 20.02.2024	Former date: 02.00.0000
ке	vision Date: 26.03.2024	Former date: 03.08.2023
:	Not applicable	
:	Not applicable	
:	Not applicable, (solid)	
:	> 320 °C	
:	Not applicable insoluble	
:	No data available	
:	insoluble	
:	Not applicable insoluble	
:	Not applicable (solid)	
:	1,1 - 1,2 g/cm³	
:	3 - 10 mm Method: Image analysis (surface-based)	
:	Not explosive	
:	The substance or mixture is not classifie	d as oxidizing.
:	Not applicable (solid)	
		 Not applicable Not applicable, (solid) > 320 °C Not applicable insoluble Not applicable insoluble insoluble insoluble Not applicable insoluble Not applicable (solid) 1,1 - 1,2 g/cm³ 3 - 10 mm Method: Image analysis (surface-based) Not explosive Not explosive The substance or mixture is not classifie Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

The product is a stable thermoplastic, with no chemical reactivity.



Daplen EH340AE-9554

Version 2.0	Revision Date: 26.03.2024	Former date: 03.08.2023
10.3 Possibility of hazardous	reactions	
Hazardous reactions	: None known.	
10.4 Conditions to avoid		
Conditions to avoid	: Extremes of temperature and dir	rect sunlight.
10.5 Incompatible materials		
Materials to avoid	: None known.	
10.6 Hazardous decompositio	n products	
Under fire conditions: Carbon monoxide	mal tractment of the product small small	

During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

bis(2,2,6,6-tetramethyl-4-piperidinyl)decanedioate:

Acute oral toxicity	: LD50 (Rat): 3.700 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0,5 mg/l Exposure time: 4 h

Acute dermal toxicity : LD50 (Rat): > 3.170 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.



Daplen EH340AE-9554

Version 2.0	Revision Date: 26.03.2024	Former date: 03.08.2023			
Germ cell mutagen Based on available	licity data, the classification criteria are not met.				
Carcinogenicity Based on available	data, the classification criteria are not met.				
Reproductive toxic Based on available	tity data, the classification criteria are not met.				
STOT - single expo Based on available	osure data, the classification criteria are not met.				
STOT - repeated ex Based on available	xposure data, the classification criteria are not met.				
Aspiration toxicity Based on available data, the classification criteria are not met.					
11.2 Information on oth	er hazards				
Endocrine disrupting properties					
Product: Assessment	: The substance/mixture does not of considered to have endocrine dist to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	rupting properties according ssion Delegated regulation			
Further information	n				

Product:

Remarks

The product is not classified as hazardous to human health. Information given is based on data of the components.

SECTION 12: Ecological information

12.1 Toxicity

Components: bis(2,2,6,6-tetramethyl-4-piperidinyl)decanedioate: Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,57 mg/l aquatic invertebrates Exposure time: 48 h Test Type: Short term M-Factor (Short-term (acute) : 1 aquatic hazard)

:



Daplen EH340AE-9554				
Version 2.0	Revision Date: 26.03.2024	Former date: 03.08.2023		
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC50: 0,96 mg/l Exposure time: 21 d Species: Daphnia magna (Water t	flea)		
12.2 Persistence and degradabil	ity			
Product:				
Biodegradability	: Remarks: Not readily biodegradat	ble.		
12.3 Bioaccumulative potential				
Product:				
Bioaccumulation	: Remarks: Does not accumulate in	organisms.		
12.4 Mobility in soil				
Product:				
Mobility	: Remarks: Not expected to adsorb	on soil.		
12.5 Results of PBT and vPvB as	ssessment			
Product:				
Assessment	 This substance/mixture contains r to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher 	llative and toxic (PBT), or		
12.6 Endocrine disrupting prope	rties			
Product:				
Assessment	: The substance/mixture does not c considered to have endocrine disu to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	rupting properties according ssion Delegated regulation		
12.7 Other adverse effects				
Product: Additional ecological information	: Should not be released into the er	nvironment.		



Daplen EH340AE-9554

Version 2.0

Revision Date: 26.03.2024

Former date: 03.08.2023

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Dispose of contents/ container to an approved waste disposal plant. Reuse or recycle if not contaminated. Check with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



Version 2.0

Revision Date: 26.03.2024

Former date: 03.08.2023

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

15.2 Chemical safety assessment

no

SECTION 16: Other information

Full text of H-Statements

H318 H351 H361f H400 H411	:	Causes serious eye damage. Suspected of causing cancer if inhaled. Suspected of damaging fertility. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Aquatic Acute Aquatic Chronic Carc. Eye Dam. Repr.	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Reproductive toxicity		
Further information				
Other information	:	Issued according to Regulation (EC) No 1907/2006, Annex II, and its amendments. Changes since the last version are highlighted in the margin. This version replaces all previous versions. Borealis, Group Product Stewardship		
Sources of key data used to compile the Safety Data Sheet	:	The classification information of components is based on raw material supplier data.		



Version 2.0

Revision Date: 26.03.2024

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

