According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod™ FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue:
Date of first issue: 01.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Fibremod FF311SF-9502

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Raw material for plastics industry

Substance/Mixture

Recommended restrictions

on use

: Use only according to our recommendations.

1.3 Details of the supplier of the safety data sheet

: Borealis UK Ltd

One St Peters Square, M2 3DE Manchester, United Kingdom

Telephone: +44 (0) 1625 537390

E-mail address : sds@borealisgroup.com

1.4 Emergency telephone number

800 680 0425 (3E), Access code: 336296

In an emergency, call NHS 111 or contact a doctor.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Fibremod is a trademark of the Borealis group.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue:
Date of first issue: 01.04.2025

Hazard pictograms :

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The product burns, but is not classified as flammable.

Dust from the product gives a potential risk for dust explosion.

SECTION 3: Composition/information on ingredients

The product is a polypropylene copolymer. It contains glass fibre.

3.2 Mixtures

Chemical nature : The product is a polypropylene polymer.

It contains glass fibre.

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---|---|--|--------------------------|
| Diphosphoric acid, compd. with piperazine | 66034-17-1 457-330-7 | Eye Irrit. 2; H319 Aquatic Chronic 3; | >= 10 - < 20 |



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue:
Date of first issue: 01.04.2025

H412

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : If molten material comes in contact with the skin, cool with

plenty of water. DO NOT remove solidified product, as

removal could result in severe tissue damage.

Obtain medical attention.

Wash off with soap and plenty of water.

Call a physician if irritation develops or persists.

In case of eye contact : In case of eye contact, remove contact lens and rinse

immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Seek medical advice.

If swallowed : Rinse mouth with water.

Consult a physician if necessary.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation of dust may irritate the respiratory tract.

Prolonged inhalation of high doses of decomposition products

may give headache or irritation of the respiratory tract.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

No specific instructions needed.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue: -Date of first issue: 01.04.2025

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Principal toxicant in the smoke is carbon monoxide.

5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus and protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Ensure adequate ventilation.

6.2 Environmental precautions

Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill.

All spill of material must be removed immediately to prevent slipping accidents.

Recycle or dispose loose material properly.

Do not flush into surface water or sanitary sewer system.

6.4 Reference to other sections

For personal protection see section 8.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue:
Date of first issue: 01.04.2025

For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : During processing and thermal treatment of the product, small

amounts of volatile hydrocarbons may be released.

Provide adequate ventilation.

Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes.

Avoid contact with skin and eyes.

Advice on protection against

fire and explosion

: Dust from the product gives a potential risk for dust explosion. All equipment shall be grounded. Routine housekeeping

should be instituted to ensure that dusts do not accumulate on

surfaces.

Hygiene measures : When using do not eat, drink or smoke. Wash hands before

breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Safety aspects do not require any special precautions in terms

of storage.

Further information on

storage stability

: Keep in a dry place.

7.3 Specific end use(s)

Specific use(s) : Raw material for plastics industry

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Provide adequate ventilation.

Local exhaust ventilation may be necessary.

Personal protective equipment

Eye protection : Safety goggles or face-shield.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue:
Date of first issue: 01.04.2025

Use eye protection according to EN 166.

Hand protection

Remarks : Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time. Protective gloves complying with EN 374.

Skin and body protection

: Protective clothing

Respiratory protection

: In case of insufficient ventilation: Respirator with ABEK-P3

filter or self-contained breathing apparatus.

Protective measures : Appropriate personal protective equipment (PPE) shall be

worn in accordance with Regulation (EU) 2016/425.

Environmental exposure controls

General advice : Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of

plastics in to the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : pellets
Colour : black
Odour : odourless

pH : Not applicable insoluble

Melting point/ range : 130 - 170 °C

Boiling range : Decomposes on heating.

Flash point : Not applicable, (solid)

Evaporation rate : Not applicable

(solid)

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit / Upper :

flammability limit

Not applicable



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue: -Date of first issue: 01.04.2025

Lower explosion limit / Lower : Not applicable

flammability limit

Vapour pressure : Not applicable

(solid)

Density : 1,1 - 1,2 g/cm³

Solubility(ies)

Water solubility : insoluble Partition coefficient: n-Not applicable octanol/water insoluble

Auto-ignition temperature : 320 °C

Viscosity

: No data available Viscosity, dynamic

Viscosity, kinematic No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Particle size : 3 - 10 mm

Method: Image analysis (surface-based)

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

The product is a stable thermoplastic, with no chemical reactivity.

10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue: -

Date of first issue: 01.04.2025

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Under fire conditions:

Carbon monoxide

During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

Diphosphoric acid, compd. with piperazine:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue:
Date of first issue: 01.04.2025

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : Information given is based on data of the components.

Remarks : Inhalation of dust may irritate the respiratory tract.

Prolonged inhalation of high doses of decomposition products

may give headache or irritation of the respiratory tract.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Not readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not accumulate in organisms.

12.4 Mobility in soil

Product:



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue: -

Date of first issue: 01.04.2025

Mobility : Remarks: Not expected to adsorb on soil.

Remarks: The product is insoluble and sinks in water.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Endocrine disrupting

potential

The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological

information

Should not be released into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of contents/ container to an approved waste disposal

plant.

Reuse or recycle if not contaminated.

Check with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue:
Date of first issue: 01.04.2025

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,

IMDG-Code, ICAO/IATA-DGR

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

GB Export and import of hazardous chemicals - Prior : Not applicable

Informed Consent (PIC) Regulation

15.2 Chemical safety assessment

no

SECTION 16: Other information

Full text of H-Statements

H319 : Causes serious eye irritation.

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue:
Date of first issue: 01.04.2025

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship: REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : Issued according to Regulation (EC) No 1907/2006, Annex II,

and its amendments.

Changes since the last version are highlighted in the margin.

This version replaces all previous versions.

Sources of key data used to compile the Safety Data

Sheet

The classification information of components is based on raw

material supplier data.

Classification of the mixture: Classification procedure:



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Fibremod FF311SF-9502

Version 1.0 Revision Date: 01.04.2025 Date of last issue:
Date of first issue: 01.04.2025

Eye Irrit. 2 H319 Calculation method

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

