KSR4525

Version 8.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: KSR4525
1.2 Relevant identified uses of th	ne substance or mixture and uses advised against
Use of the Substance/Mixture	: Raw material for plastics industry
1.3 Details of the supplier of the	safety data sheet
Supplier	: Borealis AG Trabrennstrasse 6-8, 1020 Vienna, Austria Telephone: +43 1 22400 0

E-mail address : <u>sds@borealisgroup.com</u>

1.4 Emergency telephone number

+1 760 476 3962 (3E), Access code: 336296

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



KSR4525

Version 8.0

Revision Date: 09.02.2024

Former date: 04.08.2023

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product burns, but is not classified as flammable. Dust from the product gives a potential risk for dust explosion.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: The product is a polypropylene polymer.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
bis(2,2,6,6-tetramethyl-4- piperidinyl)decanedioate	52829-07-9 258-207-9	Eye Dam. 1; H318 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 1	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	: Move to fresh air.
In case of skin contact	: If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as removal could result in severe tissue damage. Obtain medical attention.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.0	Revision Date: 09.02.2024	Former date: 04.08.2023
If swallowed	: Rinse mouth with water. Consult a physician if necessary	
4.2 Most important symptoms a	nd effects, both acute and delayed	
Symptoms	: Inhalation of dust may irritate the Prolonged inhalation of high dos may give headache or irritation of	es of decomposition products
4.3 Indication of any immediate	medical attention and special treat	ment needed
Treatment	: Treat symptomatically. No specific instructions needed.	
	·	
	sures	
SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media		ls, foam or carbon dioxide.
5.1 Extinguishing media Suitable extinguishing media	: Water in spread jet, dry chemica	ls, foam or carbon dioxide.
5.1 Extinguishing media	: Water in spread jet, dry chemica the substance or mixture	
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during 	: Water in spread jet, dry chemica the substance or mixture	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation.

6.2 Environmental precautions

Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill.

All spill of material must be removed immediately to prevent slipping accidents.



KSR4525

Version 8.0

Revision Date: 09.02.2024

Recycle or dispose loose material properly. Do not flush into surface water or sanitary sewer system.

6.4 Reference to other sections

For personal protection see section 8. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. Provide adequate ventilation. Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes. Avoid contact with skin and eyes.
Advice on protection against fire and explosion	:	Dust from the product gives a potential risk for dust explosion. All equipment shall be grounded. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
Hygiene measures	:	When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	ncl	uding any incompatibilities
Requirements for storage areas and containers	:	Safety aspects do not require any special precautions in terms of storage.
Further information on storage stability	:	Keep in a dry place.
7.3 Specific end use(s)		
Specific use(s)	:	Raw material for automotive applications.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

For national exposure limit (OEL) values, check country specific safety data sheets.

8.2 Exposure controls

Engineering measures

Provide adequate ventilation. Local exhaust ventilation may be necessary.

Personal protective equipment



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

KSR4525

Version 8.0	Revision Date: 09.02.2024	Former date: 04.08.2023
Eye protection	: Safety glasses Use eye protection according to EN	N 166.
Hand protection		
Remarks Skin and body protection	 Please observe the instructions reg breakthrough time which are provid gloves. Also take into consideration conditions under which the product danger of cuts, abrasion, and the c Protective gloves complying with El Protective clothing 	led by the supplier of the the specific local is used, such as the ontact time.
Respiratory protection	: In case of insufficient ventilation: Refilter or self-contained breathing ap	•
Protective measures	: Appropriate personal protective equivalent terms of the second	uipment (PPE) shall be
Environmental exposure of	ontrols	
General advice	: Should not be released into the environmended to implement sy as Operation Clean Sweep®) to preplastics in to the environment.	stems and practices (such

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour Melting point/range	:	pellets natural colour odourless 130 - 170 °C
Boiling range	:	Decomposes on heating.
Flammability	:	The product is not flammable.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	Not applicable, (solid)
Auto-ignition temperature	:	320 °C
рН	:	Not applicable insoluble
Viscosity Viscosity, kinematic	:	No data available



KSR4525

Version 8.0	Revision Date: 09.02.2024	Former date: 04.08.2023
Solubility(ies) Water solubility Partition coefficient: n- octanol/water	insolubleNot applicable insoluble	
Vapour pressure	: Not applicable (solid)	
Density	: 0,9 - 1,0 g/cm ³	
Particle size	: 3 - 10 mm Method: Image analysis (surface-based	3)
9.2 Other information		
Explosives	: Not explosive	
Oxidizing properties	: The substance or mixture is not classifi	ed as oxidizing.
Evaporation rate	: Not applicable (solid)	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

The product is a stable thermoplastic, with no chemical reactivity.

10.3 Possibility of hazardous reactions

Hazardous reactions	: None known.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Under fire conditions: Carbon monoxide



Version 8.0

Revision Date: 09.02.2024

Former date: 04.08.2023

During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

bis(2,2,6,6-tetramethyl-4-piperidinyl)decanedioate:Acute oral toxicity: LD50 (Rat): 3.700 mg/kg		
Acute inhalation toxicity	: LC50 (Rat): 0,5 mg/l Exposure time: 4 h	
Acute dermal toxicity	: LD50 (Rat): > 3.170 mg/kg	

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.



KSR4525

Version 8.0	Revision Date: 09.02.2024	Former date: 04.08.2023
Aspiration toxicity Based on available data, th 11.2 Information on other haz	ne classification criteria are not met. ards	
Endocrine disrupting pro	perties	
Product: Assessment	: The substance/mixture does not c considered to have endocrine disr to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	upting properties according sion Delegated regulation
Further information		
<u>Product:</u> Remarks	: The product is not classified as ha Information given is based on data	

SECTION 12: Ecological information

12.1 Toxicity

Components:	ridinyl)decanedioate:
bis(2,2,6,6-tetramethyl-4-piper	: EC50 (Daphnia magna (Water flea)): 0,57 mg/l
Toxicity to daphnia and other	Exposure time: 48 h
aquatic invertebrates	Test Type: Short term
M-Factor (Short-term (acute) aquatic hazard)	: 1
Toxicity to daphnia and other	: EC50: 0,96 mg/l
aquatic invertebrates	Exposure time: 21 d
(Chronic toxicity)	Species: Daphnia magna (Water flea)
12.2 Persistence and degradability	,

Product:

Biodegradability

: Remarks: Not readily biodegradable.

12.3 Bioaccumulative potential

Product:



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

according to Regulation (EC) No. 1907/2006 KSR4525				
Version 8.0	Revision Date: 09.02.2024	Former date: 04.08.2023		
Bioaccumulation	: Remarks: Does not accumulate in	n organisms.		
12.4 Mobility in soil				
Product:				
Mobility	: Remarks: Not expected to adsort	o on soil.		
12.5 Results of PBT and vP	vB assessment			
Product:				
Assessment	 This substance/mixture contains to be either persistent, bioaccume very persistent and very bioaccur 0.1% or higher 	ulative and toxic (PBT), or		
12.6 Endocrine disrupting p	properties			
Product:				
Assessment	: The substance/mixture does not considered to have endocrine dis to REACH Article 57(f) or Commi (EU) 2017/2100 or Commission F levels of 0.1% or higher.	rupting properties according sion Delegated regulation		
12.7 Other adverse effects				
Product: Additional ecological information	: Should not be released into the e	nvironment.		

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Dispose of contents/ container to an approved waste disposal plant. Reuse or recycle if not contaminated. Check with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.



KSR4525

Version 8.0

Revision Date: 09.02.2024

Former date: 04.08.2023

SECTION 14: Transport information

14.1 UN number or ID number Not regulated as a dangerous good14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

15.2 Chemical safety assessment

no

SECTION 16: Other information

Full text of H-Statements

H318 :	Causes serious eye damage.
H361f :	Suspected of damaging fertility.
H400 :	Very toxic to aquatic life.
H411 :	Toxic to aquatic life with long lasting effects.



Version 8.0

Revision Date: 09.02.2024

Full text of other abbreviations

Aquatic Acute Aquatic Chronic Eye Dam. Repr.	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Reproductive toxicity	
Further information			
Other information	:	Issued according to Regulation (EC) No 1907/2006, Annex II, and its amendments. Changes since the last version are highlighted in the margin. This version replaces all previous versions.	
Issuer	:		
Sources of key data used to compile the Safety Data Sheet	:	The classification information of components is based on raw material supplier data.	

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

