# LE0563

Version 1.0	Revision Date: 2024/04/26		Date of last issue: - Date of first issue: 2024/04/26
1. PRODUCT AND COMPANY IDI	ENT	IFICATION	
Product name	:	LE0563	
Other means of identification	:	None	
Recommended use of the cl	nem	ical and restrictions on use	
Recommended use Restrictions on use	:	Raw material for plastics indus Use only according to our reco	
Manufacturer or supplier's c	letai	ils	
Supplier	:	Borealis AG Trabrennstrasse 6-8, 1020 Vie Telephone: +43 1 22400 0	nna, Austria
Emergency telephone number	·:	+1 760 476 3960 (3E), Access	code: 336296
E-mail address	:	sds@borealisgroup.com	

### 2. HAZARDS IDENTIFICATION

### **GHS Classification**

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

### Other hazards which do not result in classification

The product burns, but is not classified as flammable. Dust from the product gives a potential risk for dust explosion.

2

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Chemical nature

: Mixture The product is a polyethylene polymer. It contains stabilisers. It contains carbon black.

### Components

Hazardous ingredients	CAS-No.	Concentration (% w/w)
carbon black	1333-86-4	>= 30 -< 50



# LE0563

Version 1.0	Revision Date: 2024/04/26		Date of last issue: - Date of first issue: 2024/04/26
4-(1-methyl-1-phenylet phenylethyl)phenyl]anil		10081-67-1	>= 0.25 -< 1

### 4. FIRST AID MEASURES

First aid measures for diffe	rent	exposure routes
If inhaled	:	Move to fresh air.
		If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and plenty of water.
		Call a physician if irritation develops or persists.
		If molten material comes in contact with the skin, cool with
		plenty of water. DO NOT remove solidified product, as
		removal could result in severe tissue damage.
In case of eye contact	:	Flush eyes with water as a precaution.
		Get medical attention if irritation develops and persists.
If swallowed	:	Rinse mouth with water.
		Consult a physician if necessary.
Most important symptoms	:	Inhalation of dust may irritate the respiratory tract.
and effects, both acute and		Prolonged inhalation of high doses of decomposition products
delayed		may give headache or irritation of the respiratory tract.
		Skin contact may provoke the following symptoms:
		Local irritation
Notes to physician	:	Treat symptomatically.
		No specific instructions needed.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media Unsuitable extinguishing media		Water in spread jet, dry chemicals, foam or carbon dioxide. High volume water jet
Specific hazards during	:	Principal toxicant in the smoke is carbon monoxide.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus and protective suit.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	:	Should not be released into the environment.
		It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

# LE0563

Version 1.0		evision Date: 024/04/26	Date of last issue: - Date of first issue: 2024/04/26
Methods and materials for containment and cleaning up	:	Vacuum or sweep up spill. All spill of material must be ren slipping accidents. Recycle or dispose loose mate Do not flush into surface water	rial properly.
7. HANDLING AND STORAGE			
Handling			
Advice on protection against fire and explosion	:	Dust from the product gives a p All equipment shall be grounde Routine housekeeping should dusts do not accumulate on su	be instituted to ensure that
Advice on safe handling	:	amounts of volatile hydrocarbo Provide adequate ventilation. Local exhaust ventilation may I Avoid inhalation of dust and de Avoid contact with skin and eye	be necessary. composition fumes. es. ounts of a substance classified uce an allergic reaction to
Storage			
Conditions for safe storage	:	Safety aspects do not require a of storage.	any special precautions in terms
Further information on storage stability	:	Keep in a dry place.	

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
carbon black	1333-86-4	TWA	3.5 mg/m3	TW OEL
		STEL	7 mg/m3	TW OEL
		TWA (Inhalable particulate matter)	3 mg/m3	ACGIH



# LE0563

Version 1.0	Revision Date: 2024/04/26	Date of last issue: - Date of first issue: 2024/04/26			
Biological occupational exp	Biological occupational exposure limits				
Contains no substances with	biological exposure indices.				
Engineering measures	: Provide adequate ventilation. Local exhaust ventilation may	be necessary.			
Personal protective equipm	nent				
Respiratory protection Hand protection Material	limit they must use appropriat The filter class for the respirat maximum expected contamin (gas/vapour/aerosol/particulat	on use a respirator with an centrations above the exposure e certified respirators. tor must be suitable for the ant concentration tes) that may arise when oncentration is exceeded, self-			
Remarks Eye protection Skin and body protection Hygiene measures	<ul> <li>gloves. Also take into conside conditions under which the pr danger of cuts, abrasion, and</li> <li>Safety glasses</li> <li>Protective clothing</li> </ul>	provided by the supplier of the eration the specific local oduct is used, such as the the contact time. Nod industrial hygiene and safety or smoke.			

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: pellets
Colour	: black
Odour	: odourless
рН	: Not applicable insoluble
Melting point/range	: 100 - 140 °C
Boiling range	: Decomposes on heating.
Flash point	: Not applicable (solid)
Evaporation rate	: Not applicable (solid)



# LE0563

Version 1.0	Revision Dat 2024/04/26	e: Date of last issue: - Date of first issue: 2024/0	4/26
Flammability (solid, gas)	: The proc	luct is not flammable.	
Upper explosion limit / Upper flammability limit	: Not appli	cable	
Lower explosion limit / Lower flammability limit	: Not appli	icable	
Vapour pressure	: Not appli	icable (solid)	
Density	: 1.1 - 1.2	g/cm³	
Solubility(ies) Water solubility	: insoluble		
Partition coefficient: n- octanol/water	: Not appli	icable insoluble	
Auto-ignition temperature	: > 320 °C		
Viscosity	<b>N</b> 1 1 <i>i</i>		
Viscosity, kinematic	: No data	available	
Explosive properties	: Not explo	osive	
Oxidizing properties	: The subs	stance or mixture is not classified as oxidizing.	
		, i i i i i i i i i i i i i i i i i i i	
Particle size	: 3 - 10 mi	m	

### **10. STABILITY AND REACTIVITY**

Reactivity Chemical stability		Stable under recommended storage conditions. The product is a stable thermoplastic, with no chemical reactivity.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	Extremes of temperature and direct sunlight.
Incompatible materials	:	None known.
Hazardous decomposition	:	Under fire conditions:
products		Carbon monoxide
		During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.



# LE0563

Version 1.0	Revision Date: 2024/04/26	Date of last issue: - Date of first issue: 2024/04/26				
11. TOXICOLOGICAL INFORMATION						
Symptoms of Overexposure		h doses of decomposition products ation of the respiratory tract.				
Chronic toxicity						
Further information						
<u>Product:</u> Remarks		ate the respiratory tract. h doses of decomposition products ation of the respiratory tract.				

## 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available Persistence and degradabilit	ty	
<u>Product:</u> Biodegradability	:	Remarks: Not readily biodegradable.
Bioaccumulative potential		
Product: Bioaccumulation	:	Remarks: Does not accumulate in organisms.
Mobility in soil		
<u>Product:</u> Mobility	:	Remarks: Not expected to adsorb on soil. Remarks: The product is insoluble and sinks in water.
Other adverse effects		
Product: Additional ecological information	:	Should not be released into the environment.



# LE0563

Version 1.0	Revision Date: 2024/04/26	Date of last issue: - Date of first issue: 2024/04/26

### **13. DISPOSAL CONSIDERATIONS**

Disposal methods	
Waste from residues	Dispose of contents/ container to an approved waste disposal plant.
	Reuse or recycle if not contaminated. Check with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. TRANSPORT INFORMATION

### International Regulations

UNRTDG	
--------	--

UN number Proper shipping name Class Subsidiary risk Packing group Labels	<ul> <li>Not applica</li> </ul>	ble ble ble ble
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	<ul> <li>Not applica</li> </ul>	ble ble ble ble ble ble
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant	<ul> <li>Not applica</li> </ul>	ble ble ble ble ble ble

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



# LE0563

Version 1.0	Revision Date: 2024/04/26	Date of last issue: - Date of first issue: 2024/04/26	
Special precautior	ns for user		
Remarks	<b>a b</b>	Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR	

#### **15. REGULATORY INFORMATION**

#### National regulatory information

Regulations on Occupational Safety and Health Facilities Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste Standards of Permissible Exposure Limits in Workplace

#### **16. OTHER INFORMATION**

Eurther information

Further information		
Prepared by	:	Borealis, Group Product Stewardship
Revision Date	:	2024/04/26
Date format	:	yyyy/mm/dd
Full text of other abbreviation	าร	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
TW OEL	:	Standards of Permissible Exposure Limits in Workplace

ACGIH / TWA	:	8-hour, time-weighted average
TW OEL / TWA	:	8-hour time weighted average
TW OEL / STEL	:	time weighted average for short term exposure

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse)



# LE0563

Version 1.0	Revision Date:	Date of last issue: -
	2024/04/26	Date of first issue: 2024/04/26

Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

TW / EN

