according to GB/T 16483 and GB/T 17519

Borlink™ LE4244S

Version 2.0	Revision Date: 2023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29			
1. PRODUCT AND COMPANY IDENTIFICATION					
Product name	: Borlink LE4244S				
Chemical nature	: The product is a polyethylene	polymer.			
Manufacturer or supplier's d	letails				
Supplier	: Borealis AG Trabrennstrasse 6-8, 1020 Vie Telephone: +43 1 22400 0	enna, Austria			
Emergency telephone number	r : 0532 8388 9090 (NRCC) +86 4001 2001 74 (3E), Acces	s code: 336296			
E-mail address	: <u>sds@borealisgroup.com</u>				
Recommended use of the chemical and restrictions on use					
Recommended use	: Raw material for plastics indus	stry			
Restrictions on use	: Use only according to our reco	ommendations.			

2. HAZARDS IDENTIFICATION

Appearance Colour Odour	:	pellets natural colour odourless
Causes mild skin irritation. N	lay da	amage fertility or the unborn child.
GHS Classification Skin corrosion/irritation	:	Category 3
Reproductive toxicity	:	Category 1B
GHS label elements		

Borlink is a trademark of the Borealis group.



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

rsion 2.0	Revision Date: 2023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29
Hazard pictograms		
Signal word	: Danger	
Hazard statements	: H316 Causes mild s H360 May damage t	kin irritation. fertility or the unborn child.
Precautionary statements	P202 Do not handle and understood.	instructions before use. until all safety precautions have been read ve gloves/ protective clothing/ eye ection.
	attention.	osed or concerned: Get medical advice/ irritation occurs: Get medical advice/
	Storage:	
	P405 Store locked u	ip.
	Disposal: P501 Dispose of cor disposal plant.	ntents/ container to an approved waste
Physical and chemical haz Not classified based on avail		
Health hazards		
Causes mild skin irritation. M	ay damage fertility or the u	nborn child.
Environmental hazards Not classified based on avail	able information.	
Additional Labelling:		
Contains 6,6'-di-tert-butyl-4,4	-thiodi-m-cresol. May proc	duce an allergic reaction.
Other hazards which do no		
The product burns, but is not Dust from the product gives a	classified as flammable.	losion.

3. COMPOSITION/INFORMATION ON INGREDIENTS



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

Version 2.0	Revision Date: 2023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29

Substance / Mixture : Mixture

Components

_

Chemical name	CAS-No.	Concentration (% w/w)
polyethene	9002-88-4	>= 90 -<= 100
bis(α , α -dimethylbenzyl) peroxide	80-43-3	>= 1 -< 2.5
6,6'-di-tert-butyl-4,4'-thiodi-m-cresol	96-69-5	>= 0.1 -< 0.25

4. FIRST AID MEASURES

If inhaled	 Move to fresh air in case of accidental inhalation of vapours of decomposition products. Seek medical advice immediately.
In case of skin contact	: Wash off with soap and plenty of water. Call a physician if irritation develops or persists.
	If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as removal could result in severe tissue damage. Obtain medical attention.
In case of eye contact	: Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately.
Most important symptoms and effects, both acute and delayed	 Inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition product may give headache or irritation of the respiratory tract. Causes mild skin irritation. May damage fertility or the unborn child.
Notes to physician	: Treat symptomatically. No specific instructions needed.

Suitable extinguishing media	:	Water in spread jet, dry chemicals, foam or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

Version 2.0		evision Date: 023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29
Specific hazards during firefighting	:	Principal toxicant in the smoke	is carbon monoxide.
Special protective equipment for firefighters	:	Wear self-contained breathing	apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	:	Should not be released into the environment.
		It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.
Methods and materials for containment and cleaning up	:	Vacuum or sweep up spill. All spill of material must be removed immediately to prevent slipping accidents. Recycle or dispose loose material properly. Do not flush into surface water or sanitary sewer system.

7. HANDLING AND STORAGE

Handling Advice on protection against fire and explosion	:	Dust from the product gives a potential risk for dust explosion. All equipment shall be grounded. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
Advice on safe handling	:	During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. Provide adequate ventilation. Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes. Avoid contact with skin and eyes.
		The product contains small amounts of a substance classified as sensitising, which may produce an allergic reaction to susceptible personnel. Personnel sensitised to this substance should not be allowed to handle the product.



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

_

Version 2.0	Revision Date: 2023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29
Avoidance of contact	: Strong oxidizing agents Reducing agents Strong acids and strong bases	
Storage Conditions for safe storage	: Store locked up.	
Further information on storage stability	: Keep in a dry place.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
polyethene	9002-88-4	PC-TWA (Total dust)	5 mg/m3	CN OEL
6,6'-di-tert-butyl-4,4'-thiodi-m- cresol	96-69-5	TWA (Inhalable particulate matter)	1 mg/m3	ACGIH

Engineering measures

: Provide adequate ventilation. Local exhaust ventilation may be necessary.

Personal protective equipment

Respiratory protection	:	In case of dust development use dust mask. In the case of vapour formation use a respirator with an approved filter.
		When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Eye/face protection	:	Safety glasses
Skin and body protection	:	Protective clothing



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

_

Version 2.0	Revision Date: 2023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29
Hand protection Material	: Neoprene	
Material	: Nitrile rubber	
Remarks	: Please observe the instructions breakthrough time which are pl gloves. Also take into consider conditions under which the pro danger of cuts, abrasion, and t	rovided by the supplier of the ation the specific local duct is used, such as the
Hygiene measures	: When using do not eat, drink o Wash hands before breaks and	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	pellets
Colour	:	natural colour
Odour	:	odourless
рН	:	Not applicable insoluble
	:	
Melting point/range		100 - 140 °C
Boiling range	:	Decomposes on heating.
Flash point	:	Not applicable (solid)
Evaporation rate	:	Not applicable (solid)
Flammability (solid, gas)	:	The product is not flammable.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

Version 2.0	Revision Date: 2023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29
Vapour pressure	: Not applicable (solid)	
Density	: 0.9 - 1.0 g/cm ³	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: Not applicable insoluble	
Auto-ignition temperature	: > 320 °C	
Viscosity Viscosity, kinematic Explosive properties	: No data available : Not explosive	
Oxidizing properties	: The substance or mixture is	s not classified as oxidizing.
Particle size	: 3 - 6 mm	

10. STABILITY AND REACTIVITY		
Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	The product is a stable thermoplastic with no chemical reactivity below 140°C. Above 140°C the intended crosslinking reaction occurs.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	Extremes of temperature and direct sunlight.
Incompatible materials	:	Strong oxidizing agents Reducing agents Strong acids and strong bases
Hazardous decomposition products	:	Under fire conditions: Carbon monoxide
		During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

ersion 2.0	Revision Date: 2023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29
I. TOXICOLOGICAL I	NFORMATION	
Acute toxicity Based on available	data, the classification criteria are no	ot met.
Skin corrosion/irri Causes mild skin irr		
<u>Product:</u> Remarks		ct may give skin irritation caused by the sent on the surface of the granules.
Serious eye dama Based on available	ge/eye irritation data, the classification criteria are no	ot met.
<u>Product:</u> Remarks	: Contact with eyes ma	y cause irritation.
Respiratory or ski	n sensitisation	
Skin sensitisation Based on available	data, the classification criteria are no	ot met.
Respiratory sensit Based on available	tisation data, the classification criteria are no	ot met.
Germ cell mutager Based on available	nicity data, the classification criteria are no	ot met.
Carcinogenicity Based on available	data, the classification criteria are no	ot met.
Reproductive toxic May damage fertility	city y or the unborn child.	
STOT - single exp Based on available	osure data, the classification criteria are no	ot met.
STOT - repeated e Based on available	xposure data, the classification criteria are no	ot met.
Aspiration toxicity Based on available	, data, the classification criteria are no	ot met.



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

Version 2.0		evision Date:)23/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29
Further information <u>Product:</u> Remarks	:	Inhalation of dust may irritate t Prolonged inhalation of high do may give headache or irritation	oses of decomposition products
12. ECOLOGICAL INFORMATIO	N		
Ecotoxicity			
Product: Toxicity to daphnia and other aquatic invertebrates	:	NOEC (Daphnia magna (Wate Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline GLP: yes Remarks: No effect up to the li Read-across (Analogy)	202
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella su End point: Growth rate Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline GLP: yes Remarks: No effect up to the li Read-across (Analogy)	201
Components:			
6,6'-di-tert-butyl-4,4'-thiodi-	m-c	resol:	
Toxicity to fish	:	LC50 (fathead minnow (Pimep Exposure time: 96 h	hales promelas)): 0.36 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water Exposure time: 48 h	flea)): 0.16 mg/l
M-Factor (Acute aquatic toxicity)	:	1	
M-Factor (Chronic aquatic toxicity)	:	1	



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

sion 2.0	Revision Date: 2023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29
Persistence and degrada	ability	
Product:		
Biodegradability	: Remarks: Not readily b	iodegradable.
Bioaccumulative potenti	al	
Product:		
Bioaccumulation	: Remarks: Does not acc	cumulate in organisms.
Components:		
bis(α,α-dimethylbenzyl)	peroxide:	
Bioaccumulation	: Bioconcentration factor Exposure time: 56 d Temperature: 25 °C Concentration: 0.01 m	
Mobility in soil		
Product:		
Mobility	: Remarks: Not expected	d to adsorb on soil.
	Remarks: The product	is insoluble and floats on water.
Other adverse effects		
Product:		
Additional ecological information	: Should not be released	l into the environment.
	The product is not class environment.	sified as hazardous for the
		sed on tests on mixtures with similar

13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of contents/ container to an approved waste disposal plant. Check with local regulations.



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

_

Version 2.0	Revision Date: 2023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29
Contaminated packaging	: Dispose of as unused product. Empty containers should be tal handling site for recycling or dis	ken to an approved waste

14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Subsidiary risk Packing group Labels	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels	Not applicable Not applicable Not applicable Not applicable Not applicable

: Not applicable Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable : Not applicable

Not applicable for product as supplied.

National Regulations

EmS Code

Marine pollutant

GB 6944/12268 Not regulated as a dangerous good

Special precautions for user



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

Version 2.0	Revision Date: 2023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29
Remarks	: Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR	

15. REGULATORY INFORMATION

National regulatory information

16. OTHER INFORMATION

Further information

Other information	:	SDS according to GB/T 16483 and GB/T 17519.		
lssuer	:	Borealis, Group Product Stewardship		
Sources of key data used to compile the Safety Data Sheet	:	The classification information of components is based on raw material supplier data.		
Sources of key data used to compile the Safety Data Sheet		Information given is based on tests on mixtures with similar compositions. Information given is based on data of the components.		
Date format	:	yyyy/mm/dd		
Full text of other abbreviations				
ACGIH CN OEL	:	USA. ACGIH Threshold Limit Values (TLV) Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.		
ACGIH / TWA CN OEL / PC-TWA	:	8-hour, time-weighted average Permissible concentration - time weighted average		
AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR				

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

Version 2.0	Revision Date: 2023/10/27	Date of last issue: 2018/10/29 Date of first issue: 2018/10/29

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG -Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.



according to GB/T 16483 and GB/T 17519

Borlink LE4244S

Version 2.0

Revision Date: 2023/10/27

Date of last issue: 2018/10/29 Date of first issue: 2018/10/29

CN / EN

