

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico™ LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Visico LE4433

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Raw material for plastics industry

1.3 Details of the supplier of the safety data sheet

Supplier : Borealis AG
Wagramer Strasse 17-19, 1220 Vienna, Austria
Telephone: +43 1 22400 0

E-mail address : sds@borealisgroup.com

1.4 Emergency telephone number

+44 (0) 1235 239 670 (NCEC Carechem 24)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1B H360D: May damage the unborn child.

Specific target organ toxicity - repeated exposure, Category 2, Immune system H373: May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H360D May damage the unborn child.

Visico is a trademark of the Borealis group.

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SDS-EUR - EN



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

H373 May cause damage to organs () through prolonged or repeated exposure.

Precautionary statements : **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

dioctyltin dilaurate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product burns, but is not classified as flammable.

Dust from the product gives a potential risk for dust explosion.

During crosslinking reaction in combination with catalyst masterbatch: methanol (Flam. Liq. 2; H225, Acute Tox. 3; H301, Acute Tox. 3; H311, Acute Tox. 3; H331, STOT SE 1; H370 - see chapter 16) may be released.

In contact with water or moisture methanol will be released.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Raw material for plastics industry

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

The product is a silane crosslinkable polyethylene copolymer.
It contains carbon black.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5 271-867-2 01-2119496062-39	Repr. 2; H361d Aquatic Chronic 4; H413	$\geq 1 - < 2,5$
dioctyltin dilaurate	3648-18-8 222-883-3 050-031-00-9 UK-20-7333232785-4-0000	Repr. 1B; H360D STOT RE 1; H372	$\geq 1 - < 2,5$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- If inhaled : Move to fresh air in case of accidental inhalation of vapours or decomposition products.
Seek medical advice immediately.
- In case of skin contact : If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as removal could result in severe tissue damage.
Obtain medical attention.
- Wash off with soap and plenty of water.
Call a physician if irritation develops or persists.
- In case of eye contact : Rinse thoroughly with plenty of water, also under the eyelids.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, rinse mouth with water (only if the person is conscious).
Seek medical advice immediately.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation of dust may irritate the respiratory tract.
Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

Inhalation of dust may irritate the respiratory tract.
Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

Symptoms of poisoning (methanol):

Daze

Dizziness

Nausea

Abdominal pain

Respiratory disorders

Symptoms of poisoning (methanol):

Daze

Dizziness

Nausea

Abdominal pain

Respiratory disorders

Symptoms of poisoning, prolonged exposure (methanol):

Blindness

Risks : May damage the unborn child.
May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
No specific instructions needed.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Principal toxicant in the smoke is carbon monoxide.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus and protective suit.
for firefighters

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill.
All spill of material must be removed immediately to prevent slipping accidents.
Recycle or dispose loose material properly.
Do not flush into surface water or sanitary sewer system.

6.4 Reference to other sections

For personal protection see section 8.
For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.
Provide adequate ventilation.
Local exhaust ventilation may be necessary.
Avoid inhalation of dust and decomposition fumes.
Avoid contact with skin and eyes.

Advice on protection against fire and explosion : Dust from the product gives a potential risk for dust explosion.
All equipment shall be grounded. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

Hygiene measures : When using do not eat, drink or smoke. Wash hands before

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store locked up.

Further information on storage stability : Keep in a dry place.

7.3 Specific end use(s)

Specific use(s) : Raw material for wire and cable applications.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

For national exposure limit (OEL) values, check country specific safety data sheets.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
methanol	67-56-1	TWA	200 ppm 260 mg/m ³	2006/15/EC
Further information	Indicative, Identifies the possibility of significant uptake through the skin			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Visico LE4433				
Remarks:	Not applicable			

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Visico LE4433		
Remarks:	Not applicable	

8.2 Exposure controls

Engineering measures

Provide adequate ventilation.
Local exhaust ventilation may be necessary.

Personal protective equipment

Eye protection : Safety glasses

Use eye protection according to EN 166.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

Hand protection

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Skin and body protection : Protective clothing

Respiratory protection : In case of insufficient ventilation: Respirator with ABEK-P3 filter or self-contained breathing apparatus.
In case of dust development use dust mask.

Protective measures : Appropriate personal protective equipment (PPE) shall be worn in accordance with Regulation (EU) 2016/425.

Environmental exposure controls

General advice : Should not be released into the environment.
It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : pellets

Colour : black

Odour : odourless

Odour Threshold : Methanol:
Do NOT rely on the odour: olfactory level is above the exposure limit.

Melting range : 100 - 140 °C

Boiling range : Decomposes on heating.

Flammability : The product is not flammable.

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	Not applicable, (solid)
Auto-ignition temperature	:	> 320 °C
pH	:	Not applicable insoluble
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable insoluble
Vapour pressure	:	Not applicable (solid)
Density	:	1,1 - 1,2 g/cm ³
Bulk density	:	600 - 700 kg/m ³
Relative vapour density	:	Not applicable

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	Not applicable (solid)

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SDS-EUR - EN



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

10.2 Chemical stability

The product is a stable thermoplastic, with no chemical reactivity.

The intended crosslinking reaction occurs in combination with the base resin and moisture: at ambient conditions, in sauna or hot water bath.

10.3 Possibility of hazardous reactions

Hazardous reactions : In contact with water or moisture methanol will be released.

10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture
Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Under fire conditions:

Carbon monoxide

During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

During crosslinking reaction in combination with base resin: methanol

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Effects on fertility : Test Type: Pre-/postnatal development
Species: Rabbit, female
Application Route: Oral
Dose: 50 mg/kg
Method: OECD Test Guideline 414
Result: Some evidence of adverse effects on development, based on animal experiments.
GLP: yes

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data of the components.

Remarks : During crosslinking reaction in combination with base resin: methanol (Flam. Liq. 2; H225, Acute Tox. 3; H301, Acute Tox. 3; H311, Acute Tox. 3; H331, STOT SE 1; H370 - see chapter 16) is released.
Inhalation of dust may irritate the respiratory tract.
Prolonged inhalation of high doses of decomposition products

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

may give headache or irritation of the respiratory tract.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No known effect.

Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No effect up to the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,2 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No effect up to the limit of solubility.

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (fresh water algae)): > 0,2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No effect up to the limit of solubility.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Not readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not accumulate in organisms.

12.4 Mobility in soil

Product:

Mobility : Remarks: Not expected to adsorb on soil.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

Remarks: insoluble

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : Should not be released into the environment.

The product is not classified as hazardous for the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of contents/ container to an approved waste disposal plant.
Check with local regulations.

Contaminated packaging : Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : dioctyltin dilaurate

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Other regulations:

Chemical qualifying for PIC notification.
(dioctyltin dilaurate)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

15.2 Chemical safety assessment

no

SECTION 16: Other information

Full text of H-Statements

H360D	:	May damage the unborn child.
H361d	:	Suspected of damaging the unborn child.
H372	:	Causes damage to organs through prolonged or repeated exposure.
H413	:	May cause long lasting harmful effects to aquatic life.
H370	:	Causes damage to organs.
H225	:	Highly flammable liquid and vapour.

Full text of other abbreviations

Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Repr.	:	Reproductive toxicity
STOT RE	:	Specific target organ toxicity - repeated exposure
2006/15/EC	:	Europe. Indicative occupational exposure limit values
2006/15/EC / TWA	:	Limit Value - eight hours

Further information

Other information : Issued according to Regulation (EC) No 1907/2006, Annex II, and its amendments.
Changes since the last version are highlighted in the margin.
This version replaces all previous versions.

Issuer : Borealis, Group Product Stewardship / Robert Lucas

Sources of key data used to compile the Safety Data Sheet : The classification information of components is based on raw material supplier data.

Classification of the mixture:

Repr. 1B	H360D
STOT RE 2	H373

Classification procedure:

Calculation method
Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4433

Version 4.0

Revision Date: 22.11.2021

Former date: 10.08.2021

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.