Revision Date: 03.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name :	Visico LE4438
Unique Formula Identifier : (UFI)	YSA2-6XY0-KEC3-59DW
1.2 Relevant identified uses of the	substance or mixture and uses advised against
Use of the : Substance/Mixture	Raw material for plastics industry
1.3 Details of the supplier of the sa	fety data sheet
Supplier :	Borealis AG Trabrennstrasse 6-8, 1020 Vienna, Austria Telephone: +43 1 22400 0
E-mail address :	sds@borealisgroup.com

1.4 Emergency telephone number

+1 760 476 3962 (3E), Access code: 336296

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure, Category 2, Immune system Long-term (chronic) aquatic hazard, Category 3

H317: May cause an allergic skin reaction.H360D: May damage the unborn child.H373: May cause damage to organs through prolonged or repeated exposure.H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Visico is a trademark of the Borealis group.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Visico LE4438		
Version 21.0	Revision Date: 03.04.2024	Former date: 06.03.2023
Hazard statements	 H317 May cause an allergic skin r H360D May damage the unborn chi H373 May cause damage to orgar through prolonged or repeated expo H412 Harmful to aquatic life with let 	ld. ns (Immune system) sure.
Precautionary statements	: Prevention: P201 Obtain special instructions b P260 Do not breathe dust. P273 Avoid release to the environ P280 Wear protective gloves/ prot	ment.
	Response: P308 + P313 IF exposed or conce attention. P333 + P313 If skin irritation or ra advice/ attention.	erned: Get medical advice/ sh occurs: Get medical

Hazardous components which must be listed on the label:

dioctyltin dilaurate 6,6'-di-tert-butyl-4,4'-thiodi-m-cresol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product burns, but is not classified as flammable.

Dust from the product gives a potential risk for dust explosion. During crosslinking reaction in combination with base resin: methanol (Flam. Liq. 2; H225, Acute Tox. 3; H301, Acute Tox. 3; H311, Acute Tox. 3; H331, STOT SE 1; H370) is released. In contact with water or moisture methanol will be released.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: The product is a polyethylene copolymer.



Version 21.0

Revision Date: 03.04.2024

Former date: 06.03.2023

It contains stabilisers.

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
dioctyltin dilaurate	3648-18-8	Repr. 1B; H360D	>= 1 - < 5
	222-883-3	STOT RE 1; H372	
	050-031-00-9		
	UK-20-7333232785-		
	4-0000		
6,6'-di-tert-butyl-4,4'-thiodi-m-	96-69-5	Aquatic Acute 1;	>= 1 - < 2,5
cresol	202-525-2	H400	
	01-2119514452-49	Aquatic Chronic 1;	
		H410	
		Skin Sens. 1; H317	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	: Move to fresh air in case of accidental inhalation of vapours or decomposition products. Seek medical advice immediately.
In case of skin contact	: If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as removal could result in severe tissue damage. Obtain medical attention.
	Wash off with soap and plenty of water. Call a physician if irritation develops or persists.
In case of eye contact	: Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately.
4.2 Most important symptoms a	nd effects, both acute and delayed

Symptoms	: Inhalation of dust may irritate the respiratory tract.
	Prolonged inhalation of high doses of decomposition products



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 21.0	Revision Date: 03.04.2024	Former date: 06.03.2023
	Revision Date. 03.04.2024	Former date: 00.03.2023
	may give headache or irritation o	of the respiratory tract.
	Symptoms of poisoning (methan Daze Dizziness Nausea Abdominal pain Respiratory disorders	ol):
	Symptoms of poisoning, prolong Blindness	ed exposure (methanol):
Risks	: May cause an allergic skin reacti May damage the unborn child. May cause damage to organs the exposure.	
4.3 Indication of any imm	ediate medical attention and special treat	ment needed
Treatment	: Treat symptomatically. No specific instructions needed.	

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Specific hazards during	: Principal toxicant in the smoke is carbon monoxide.
firefighting	

5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus and protective suit. for firefighters

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation.

6.2 Environmental precautions

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to



Version 21.0

Revision Date: 03.04.2024

Former date: 06.03.2023

prevent accidental release of plastics in to the environment.

Should not be released into the environment.

6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill. All spill of material must be removed immediately to prevent slipping accidents. Recycle or dispose loose material properly. Do not flush into surface water or sanitary sewer system.

6.4 Reference to other sections

For personal protection see section 8. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. Provide adequate ventilation. Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes. Avoid contact with skin and eyes.
Advice on protection against fire and explosion	:	Dust from the product gives a potential risk for dust explosion. All equipment shall be grounded. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
Hygiene measures	:	When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Store locked up.
Further information on storage stability	:	Keep in a dry place.
7.3 Specific end use(s)		
Specific use(s)	:	Raw material for wire and cable applications.



Version 21.0

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

For national exposure limit (OEL) values, check country specific safety data sheets.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC
			200 mg/m3	

Further information Indicative, Identifies the possibility of significant uptake through the skin

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
6,6'-di-tert-butyl-4,4'- thiodi-m-cresol	Workers	Skin contact	Long-term systemic effects	4,2 mg/kg bw/d

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
6,6'-di-tert-butyl-4,4'-thiodi-m-	Fresh water	0,00016 mg/l
cresol		
	Marine water	0,000016 mg/l
	Intermittent use/release	0,0016 mg/l
	Fresh water sediment	6,52 mg/kg
	Marine sediment	0,652 mg/kg
	Soil	1,3 mg/kg

8.2 Exposure controls

Engineering measures

Provide adequate ventilation. Local exhaust ventilation may be necessary.

Personal protective equipment

Eye protection	:	Safety glasses Use eye protection according to EN 166.
Hand protection		
Material	:	butyl-rubber
Break through time	:	>= 480 min
Glove thickness	:	0,5 mm
Material	:	Fluorinated rubber
Break through time	:	>= 480 min
Glove thickness	:	0,4 mm
Remarks	:	Please observe the instructions regarding permeability and



ersion 21.0	Revision Date: 03.04.2024	Former date: 06.03.2023
Skin and body protection Respiratory protection	 breakthrough time which are provide gloves. Also take into consideration conditions under which the product danger of cuts, abrasion, and the Protective gloves complying with Protective clothing In case of insufficient ventilation: filter or self-contained breathing and the protection and	on the specific local loct is used, such as the contact time. EN 374. Respirator with ABEK-P3 apparatus.
Protective measures	In case of dust development use : Appropriate personal protective e worn in accordance with Regulati	equipment (PPE) shall be
Environmental exposure of	controls	
General advice	: It is recommended to implement s as Operation Clean Sweep®) to p plastics in to the environment. Should not be released into the e	prevent accidental release of

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour Odour Threshold	: :	pellets natural colour odourless Methanol: Do NOT rely on the odour: olfactory level is above the exposure limit.
Melting range		100 - 140 °C
Boiling range	:	Decomposes on heating.
Flammability	:	The product is not flammable.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	Not applicable, (solid)
Auto-ignition temperature	:	> 320 °C
рН	:	Not applicable insoluble
Viscosity		



Version 21.0	Re	vision Date: 03.04.2024	Former date: 06.03.2023
Viscosity, kinematic	:	No data available	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	Not applicable insoluble	
Vapour pressure	:	Not applicable (solid)	
Density	:	0,9 - 1,0 g/cm³	
Bulk density Relative vapour density	:	500 - 600 kg/m³ Not applicable	
Particle size	:	3 - 10 mm Method: Image analysis (surface-based)
9.2 Other information			
Explosives	:	Not explosive	
Oxidizing properties	:	The substance or mixture is not classifie	ed as oxidizing.
Evaporation rate	:	Not applicable (solid)	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

The product is a stable thermoplastic, with no chemical reactivity. The intended crosslinking reaction occurs in combination with the base resin and moisture: at ambient conditions, in sauna or hot water bath.

10.3 Possibility of hazardous reactions

Hazardous reactions : In contact with water or moisture methanol will be released.

10.4 Conditions to avoid

Conditions to avoid

: Exposure to moisture Extremes of temperature and direct sunlight.



Version 21.0

Revision Date: 03.04.2024

Former date: 06.03.2023

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Under fire conditions: Carbon monoxide During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. During crosslinking reaction in combination with base resin: methanol

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

May damage the unborn child.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

May cause damage to organs (Immune system) through prolonged or repeated exposure.

Aspiration toxicity

Based on available data, the classification criteria are not met.



Visico LE4438Version 21.0Revision Date: 03.04.2024

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data of the components.

SECTION 12: Ecological information

12.1 Toxicity

<u>Components:</u> 6,6'-di-tert-butyl-4,4'-thiodi-m Toxicity to fish		resol: LC50 (fathead minnow (Pimephales promelas)): 0,36 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,16 mg/l Exposure time: 48 h
12.2 Persistence and degradabilit	t y	
Product: Biodegradability	:	Remarks: Not readily biodegradable.
12.3 Bioaccumulative potential		
Product: Bioaccumulation	:	Remarks: Does not accumulate in organisms.
12.4 Mobility in soil		
<u>Product:</u> Mobility	:	Remarks: Not expected to adsorb on soil.
		Remarks: The product is insoluble and floats on water.



VISICO LE4438	
Version 21.0	Revision Date: 03.04.2024

Former date: 06.03.2023

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher

12.6 Endocrine disrupting properties

	Product:		
	Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.	7 Other adverse effects		
	Product:		
	Additional ecological information	:	Should not be released into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 Dispose of contents/ container to an approved waste disposal plant. Check with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good



Visico LE4438

Version 21.0

Revision Date: 03.04.2024

Former date: 06.03.2023

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	dioctyltin dilaurate
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	dioctyltin dilaurate
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Other regulations:

Chemical qualifying for PIC notification. (dioctyltin dilaurate)

15.2 Chemical safety assessment

no



Visico LE4438

Version 21.0

Revision Date: 03.04.2024

SECTION 16: Other information

Full text of H-Statements		
H317	:	May cause an allergic skin reaction.
H360D	:	May damage the unborn child.
H372	:	Causes damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H331	:	Toxic if inhaled.
H311	:	Toxic in contact with skin.
H301	:	Toxic if swallowed.
H370	:	Causes damage to organs.
H225	:	Highly flammable liquid and vapour.
Full text of other abbreviat	ions	3
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Repr.	:	Reproductive toxicity
Skin Sens. STOT RE	:	Skin sensitisation
2006/15/EC	:	Specific target organ toxicity - repeated exposure Europe. Indicative occupational exposure limit values
2006/15/EC / TWA	:	Limit Value - eight hours
2000/10/20/ 10//	•	
Further information		
Other information	:	Issued according to Regulation (EC) No 1907/2006, Annex II,
		and its amendments.
		Changes since the last version are highlighted in the margin.
		This version replaces all previous versions.
lssuer	:	Borealis, Group Product Stewardship
Sources of key data used to	:	The classification information of components is based on raw
compile the Safety Data		material supplier data.
Sheet		
Classification of the mixtu	re:	Classification procedure:
Skin Sens. 1	HB	Calculation method
Repr. 1B	HB	360D Calculation method
STOT RE 2	НЗ	373 Calculation method
Aquatic Chronic 3	H4	Calculation method



Version 21.0

Revision Date: 03.04.2024

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

