Borlink™ LH4201R

Version 5.0 **Revision Date:** Date of last issue: 02.01.2020 26.04.2024 Date of first issue: 02.01.2020

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Borlink LH4201R

Manufacturer or supplier's details

Supplier : Borealis AG

Address : Trabrennstrasse 6-8, 1020 Vienna, Austria

Telephone : +43 1 22400 0

Emergency telephone number : +1 760 476 3962 (3E), Access code: 336296+1 760 476 3962

(3E), Access code: 336296

E-mail address : sds@borealisgroup.com

Recommended use of the chemical and restrictions on use

Recommended use : Raw material for plastics industry

Restrictions on use : Use only according to our recommendations.

2. HAZARDS IDENTIFICATION

GHS Classification

Skin irritation Category 3

Skin sensitisation Category 1

Reproductive toxicity Category 1B

GHS-Labelling

Hazard pictograms





Signal word Danger

H316 Causes mild skin irritation. Hazard statements

H317 May cause an allergic skin reaction. H360D May damage the unborn child.

Precautionary statements Prevention:

Borlink is a trademark of the Borealis group.



Borlink LH4201R

Version 5.0	Revision Date: 26.04.2024	Date of last issue: 02.01.2020 Date of first issue: 02.01.2020	
	P201 Obtain special instructions before use. P261 Avoid breathing dust. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.		
	Response:		
P308 + P313 IF exposed or concerned: Get med attention.		sed or concerned: Get medical advice/	

P405 Store locked up.

Other hazards which do not result in classification

The product burns, but is not classified as flammable. Dust from the product gives a potential risk for dust explosion.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Mixture

Storage:

Chemical nature : The product is a polyethylene compound.

Components

Chemical name	CAS-No.	Classification	MAC value mg/m3 / TSEL value	Concentration (% w/w)
bis $(\alpha,\alpha$ -dimethylbenzyl) peroxide	80-43-3	Org. Perox.F; H242 Skin Irrit.2; H315 Eye Irrit.2A; H319 Repr.1B; H360 Aquatic Chronic2; H411	No data available	>= 1 - < 2,5
4-methyl-2,4-diphenyl-1- pentene	6362-80-7	Acute Tox.4; H302 Skin Sens.1; H317 STOT RE2; H373 Aquatic Acute1; H400 Aquatic	No data available	>= 0,25 - < 1



Borlink LH4201R

Version 5.0 **Revision Date:** Date of last issue: 02.01.2020 26.04.2024 Date of first issue: 02.01.2020

		Chronic1; H410		
6,6'-di-tert-butyl-4,4'-thiodi-m-cresol	96-69-5	Skin Sens.1; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410	No data available	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

4. FIRST AID MEASURES

If inhaled : Move to fresh air in case of accidental inhalation of vapours or

decomposition products.

Seek medical advice immediately.

: Wash off with soap and plenty of water. In case of skin contact

Call a physician if irritation develops or persists.

If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as

removal could result in severe tissue damage.

Obtain medical attention.

In case of eye contact : Rinse thoroughly with plenty of water, also under the eyelids.

Get medical attention if irritation develops and persists.

: If swallowed, rinse mouth with water (only if the person is If swallowed

conscious).

Seek medical advice immediately.

Most important symptoms

and effects, both acute and

delayed

Notes to physician

Inhalation of dust may irritate the respiratory tract.

Prolonged inhalation of high doses of decomposition products

may give headache or irritation of the respiratory tract.

Treat symptomatically.

No specific instructions needed.

5. FIREFIGHTING MEASURES

Flammable properties

Flash point Not applicable (solid)

Ignition temperature : > 320 °C

Upper explosion limit / Upper : Not applicable

flammability limit

Lower explosion limit / Lower : Not applicable

flammability limit



Borlink LH4201R

Version 5.0 **Revision Date:** Date of last issue: 02.01.2020 26.04.2024 Date of first issue: 02.01.2020

Flammability (solid, gas) The product is not flammable.

Suitable extinguishing media Unsuitable extinguishing

media

Specific hazards during

firefighting

Special protective equipment :

for firefighters

Water in spread jet, dry chemicals, foam or carbon dioxide.

High volume water jet

Principal toxicant in the smoke is carbon monoxide.

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Ensure adequate ventilation.

Environmental precautions Should not be released into the environment.

> It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of

plastics in to the environment.

Methods and materials for containment and cleaning up

Vacuum or sweep up spill.

All spill of material must be removed immediately to prevent

slipping accidents.

Recycle or dispose loose material properly.

Do not flush into surface water or sanitary sewer system.

7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Dust from the product gives a potential risk for dust explosion.

All equipment shall be grounded.

Routine housekeeping should be instituted to ensure that

dusts do not accumulate on surfaces.

Advice on safe handling During processing and thermal treatment of the product, small

amounts of volatile hydrocarbons may be released.

Provide adequate ventilation.

Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes.

Avoid contact with skin and eyes. Avoid contact with skin and eyes.

Conditions for safe storage Further information on

storage stability

Store locked up.

Keep in a dry place.



Borlink LH4201R

Version 5.0 Revision Date: Date of last issue: 02.01.2020 26.04.2024 Date of first issue: 02.01.2020

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures : Provide adequate ventilation.

Local exhaust ventilation may be necessary.

Personal protective equipment

Respiratory protection : In case of dust development use dust mask.

In the case of vapour formation use a respirator with an

approved filter.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators. The filter class for the respirator must be suitable for the

maximum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection

Material : Neoprene

Material : butyl-rubber

Material : Nitrile rubber

Remarks : Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Eye protection : Safety glasses
Skin and body protection : Protective clothing

Hygiene measures : When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Colour : natural colour

Odour : odourless

pH : Not applicable insoluble

Melting point/range : 100 - 140 °C



Borlink LH4201R

Version 5.0 Revision Date: Date of last issue: 02.01.2020 26.04.2024 Date of first issue: 02.01.2020

Boiling range : Decomposes on heating.

Flash point : Not applicable (solid)

Evaporation rate : Not applicable (solid)

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : Not applicable (solid)

Density : 0,9 - 1,0 g/cm³

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

Not applicable insoluble

Auto-ignition temperature : > 320 °C

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : 3 - 6 mm

10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : The product is a stable thermoplastic with no chemical

reactivity below 140°C. Above 140°C the intended

crosslinking reaction occurs.

Possibility of hazardous

reactions

None known.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : Strong oxidizing agents

Reducing agents



Borlink LH4201R

Version 5.0 Revision Date: Date of last issue: 02.01.2020 26.04.2024 Date of first issue: 02.01.2020

Strong acids and strong bases

Hazardous decomposition

products

: Under fire conditions: Carbon monoxide

During processing and thermal treatment of the product, small

amounts of volatile hydrocarbons may be released.

11. TOXICOLOGICAL INFORMATION

Further information

Product:

Remarks : Inhalation of dust may irritate the respiratory tract.

Prolonged inhalation of high doses of decomposition products

may give headache or irritation of the respiratory tract.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to daphnia and other :

aquatic invertebrates

NOEC (Daphnia magna (Water flea)):

Exposure time: 48 h

Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Remarks: No effect up to the limit of solubility.

Read-across (Analogy)

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)):

End point: Growth rate

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: yes

Remarks: No effect up to the limit of solubility.

Read-across (Analogy)

Components:

6,6'-di-tert-butyl-4,4'-thiodi-m-cresol:

Toxicity to fish : LC50 (fathead minnow (Pimephales promelas)): 0,36 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,16 mg/l



Borlink LH4201R

Version 5.0 Revision Date: Date of last issue: 02.01.2020 26.04.2024 Date of first issue: 02.01.2020

aquatic invertebrates Exposure time: 48 h

M-Factor (Acute aquatic :

toxicity)

M-Factor (Chronic aquatic : 1

toxicity)

Persistence and degradability

Product:

Biodegradability : Remarks: Not readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not accumulate in organisms.

Components:

bis(α , α -dimethylbenzyl) peroxide:

Bioaccumulation : Bioconcentration factor (BCF): 137 - 1.470

Exposure time: 56 d Temperature: 25 °C Concentration: 0,01 mg/l

Mobility in soil

Product:

Mobility : Remarks: Not expected to adsorb on soil.

Remarks: The product is insoluble and floats on water.

Other adverse effects

Product:

Additional ecological

information

Should not be released into the environment.

Information given is based on tests on mixtures with similar

compositions.



Borlink LH4201R

Version 5.0 Revision Date: Date of last issue: 02.01.2020 26.04.2024 Date of first issue: 02.01.2020

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of contents/ container to an approved waste disposal

plant.

Check with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADR

Not regulated as a dangerous good

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,

IMDG-Code, ICAO/IATA-DGR

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

16. OTHER INFORMATION

Full text of H-Statements

H242 Heating may cause a fire.
H302 Harmful if swallowed.
H315 Causes skin irritation.



Borlink LH4201R

Version 5.0	Revision Date: 26.04.2024	Date of last issue: 02.01.2020 Date of first issue: 02.01.2020	
	20.04.2024	Date of first issue. 02.01.2020	
H317	May cause an allergic skin reaction	on.	
H319	Causes serious eye irritation.		
H360	May damage fertility or the unborn child.		
H373	May cause damage to organs through prolonged or repeated exposure		
	if swallowed.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Org. Perox. : Organic peroxides
Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



Borlink LH4201R

Version 5.0 Revision Date: Date of last issue: 02.01.2020 26.04.2024 Date of first issue: 02.01.2020

Further information

Other information : SDS According to GOST 30333-2007

Issuer

Borealis, Group Product Stewardship

Sources of key data used to compile the Safety Data

Sheet

: The classification information of components is based on raw

material supplier data.

Information given is based on tests on mixtures with similar compositions., Information given is based on data of the

components.

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

