according to Regulation (EC) No. 1907/2006

Borlink™ LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Borlink LS4201R Borealis

Unique Formula Identifier

(UFI)

: 1QAN-UM7J-6R7V-GDQE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Raw material for plastics industry

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Supplier : Borealis AG

Trabrennstrasse 6-8, 1020 Vienna, Austria

Telephone: +43 1 22400 0

E-mail address : sds@borealisgroup.com

1.4 Emergency telephone number

+1 760 476 3962 (3E), Access code: 336296

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1B H360D: May damage the unborn child.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Signal word : Danger

Hazard statements : H360D May damage the unborn child.

Precautionary statements : Prevention:

Borlink is a trademark of the Borealis group.

Borealis AG | Trabrennstrasse 6-8 | 1020 Vienna | Austria Telephone +43 1 224 00 0 | Fax +43 1 22 400 333 FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com



according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

bis(α , α -dimethylbenzyl) peroxide

Additional Labelling

EUH208

Contains 4-methyl-2,4-diphenyl-1-pentene, 6,6'-di-tert-butyl-4,4'-thiodi-m-cresol. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product burns, but is not classified as flammable.

Dust from the product gives a potential risk for dust explosion.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : The product is a polyethylene polymer.

Components



Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
bis $(\alpha,\alpha$ -dimethylbenzyl) peroxide	80-43-3 201-279-3 617-006-00-X 01-2119541688-27	Org. Perox. F; H242 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 1B; H360D Aquatic Chronic 2; H411	>= 1 - < 2,5
4-methyl-2,4-diphenyl-1-pentene	6362-80-7 228-846-8 01-2119965170-42	Acute Tox. 4; H302 Skin Sens. 1; H317 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1
6,6'-di-tert-butyl-4,4'-thiodi-m- cresol	96-69-5 202-525-2 01-2119514452-49	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1; H317	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Move to fresh air in case of accidental inhalation of vapours or

decomposition products.

Seek medical advice immediately.

In case of skin contact : Wash off with soap and plenty of water.

Call a physician if irritation develops or persists.

If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as

removal could result in severe tissue damage.

Obtain medical attention.

In case of eye contact : Rinse thoroughly with plenty of water, also under the eyelids.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, rinse mouth with water (only if the person is

conscious).



SAFFTY DATA SHFFT

according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation of dust may irritate the respiratory tract.

Prolonged inhalation of high doses of decomposition products

may give headache or irritation of the respiratory tract.

Skin contact may provoke the following symptoms:

Local irritation

Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

Risks : May cause drowsiness or dizziness.

> May damage the unborn child. May damage the unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

No specific instructions needed.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Principal toxicant in the smoke is carbon monoxide.

5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus and protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation.



SAFFTY DATA SHFFT

according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

6.2 Environmental precautions

Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill.

All spill of material must be removed immediately to prevent slipping accidents.

Recycle or dispose loose material properly.

Do not flush into surface water or sanitary sewer system.

6.4 Reference to other sections

For personal protection see section 8.

For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : During processing and thermal treatment of the product, small

amounts of volatile hydrocarbons may be released.

Provide adequate ventilation.

Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes.

Avoid contact with skin and eyes.

The product contains small amounts of a substance classified

as sensitising, which may produce an allergic reaction to

susceptible personnel.

Personnel sensitised to this substance should not be allowed

to handle the product.

Advice on protection against

fire and explosion

: Dust from the product gives a potential risk for dust explosion.

All equipment shall be grounded. Routine housekeeping

should be instituted to ensure that dusts do not accumulate on

surfaces.

Hygiene measures : When using do not eat, drink or smoke. Wash hands before

breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Store locked up.

Further information on

storage stability

: Keep in a dry place.

7.3 Specific end use(s)



according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

Specific use(s) : Raw material for wire and cable applications.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

For national exposure limit (OEL) values, check country specific safety data sheets.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
bis(α,α- dimethylbenzyl) peroxide	Workers	Inhalation	Long-term systemic effects	1,4 mg/m3
	Workers	Skin contact	Long-term systemic effects	2,0 mg/kg bw/d
6,6'-di-tert-butyl-4,4'- thiodi-m-cresol	Workers	Skin contact	Long-term systemic effects	4,2 mg/kg bw/d

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bis(α,α-dimethylbenzyl) peroxide	Fresh water	0,00234 mg/l
	Marine water	0,00023 mg/l
	Effects on waste water treatment plants	100 mg/l
	Fresh water sediment	2,2 mg/kg dwt
	Soil	2,2 mg/kg dwt
6,6'-di-tert-butyl-4,4'-thiodi-m-cresol	Fresh water	0,00016 mg/l
	Marine water	0,000016 mg/l
	Intermittent use/release	0,0016 mg/l
_	Fresh water sediment	6,52 mg/kg
	Marine sediment	0,652 mg/kg
_	Soil	1,3 mg/kg

8.2 Exposure controls

Engineering measures

Provide adequate ventilation.

Local exhaust ventilation may be necessary.

Personal protective equipment

Eye protection : Safety glasses

Use eye protection according to EN 166.

Hand protection

Material : Neoprene

Material : Nitrile rubber



SAFFTY DATA SHFFT

according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

Remarks : Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time. Protective gloves complying with EN 374.

Skin and body protection : Protective clothing

Respiratory protection : In case of insufficient ventilation: Respirator with ABEK-P3

> filter or self-contained breathing apparatus. In case of dust development use dust mask.

: Appropriate personal protective equipment (PPE) shall be Protective measures

worn in accordance with Regulation (EU) 2016/425.

Environmental exposure controls

General advice : Should not be released into the environment.

> It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of

plastics in to the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state pellets Colour natural colour Odour odourless 100 - 140 °C Melting point/range

Boiling range Decomposes on heating.

Flammability The product is not flammable.

Upper explosion limit / Upper :

flammability limit

Not applicable

Lower explosion limit / Lower : Not applicable

flammability limit

Flash point Not applicable, (solid)

Auto-ignition temperature > 320 °C

pΗ Not applicable insoluble

Viscosity

Viscosity, kinematic No data available

Solubility(ies)



according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

Water solubility : insoluble

Partition coefficient: n-

octanol/water

Not applicable

insoluble

Vapour pressure : Not applicable

(solid)

Density : 0,9 - 1,0 g/cm³

Particle size : 3 - 6 mm

Method: Image analysis (surface-based)

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

(solid)

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

The product is a stable thermoplastic with no chemical reactivity below 140°C. Above 140°C the intended crosslinking reaction occurs.

10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

Reducing agents

Strong acids and strong bases



according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

10.6 Hazardous decomposition products

Under fire conditions:

Carbon monoxide

During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : Prolonged skin contact may give skin irritation caused by the

peroxide content present on the surface of the granules.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : Contact with eyes may cause irritation.

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks : The product contains small amounts of a substance classified

as sensitising, which may produce an allergic reaction to

susceptible personnel.

Personnel sensitised to this substance should not be allowed

to handle the product.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

Reproductive toxicity

May damage the unborn child.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data of the components.

Remarks : Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to daphnia and other

aquatic invertebrates

: NOEC (Daphnia magna (Water flea)): Exposure time: 48 h

Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Remarks: No effect up to the limit of solubility.

Read-across (Analogy)

Toxicity to algae/aquatic

plants

: NOEC (Pseudokirchneriella subcapitata (green algae)): End

point: Growth rate Exposure time: 72 h



according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

> Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: ves

Remarks: No effect up to the limit of solubility.

Read-across (Analogy)

Components:

6,6'-di-tert-butyl-4,4'-thiodi-m-cresol:

Toxicity to fish : LC50 (fathead minnow (Pimephales promelas)): 0,36 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,16 mg/l

aquatic invertebrates

Exposure time: 48 h

12.2 Persistence and degradability

Product:

: Remarks: Not readily biodegradable. Biodegradability

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not accumulate in organisms.

Components:

bis(α , α -dimethylbenzyl) peroxide:

Bioaccumulation : Exposure time: 56 d

> Temperature: 25 °C Concentration: 0,01 mg/l

Bioconcentration factor (BCF): 137 - 1.470

12.4 Mobility in soil

Product:

Mobility : Remarks: Not expected to adsorb on soil.

Remarks: The product is insoluble and floats on water.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...



according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological

information

: Should not be released into the environment.

The product is not classified as hazardous for the

environment.

Information given is based on tests on mixtures with similar

compositions.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of contents/ container to an approved waste disposal

plant.

Check with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,

IMDG-Code, ICAO/IATA-DGR

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : $bis(\alpha,\alpha-dimethylbenzyl)$ peroxide Concern for Authorisation (Article 59).

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

15.2 Chemical safety assessment

nο

SECTION 16: Other information

Full text of H-Statements

H242 : Heating may cause a fire. H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H360D : May damage the unborn child.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations



according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Org. Perox. : Organic peroxides
Repr. : Reproductive toxicity
Skip Irrit : Skip irritation

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

Further information

Other information : Issued according to Regulation (EC) No 1907/2006, Annex II,

and its amendments.

Changes since the last version are highlighted in the margin.

This version replaces all previous versions.

Issuer : Borealis, Group Product Stewardship

Sources of key data used to

compile the Safety Data

Sheet

The classification information of components is based on raw

material supplier data.

Information given is based on tests on mixtures with similar

compositions.

Information given is based on data of the components.

Classification of the mixture: Classification procedure:

Repr. 1B H360D Calculation method

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.



according to Regulation (EC) No. 1907/2006

Borlink LS4201R Borealis

Version 6.2 Revision Date: 31.10.2024 Former date: 21.10.2024

