

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Phenol

REACH Registration Number : 01-2119471329-32-0006, 01-2119471329-32-XXXX

Substance name : phenol

EC-No. : 203-632-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Raw material in chemical industry, Manufacture, Formulation, Distribution, Intermediate, Use in rubber production and processing, Use in polymer production, Use in polymer processing, Use in rubber production and processing, Phenolic resin processing (uses of downstream users of phenolic resins), Use as binders and release agents, Use in coatings, Laboratory use, Use in agrochemicals, Leather treatment products

1.3 Details of the supplier of the safety data sheet

Manufacturer : Borealis Polymers Oy
P.O.Box 330, FI-06101 Porvoo, Finland
Telephone: +358 9 394900

Supplier : Borealis AG
Wagramer Strasse 17-19, 1220 Vienna, Austria
Telephone: +43 1 22400 0

E-mail address : sds@borealisgroup.com

1.4 Emergency telephone number

||+44 (0) 1235 239 670 (NCEC Carechem 24)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 3	H301: Toxic if swallowed.
Acute toxicity, Category 3	H331: Toxic if inhaled.
Acute toxicity, Category 3	H311: Toxic in contact with skin.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Germ cell mutagenicity, Category 2	H341: Suspected of causing genetic defects.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage. H341 Suspected of causing genetic defects. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P273 Avoid release to the environment. P262 Do not get in eyes, on skin, or on clothing. P281 Use personal protective equipment as required. Response:

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309 + P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/ physician.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to a local hazardous waste disposal facility.

Additional Labelling

After contact with skin, wash immediately with plenty of polyethylene glycol (in disposable cloths) and with plenty of water.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : phenol
EC-No. : 203-632-7

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
phenol	108-95-2 203-632-7	> 95 - <= 100

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Plan first aid action before beginning work with this product.
First aider needs to protect himself.
Move the victim to fresh air.
Keep at rest.
Remove contaminated clothing and shoes.
If unconscious, place in recovery position and seek medical advice.
Keep available:
Eye wash bottle with pure water and disposable cloths in polyethylene glycol at the workplace and in vehicles.
In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- If inhaled : Remove from exposure.
Keep warm and at rest and provide fresh air.
Give oxygen or artificial respiration if needed.
Immediate medical attention is required.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off with polyethylene glycol (in disposable cloths) and with plenty of water.
Keep on washing until medical assistance is obtained and skin is not white.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Continue rinsing eyes during transport to hospital.
- If swallowed : Rinse mouth.
Drink plenty of water.
Do NOT induce vomiting.
Immediate medical attention is required.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Symptoms of poisoning:
Vomiting
Convulsions
Irregular cardiac activity
Unconsciousness
Breathing difficulties

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

- Death.
- Inhalation:
Irritation
Shortness of breath
Lung oedema
- Skin contact:
Skin disorders
Corrosion
Dermatitis
Necrosis
Death.
- Ingestion:
Severe irritation
corrosive effects
acute lethal effects
- Risks : Symptoms may be delayed.
Toxic if swallowed, in contact with skin or if inhaled.
Causes serious eye damage.
Suspected of causing genetic defects.
May cause damage to organs through prolonged or repeated exposure.
Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.
After contact with skin, wash immediately with plenty of polyethylene glycol (in disposable cloths) and with plenty of water.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If ingested, irrigate the stomach using activated charcoal in addition.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Dry powder
Carbon dioxide (CO₂)
Alcohol-resistant foam
Water mist
- Unsuitable extinguishing : High volume water jet
-

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

media

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Flammable.
Vapours are heavier than air and may spread along floors.
Vapours may form explosive mixtures with air.
Burning produces noxious and toxic fumes.
See chapter 10.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.

Further information : Keep people away from and upwind of spill/leak.
Keep away from heat and sources of ignition.
Observe the risk of explosion.
Cool containers/tanks with water spray.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.
Keep people away from and upwind of spill/leak.
Do not breathe vapours.
Avoid breathing dust.
Avoid all contact with the product.
Use personal protective equipment.
Ensure adequate ventilation.
Attempt to stop leakage without personal risk.

6.2 Environmental precautions

Should not be released into the environment.
Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Allow to solidify, use mechanical handling equipment.
Shovel into suitable container for disposal.
Large molten masses:

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean thoroughly.

6.4 Reference to other sections

For personal protection see section 8.
For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Handle only in a place equipped with local exhaust (or other appropriate exhaust).
Avoid inhalation of vapour or mist.
Avoid contact with skin, eyes and clothing.
Handle with extreme care.
Ensure adequate ventilation.
- Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking.
- Hygiene measures : Avoid contact with skin and eyes. Take off immediately all contaminated clothing. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs.
Clear up spills immediately and dispose of waste safely. Wash hands before breaks and immediately after handling the product. Use a high fat protective cream after cleaning skin.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed and in a well-ventilated place.
Protect from sunlight.
- Further information on storage conditions : Keep locked up or in an area accessible only to qualified or authorised persons. Take precautionary measures against static discharges. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Ensure that eye flushing systems and safety showers are located close to the working place.
- Advice on common storage : Keep away from food, drink and animal feedingstuffs.
Keep away from incompatible materials.
See chapter 10.
- Storage class (TRGS 510) : 6.1A, Combustible substances, toxic

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Other data : Recommended storage temperature 15 - 25 °C (solid) 55 - 60 °C (liquid)

Packaging material : Suitable material: Stainless steel
Unsuitable material: Aluminium, Lead, Copper, Copper alloys, Zinc, Unlined steel, Plastics, Rubber products

7.3 Specific end use(s)

Specific use(s) : Reserved for industrial and professional use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
phenol	108-95-2	TWA	2 ppm 7,8 mg/m ³	GB EH40
Further information	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	4 ppm 16 mg/m ³	GB EH40
Further information	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
phenol	Workers	Inhalation	Long-term systemic effects	8 mg/m ³
			Acute local effects	16 mg/m ³
	Workers	Skin contact	Long-term systemic effects	1,23 mg/kg bw/d
	Consumers	Inhalation	Long-term systemic effects	1,32 mg/m ³
	Consumer use	Dermal	Long-term systemic effects	0,4 mg/kg bw/day
	Consumer use	Oral	Long-term systemic effects	0,4 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
phenol	Fresh water	0,008 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

	Marine water	0,001 mg/l
	Fresh water sediment	0,091 mg/kg dwt
	Marine sediment	0,009 mg/kg dwt
	Soil	0,136 mg/kg dwt
	Intermittent use/release	0,031 mg/l
	Sewage treatment plant	2,1 mg/l

8.2 Exposure controls

Engineering measures

Minimise exposure using measures such as closed systems, dedicated facilities and suitable general / local exhaust ventilation.

Ensure safe systems of work or equivalent arrangements are in place to manage risks.

Regularly inspect, test and maintain all control measures.

Personal protective equipment

Eye protection : Wear goggles (DIN EN 58211) and if needed face-shield.

Hand protection

Material : thick PVC

Break through time : > 480 min

Material : Neoprene

Break through time : 140 min

Material : polyvinylchloride (PVC)

Break through time : 75 min

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Skin and body protection : Wear suitable protective clothing.
Safety shoes according to EN 345-347.
If splashes are likely to occur:
Complete suit protecting against chemicals

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
Respirator with combination filter for vapour/particulate (EN 141)

Filter type : ABEK-P3-filter

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Protective measures : Avoid exposure - obtain special instructions before use.
Ensure that eye flushing systems and safety showers are located close to the working place.
Provide specific activity training to operators to minimise exposures.
Consider the need for risk based health surveillance.
Identify and implement corrective actions.

Environmental exposure controls

General advice : Should not be released into the environment. Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid
solid (< 40,9 °C)
liquid (> 40,9 °C)

Colour : colourless (liquid), white (solid)
Change in colour if exposed to air and light:, pink, red

Odour : pungent

Odour Threshold : 0,006 - 6 ppm

Melting point : 40,9 °C

Boiling point : 181,9 °C (1.013 hPa)

Upper explosion limit / Upper flammability limit : 9,0 %(V)

Lower explosion limit / Lower flammability limit : 1,3 %(V)

Flash point : 81 °C
Method: ISO 2719

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SDS-GB - EN



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Auto-ignition temperature	:	595 °C Method: DIN 51794
pH	:	4 - 5 (20 °C) Concentration: 10 g/l
Viscosity		
Viscosity, dynamic	:	3,437 mPa.s (50 °C)
Solubility(ies)		
Water solubility	:	84 g/l (20 °C) 87 g/l (25 °C) completely miscible (68 °C)
Solubility in other solvents	:	Soluble in most organic solvents. Solvent: Fat solubility
Vapour pressure	:	0,2 hPa (20 °C) 3 hPa (50 °C)
Density	:	1,07 g/cm ³ (20 °C) 1,13 g/cm ³ (25 °C) Method: DIN 51757
Relative vapour density	:	3,2 (20 °C) (Air = 1.0)

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	Not oxidizing
Self-ignition	:	715 °C 1.013 hPa
Molecular weight	:	94,11 g/mol

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

May attack many plastics, rubbers and coatings.
hygroscopic

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Exposure to air.
Exposure to sunlight.
Keep away from heat and sources of ignition.
No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents
Aldehydes
Isocyanates
Nitrites
Nitride
Friedel-Crafts catalysts
Metals
Vapours may form explosive mixtures with air.

10.6 Hazardous decomposition products

Heating or fire can release toxic and corrosive gases.
Under fire conditions:
Carbon monoxide
Carbon dioxide (CO₂)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Toxic if swallowed, in contact with skin or if inhaled.

Components:

phenol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

- Acute oral toxicity : LD50 (Rat): 340 mg/kg
Method: OECD Test Guideline 401

LDLo (Humans): 140 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 900 mg/m³
Exposure time: 8 h
Test atmosphere: dust/mist
Symptoms: Irritation of mucous membranes, Shortness of breath, Respiratory disorders
Remarks: Toxic.
Danger of serious damage to health by prolonged exposure.
- Acute dermal toxicity : LD50 (Rat): 660 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes severe burns.

Components:

phenol:

Exposure quickly causes a strong corrosive action upon all body tissue.
Possible risk of irreversible effects.

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

phenol:

Species: Rabbit
Exposure time: 72 h
Method: OECD Test Guideline 405
Result: Corrosive

Respiratory or skin sensitisation

Skin sensitisation: Based on available data, the classification criteria are not met.

Respiratory sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

phenol:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

- : Test Type: Chromosome aberration test in vitro
Result: positive
- : Test Type: In vitro gene mutation study in mammalian cells
Method: OECD Test Guideline 476
Result: positive
- Genotoxicity in vivo : Test Type: in vivo assay
Method: Mutagenicity (micronucleus test)
Result: weak positive
- Germ cell mutagenicity-
Assessment : In vitro tests showed mutagenic effects, Suspected of causing
genetic defects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

phenol:

Remarks: Animal testing did not show any carcinogenic effects.
IARC: (International Agency for Research on Cancer)
Group 3: Not classifiable as to its carcinogenicity to humans

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

phenol:

Effects on fertility : Remarks: No known effect.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

phenol:

Species: Rat
NOAEL: 300 mg/kg, bw/d
Application Route: Oral
Remarks: Systemic effects
Subchronic toxicity

Remarks: Prolonged exposure may cause chronic effects:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

disorder of nervous system,
injuries to liver and kidneys.
Repeated skin contact:
dermatitis,
disorder of pigmentation.

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

phenol:

General Information : Absorbs rapidly into the body by inhalation, skin contact and oral intake.

Further information

Product:

Remarks: Symptoms may be delayed.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment
Long-term (chronic) aquatic hazard : Toxic to aquatic life with long lasting effects.

Components:

phenol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

- Toxicity to fish : Remarks: Toxic to aquatic life with long lasting effects.
LC50 (Oncorhynchus mykiss (rainbow trout)): 8,9 mg/l
Exposure time: 96 h
Test substance: phenol
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 3,1 mg/l
Exposure time: 48 h
Test substance: phenol
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 61,1 mg/l
Exposure time: 96 h
Test substance: phenol
- EC50 (Entomoneis cf punctulata (diatom)): 76 mg/l
Exposure time: 72 h
Test substance: phenol
- EC50 (Lemna minor (duckweed)): 61,82 mg/l
Exposure time: 7 d
Test substance: phenol
- Toxicity to fish (Chronic toxicity) : NOEC: 0,077 mg/l
Exposure time: 60 d
Species: Cirrhina mrigala
Test substance: phenol
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0,46 mg/l
Exposure time: 16 d
Species: Daphnia magna (Water flea)
Test substance: phenol

12.2 Persistence and degradability

Components:

phenol:

- Biodegradability : activated sludge
Result: Readily biodegradable.
Biodegradation: 62 %
Method: OECD Test Guideline 301C
Test substance: phenol
- Test Type: anaerobic
activated sludge
Result: Readily biodegradable.
Biodegradation: 80,1 %

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Method: ECETOC method
Test substance: phenol

Water
Result: Readily biodegradable.
Biodegradation: 86 - 96 %
Test substance: phenol

Chemical Oxygen Demand (COD) : 2.300 mg/g
Test substance: phenol

ThOD : 2,26 mg/l
Test substance: phenol

Photodegradation : Test substance: phenol
Remarks: Estimated atmospheric lifetime: 14h
Photodegradable.

12.3 Bioaccumulative potential

Components:

phenol:

Bioaccumulation : Species: Danio rerio (zebra fish)
Bioconcentration factor (BCF): 17,5
Elimination: yes
Test substance: phenol
Method: OECD Test Guideline 305E
Remarks: Bioaccumulation not expected.

12.4 Mobility in soil

Components:

phenol:

Mobility : Medium: Air
Remarks: 1%

: Medium: Water
Remarks: 98.5%, The product evaporates slowly., The product is soluble in water.

: Medium: Soil
Remarks: 0.5%, High mobility

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : Should not be released into the environment. Prevent product from entering drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of as hazardous waste in compliance with local and national regulations.
Where possible recycling is preferred to disposal or incineration.
European waste code:
07 01 99 (wastes not otherwise specified (basic organic chemicals))

Contaminated packaging : Dispose of as hazardous waste in compliance with local and national regulations.
Reuse or recycle if not contaminated.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 2312
RID : UN 2312
IMDG : UN 2312

14.2 UN proper shipping name

ADR : PHENOL, MOLTEN
RID : PHENOL, MOLTEN
IMDG : PHENOL, MOLTEN

14.3 Transport hazard class(es)

ADR : 6.1
RID : 6.1
IMDG : 6.1

14.4 Packing group

ADR
Packing group : II
Classification Code : T1
Hazard Identification Number : 60
Labels : 6.1
Tunnel restriction code : (D/E)

RID
Packing group : II
Classification Code : T1
Hazard Identification Number : 60
Labels : 6.1

IMDG
Packing group : II
Labels : 6.1
EmS Code : F-A, S-A

14.5 Environmental hazards

ADR
Environmentally hazardous : yes

RID
Environmentally hazardous : yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Remarks : Other UN-Number: 1671 (PHENOL, SOLID)

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Ship type : 2

Pollution category : Y

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Category		Quantity 1	Quantity 2
H2	ACUTE TOXIC	50 t	200 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Dir 94/33/EC on the protection of young people at work.

Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

SECTION 16: Other information

Full text of other abbreviations

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

Further information

Training advice : Provide adequate information, instruction and training for operators.

Regular trainings of all employees which are involved in the transport of dangerous goods (according to chapter 1.3 ADR).

Other information : Issued according to Regulation (EC) No 1907/2006, Annex II, and its amendments.
Changes since the last version are highlighted in the margin.
This version replaces all previous versions.

Issuer : Borealis, Group Product Stewardship / Mikaela Eriksson.

Sources of key data used to compile the Safety Data Sheet : REACH Registration Dossier Phenol. P&D-REACH Consortium, 2021
International Chemical Safety Card, Phenol, October 2001 (<http://www.inchem.org/documents/icsc/icsc/eics0070.htm>)
IPCS Environmental Health Criteria 161, WHO, 1994 (www.inchem.org/documents/ehc/ehc/ehc161.htm)
Environment Guide 71; Environmental properties of chemicals, Finnish Environment Institute, Helsinki 2000

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Annex

Exposure Scenario

Identified uses:

Use: Manufacture of substance, Manufacture

Main User Groups	: SU3: Industrial uses
Process categories	: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC7: Industrial spraying PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring PROC14: Tableting, compression, extrusion, pelettisation, granulation PROC15: Use as laboratory reagent PROC28: Manual maintenance (cleaning and repair) of machinery
Environmental Release Categories	: ERC1: Manufacture of the substance

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-1-Manufacture.pdf>

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Use: Formulation & (re)packing of substances and mixtures, Distribution of substance, Formulation or re-packing

Main User Groups	: SU3: Industrial uses
Chemical product category	: PC1: Adhesives, sealants PC3: Air care products PC4: Anti-freeze and de-icing products PC8: Biocidal products PC9a: Coatings and paints, thinners, paint removers PC9b: Fillers, putties, plasters, modelling clay PC12: Fertilizers PC15: Non-metal surface treatment products PC21: Laboratory chemicals PC23: Leather treatment products PC24: Lubricants, greases, release products PC27: Plant protection products PC29: Pharmaceuticals PC30: Photo-chemicals PC31: Polishes and wax blends PC32: Polymer preparations and compounds PC35: Washing and cleaning products PC38: Welding and soldering products, flux products
Process categories	: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC7: Industrial spraying PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring PROC14: Tableting, compression, extrusion, pelettisation, granulation
Environmental Release Categories	: ERC2: Formulation into mixture

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-2-Formulation-or-repacking.pdf>

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Use: Use as an intermediate, Use at industrial sites

Main User Groups	: SU3: Industrial uses
Sectors of end-use	: SU8, SU9: Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals
Chemical product category	: PC21: Laboratory chemicals PC29: Pharmaceuticals PC30: Photo-chemicals PC35: Washing and cleaning products PC39: Cosmetics, personal care products PC0: Other
Process categories	: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC7: Industrial spraying PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring PROC14: Tableting, compression, extrusion, pelettisation, granulation PROC28: Manual maintenance (cleaning and repair) of machinery
Environmental Release Categories	: ERC6a: Use of intermediate

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-3-Use-at-industrial-site-Use-as-Intermediate.pdf>

Use: Use in polymer production, Use at industrial sites

Main User Groups : **SU3:** Industrial uses

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Sectors of end-use	: SU12: Manufacture of plastics products, including compounding and conversion
Chemical product category	: PC32: Polymer preparations and compounds
Process categories	: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring PROC14: Tableting, compression, extrusion, pelettisation, granulation PROC15: Use as laboratory reagent PROC28: Manual maintenance (cleaning and repair) of machinery
Environmental Release Categories	: ERC6c: Use of monomer in polymerisation processes at industrial site (inclusion or not into/onto article)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-4-Use-at-industrial-site-Polymer-manufacturing.pdf>

Use: Use in polymer processing, Use at industrial sites

Main User Groups	: SU3: Industrial uses
Sectors of end-use	: SU12: Manufacture of plastics products, including compounding and conversion
Chemical product category	: PC32: Polymer preparations and compounds
Process categories	: PROC5: Mixing or blending in batch processes

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

PROC6: Calendering operations
PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities
PROC28: Manual maintenance (cleaning and repair) of machinery

Environmental Release Categories : **ERC6c:** Use of monomer in polymerisation processes at industrial site (inclusion or not into/onto article)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-5-Use-at-industrial-site-Polymer-Processing.pdf>

Use: Use in rubber production and processing, Use at industrial sites

Main User Groups : **SU3:** Industrial uses
Sectors of end-use : **SU11:** Manufacture of rubber products
Process categories : **PROC1:** Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4: Chemical production where opportunity for exposure arises
PROC5: Mixing or blending in batch processes
PROC6: Calendering operations
PROC7: Industrial spraying
PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities
PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities
PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC10: Roller application or brushing
PROC13: Treatment of articles by dipping and pouring
PROC14: Tableting, compression, extrusion, pelettisation, granulation
PROC28: Manual maintenance (cleaning and repair) of machinery

Environmental Release Categories : **ERC6d:** Use of reactive process regulators in polymerisation processes at industrial site (inclusion or not into/onto article)

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-6-Use-at-industrial-site-Rubber-production-and-processing.pdf>

Use: Phenolic resin processing (uses of downstream users of phenolic resins), Use at industrial sites

Main User Groups	: SU3: Industrial uses
Sectors of end-use	: SU8, SU12: Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of plastics products, including compounding and conversion
Chemical product category	: PC32: Polymer preparations and compounds
Process categories	: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC14: Tableting, compression, extrusion, pelettisation, granulation PROC15: Use as laboratory reagent
Environmental Release Categories	: ERC4: Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-7-Use-at-industrial-site-Phenolic-Resin-processing-DU-uses-of-Phenolic-Resins-25.pdf>

Use: Use as binders and release agents, Use at industrial sites

Main User Groups : **SU3:** Industrial uses

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Process categories	: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC7: Industrial spraying PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring PROC28: Manual maintenance (cleaning and repair) of machinery
Environmental Release Categories	: ERC5: Use at industrial site leading to inclusion into/onto article

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-8-Use-at-industrial-site-Use-as-binder-or-release-agent.pdf>

Use: Use in coatings, Use at industrial sites

Main User Groups	: SU3: Industrial uses
Chemical product category	: PC9a: Coatings and paints, thinners, paint removers
Process categories	: PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring
Environmental Release Categories	: ERC4: Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-9-Use-at-industrial-site-Uses-in-coatings.pdf>

Use: Use in laboratories, Use at industrial sites

Main User Groups	: SU3: Industrial uses
Sectors of end-use	: SU8, SU9, SU24: Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals, Scientific research and development
Chemical product category	: PC1: Adhesives, sealants PC3: Air care products PC4: Anti-freeze and de-icing products PC8: Biocidal products PC9a: Coatings and paints, thinners, paint removers PC9b: Fillers, putties, plasters, modelling clay PC9c: Finger paints PC12: Fertilizers PC15: Non-metal surface treatment products PC21: Laboratory chemicals PC24: Lubricants, greases, release products PC27: Plant protection products PC29: Pharmaceuticals PC30: Photo-chemicals PC31: Polishes and wax blends PC32: Polymer preparations and compounds PC35: Washing and cleaning products PC38: Welding and soldering products, flux products PC39: Cosmetics, personal care products PC40: Extraction agents PC0: Other
Process categories	: PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC10: Roller application or brushing PROC15: Use as laboratory reagent PROC19: Manual activities involving hand contact PROC28: Manual maintenance (cleaning and repair) of machinery
Environmental Release Categories	: ERC4: Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-10-Use-at-industrial-site-Use-in-laboratories.pdf>

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Use: Formulation & (re)packing of substances and mixtures, Leather treatment products, Use at industrial sites

Main User Groups	: SU3: Industrial uses
Chemical product category	: PC23: Leather treatment products
Process categories	: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities
Environmental Release Categories	: ERC6a: Use of intermediate

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-11-Use-at-industrial-site-DoU-Formulation-Leather-treatment.pdf>

Use: Use in agrochemicals, Use at industrial sites

Main User Groups	: SU3: Industrial uses
Sectors of end-use	: SU9: Manufacture of fine chemicals
Chemical product category	: PC12: Fertilizers PC0: Other
Process categories	: PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

PROC14: Tableting, compression, extrusion, pelettisation, granulation
PROC15: Use as laboratory reagent

Environmental Release Categories : **ERC6a:** Use of intermediate

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-12-Use-at-industrial-site-Agrochemical-uses.pdf>

Use: Phenolic resin processing (uses of downstream users of phenolic resins), Use at industrial sites

Main User Groups : **SU3:** Industrial uses
Process categories : **PROC1:** Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4: Chemical production where opportunity for exposure arises
PROC5: Mixing or blending in batch processes
PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities
PROC14: Tableting, compression, extrusion, pelettisation, granulation
PROC15: Use as laboratory reagent

Environmental Release Categories : **ERC4:** Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-13-Use-at-industrial-site-Phenolic-Resin-processing-DU-uses-of-Phenolic-Resins-1.pdf>

Use: Use in polymer production, Widespread use by professional workers

Main User Groups : **SU22:** Professional uses
Process categories : **PROC1:** Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities

PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC14: Tableting, compression, extrusion, pelettisation, granulation

Environmental Release Categories : **ERC8c:** Widespread use leading to inclusion into/onto article (indoor)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-14-Widespread-use-by-professional-workers-Polymer-manufacturing.pdf>

Use: Use in polymer processing, Widespread use by professional workers

Main User Groups
Process categories

: **SU22:** Professional uses

: **PROC1:** Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities

PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

Environmental Release Categories : **ERC8c:** Widespread use leading to inclusion into/onto article (indoor)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-15-Widespread-use-by-professional-workers-Polymer-processing.pdf>

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Use: Phenolic resin processing (uses of downstream users of phenolic resins), Widespread use by professional workers

Main User Groups	: SU22: Professional uses
Process categories	: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC11: Non-industrial spraying PROC14: Tableting, compression, extrusion, pelettisation, granulation PROC15: Use as laboratory reagent
Environmental Release Categories	: ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-16-Widespread-use-by-professional-workers-Phenolic-resins-processing-DU-uses-of-phenolic-resins.pdf>

Use: Use in laboratories, Widespread use by professional workers

Main User Groups	: SU22: Professional uses
Process categories	: PROC10: Roller application or brushing PROC15: Use as laboratory reagent
Environmental Release Categories	: ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-17-Widespread-use-by-professional-workers-Use-in-laboratories.pdf>

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Use: Use in coatings, Widespread use by professional workers

Main User Groups	: SU22: Professional uses
Process categories	: PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring
Environmental Release Categories	: ERC8b: Widespread use of reactive processing aid (no inclusion into or onto article, indoor)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-18-Widespread-use-by-professional-workers-Use-in-coatings.pdf>

Use: Use in binder and release agents, Widespread use by professional workers

Main User Groups	: SU22: Professional uses
Process categories	: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC10: Roller application or brushing PROC14: Tableting, compression, extrusion, pelettisation, granulation
Environmental Release Categories	: ERC8b: Widespread use of reactive processing aid (no inclusion into or onto article, indoor)

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333
FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0

Revision Date: 09.09.2021

Former date: 26.08.2021

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-19-Widespread-use-by-professional-workers-Use-as-binders-and-release-agents.pdf>

Use: Use in agrochemicals, Widespread use by professional workers

Main User Groups	: SU22: Professional uses
Chemical product category	: PC12: Fertilizers PC0: Other
Process categories	: PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities
Environmental Release Categories	: ERC8b: Widespread use of reactive processing aid (no inclusion into or onto article, indoor)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-20-Widespread-use-by-professional-workers-Agrochemical-uses.pdf>

Use: Consumer, Service life - consumers

Main User Groups	: SU21: Consumer uses
Article categories	: AC 0: Other Articles
Environmental Release Categories	: ERC10a, ERC11a: Widespread use of articles with low release (outdoor), Widespread use of articles with low release (indoor)

Additional information available from:

<https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-21-Service-life-consumers-Paper-phenolic-circuit-board-and-phenol-resin-impregnated-paper.pdf>