according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Phenol, Borvida B™ Phenol, Borvida C™ Phenol

REACH Registration Number : 01-2119471329-32-0006, 01-2119471329-32-XXXX

Substance name : phenol

EC-No. : 203-632-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Raw material in chemical industry, Manufacture, Formulation, Substance/Mixture : Distribution, Intermediate, Use in rubber production and

Distribution, Intermediate, Use in rubber production and processing, Use in polymer production, Use in polymer processing, Use in rubber production and processing, Phenolic resin processing (uses of downstream users of phenolic resins), Use as binders and release agents, Use in coatings, Laboratory use, Use in agrochemicals, Leather

treatment products

1.3 Details of the supplier of the safety data sheet

Manufacturer : Borealis Polymers Oy

P.O.Box 330, FI-06101 Porvoo, Finland

Telephone: +358 9 394900

Supplier : Borealis AG

Trabrennstrasse 6-8, 1020 Vienna, Austria

Telephone: +43 1 22400 0

E-mail address : sds@borealisgroup.com

1.4 Emergency telephone number

+1 760 476 3962 (3E), Access code: 336296

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Borvida B and Borvida C are trademarks of the Borealis group.

Borealis AG | Trabrennstrasse 6-8 | 1020 Vienna | Austria Telephone +43 1 224 00 0 | Fax +43 1 22 400 333 FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Acute toxicity, Category 3 H301: Toxic if swallowed.

Acute toxicity, Category 3 H331: Toxic if inhaled.

Acute toxicity, Category 3 H311: Toxic in contact with skin.

Skin corrosion, Sub-category 1B H314: Causes severe skin burns and eye damage.

Germ cell mutagenicity, Category 2 H341: Suspected of causing genetic defects.

Specific target organ toxicity - repeated

exposure, Category 2

H373: May cause damage to organs through

prolonged or repeated exposure.

Long-term (chronic) aquatic hazard,

Category 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal word : Danger

Hazard statements : H301 + H311 + H331 Toxic if swallowed, in contact with skin

or if inhaled.

H314 Causes severe skin burns and eye damage.H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or

repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

P262 Do not get in eyes, on skin, or on clothing.P281 Use personal protective equipment as required.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P309 + P311 IF exposed or if you feel unwell: Call a

POISON CENTER or doctor/ physician.



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to a local hazardous waste disposal facility.

Additional Labelling

After contact with skin, wash immediately with plenty of polyethylene glycol (in disposable cloths) and with plenty of water.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : phenol

EC-No. : 203-632-7

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
phenol	108-95-2 203-632-7	> 95 - <= 100	specific concentration limit Skin Corr. 1B; H314 >= 3 % Skin Irrit. 2; H315 1 - < 3 % Eye Irrit. 2; H319 1 - < 3 %



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Plan first aid action before beginning work with this product.

First aider needs to protect himself.

Move the victim to fresh air.

Keep at rest.

Remove contaminated clothing and shoes.

If unconscious, place in recovery position and seek medical

advice.

Keep available:

Eye wash bottle with pure water and disposable cloths in polyethylene glycol at the workplace and in vehicles.

In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

If inhaled : Remove from exposure.

Keep warm and at rest and provide fresh air. Give oxygen or artificial respiration if needed. Immediate medical attention is required.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off with polyethylene glycol (in disposable cloths) and

with plenty of water.

Keep on washing until medical assistance is obtained and skin

is not white.

In case of eye contact : Continue rinsing eyes during transport to hospital.

Rinse immediately with plenty of water, also under the eyelids,

for at least 30 minutes.

If swallowed : Rinse mouth.

Drink plenty of water.

Do NOT induce vomiting.

Immediate medical attention is required.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Symptoms of poisoning:

Vomiting Convulsions

Irregular cardiac activity Unconsciousness Breathing difficulties





Borealis AG | Trabrennstrasse 6-8 | 1020 Vienna | Austria Telephone +43 1 224 00 0 | Fax +43 1 22 400 333

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Death.

Inhalation: Irritation

Shortness of breath Lung oedema

Skin contact: Skin disorders Corrosion Dermatitis Necrosis Death.

Ingestion: Severe irritation corrosive effects acute lethal effects

Risks : Symptoms may be delayed.

Toxic if swallowed, in contact with skin or if inhaled.

Causes serious eye damage.

Suspected of causing genetic defects.

May cause damage to organs through prolonged or repeated

exposure.

Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.

After contact with skin, wash immediately with plenty of polyethylene glycol (in disposable cloths) and with plenty of

water.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

If ingested, irrigate the stomach using activated charcoal in

addition.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry powder

Carbon dioxide (CO2) Alcohol-resistant foam

Water mist

Unsuitable extinguishing

media

: High volume water jet



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

5.2 Special hazards arising from the substance or mixture

Specific hazards during

: Flammable.

firefighting

Vapours are heavier than air and may spread along floors.

Vapours may form explosive mixtures with air. Burning produces noxious and toxic fumes.

See chapter 10.

5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus and protective suit.

Further information : Keep people away from and upwind of spill/leak.

Keep away from heat and sources of ignition.

Observe the risk of explosion.

Cool containers/tanks with water spray.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

Keep people away from and upwind of spill/leak.

Do not breathe vapours.

Avoid breathing dust.

Avoid all contact with the product.

Use personal protective equipment.

Ensure adequate ventilation.

Attempt to stop leakage without personal risk.

6.2 Environmental precautions

Should not be released into the environment.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Allow to solidify, use mechanical handling equipment.

Shovel into suitable container for disposal.

Large molten masses:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth,



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Clean thoroughly.

6.4 Reference to other sections

For personal protection see section 8. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Avoid inhalation of vapour or mist.

Avoid contact with skin, eyes and clothing.

Handle with extreme care. Ensure adequate ventilation.

Advice on protection against

fire and explosion

: Keep away from sources of ignition - No smoking.

Hygiene measures : Avoid contact with skin and eyes. Take off immediately all

contaminated clothing. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. Clear up spills immediately and dispose of waste safely. Wash hands before breaks and immediately after handling the product. Use a high fat protective cream after cleaning skin.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed and in a well-ventilated place.

Protect from sunlight.

Further information on storage conditions

: Keep locked up or in an area accessible only to qualified or authorised persons. Take precautionary measures against static discharges. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Ensure that eye flushing systems and safety

showers are located close to the working place.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Keep away from incompatible materials.

See chapter 10.

Storage class (TRGS 510) : 6.1A, Combustible substances, toxic

Further information on : Recommended storage temperature



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

storage stability 15 - 25 °C (solid) 55 - 60 °C (liquid)

Packaging material : Suitable material: Stainless steel

Unsuitable material: Aluminium, Lead, Copper, Copper alloys,

Zinc, Unlined steel, Plastics, Rubber products

7.3 Specific end use(s)

Specific use(s) : Reserved for industrial and professional use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
phenol	108-95-2	TWA	2 ppm	2009/161/EU
			8 mg/m3	
Further information	Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	4 ppm	2009/161/EU
			16 mg/m3	
Further information	Identifies the possibility of significant uptake through the skin, Indicative			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
phenol	Workers	Inhalation	Long-term systemic effects	8 mg/m3
			Acute local effects	16 mg/m3
	Workers	Skin contact	Long-term systemic effects	1,23 mg/kg bw/d
	Consumers	Inhalation	Long-term systemic effects	0,452 mg/m3
	Consumer use	Dermal	Long-term systemic effects	0,5 mg/kg bw/day
	Consumer use	Oral	Long-term systemic effects	0,5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
phenol	Fresh water	0,008 mg/l
	Marine water	0,001 mg/l
	Fresh water sediment	0,091 mg/kg dwt
	Marine sediment	0,009 mg/kg dwt
	Soil	0,136 mg/kg dwt



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Intermittent use/release	0,031 mg/l
Sewage treatment plant	2,1 mg/l

8.2 Exposure controls

Engineering measures

Minimise exposure using measures such as closed systems, dedicated facilities and suitable general / local exhaust ventilation.

Ensure safe systems of work or equivalent arrangements are in place to manage risks.

Regularly inspect, test and maintain all control measures.

Personal protective equipment

Eye protection : Wear goggles (DIN EN 58211) and if needed face-shield.

Hand protection

Material : thick PVC
Break through time : > 480 min

Material : Neoprene
Break through time : 140 min

Material : polyvinylchloride (PVC)

Break through time : 75 min

Remarks : The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Skin and body protection : Wear suitable protective clothing.

Safety shoes according to EN 345-347.

If splashes are likely to occur:

Complete suit protecting against chemicals

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Respirator with combination filter for vapour/particulate (EN

141)

Filter type : ABEK-P3-filter

Protective measures : Avoid exposure - obtain special instructions before use.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Provide specific activity training to operators to minimise

exposures.



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Consider the need for risk based health surveillance.

Identify and implement corrective actions.

Environmental exposure controls

General advice : Should not be released into the environment. Prevent product

from entering drains. If the product contaminates rivers and

lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

solid (< 40,9 °C)

liquid (> 40,9 °C)

Colour colourless (liquid), white (solid)

Change in colour if exposed to air and light:, pink, red

Odour pungent

Odour Threshold : 0,006 - 6 ppm

Melting point 40.9 °C

181,9 °C (1.013 hPa) **Boiling point**

Upper explosion limit / Upper

flammability limit

9,0 %(V)

Lower explosion limit / Lower : 1,3 %(V)

flammability limit

Flash point 81 °C

Method: ISO 2719

595 °C Auto-ignition temperature

Method: DIN 51794

pН 4 - 5 (20 °C)

Concentration: 10 g/l



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Viscosity

Viscosity, dynamic : 3,437 mPa.s (50 °C)

Solubility(ies)

Water solubility : 84 g/l (20 °C)

87 g/l (25 °C)

completely miscible (68 °C)

Solubility in other solvents : Soluble in most organic solvents.

Solvent: Fat solubility

Vapour pressure : 0,2 hPa (20 °C)

3 hPa (50 °C)

Density : 1,07 g/cm³ (20 °C)

1,13 g/cm³ (25 °C) Method: DIN 51757

Relative vapour density : 3,2 (20 °C)

(Air = 1.0)

Particle size : 3 - 10 mm

9.2 Other information

Explosives : Not explosive

Oxidizing properties : Not oxidizing

Self-ignition : 715 °C

1.013 hPa

Molecular weight : 94,11 g/mol

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

10.2 Chemical stability

May attack many plastics, rubbers and coatings.

hygroscopic

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Exposure to air.

Exposure to sunlight.

Keep away from heat and sources of ignition.

No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

Aldehydes Isocyanates Nitrites Nitride

Friedel-Crafts catalysts

Metals

Vapours may form explosive mixtures with air.

10.6 Hazardous decomposition products

Heating or fire can release toxic and corrosive gases.

Under fire conditions: Carbon monoxide Carbon dioxide (CO2)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Toxic if swallowed, in contact with skin or if inhaled.

Components:

phenol:

Acute oral toxicity : LD50 (Rat): 340 mg/kg

Method: OECD Test Guideline 401

LDLo (Humans): 140 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 900 mg/m3



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Exposure time: 8 h

Test atmosphere: dust/mist

Symptoms: Irritation of mucous membranes, Shortness of

breath, Respiratory disorders

Remarks: Toxic.

Danger of serious damage to health by prolonged exposure.

Acute dermal toxicity : LD50 (Rat): 660 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes severe burns.

Components:

phenol:

Remarks : Exposure quickly causes a strong corrosive action upon all

body tissue.

Possible risk of irreversible effects.

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

phenol:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 405

Result : Corrosive

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

phenol:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

: Test Type: in vitro assay

Method: OECD Test Guideline 487



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Result: positive

Genotoxicity in vivo : Test Type: in vivo assay

Method: Mutagenicity (micronucleus test)

Result: weak positive

Germ cell mutagenicity-

Assessment

: In vitro tests showed mutagenic effects, Suspected of causing

genetic defects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

phenol:

Remarks : Animal testing did not show any carcinogenic effects.

IARC: (International Agency for Research on Cancer) Group 3: Not classifiable as to its carcinogenicity to humans

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

phenol:

Effects on fertility : Remarks: No known effect.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

phenol:

Species : Rat

NOAEL : 300 mg/kg, bw/d

Application Route : Oral

Remarks : Systemic effects

Subchronic toxicity

Remarks : Prolonged exposure may cause chronic effects:

disorder of nervous system, injuries to liver and kidneys. Repeated skin contact:

dermatitis,

disorder of pigmentation.



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Product:

General Information : Toxic by inhalation, in contact with skin and if swallowed.

Absorbs rapidly into the body by inhalation, skin contact and

oral intake.

Symptoms of poisoning:

vomiting, Convulsions shock,

irregular cardiac activity, unconsciousness, difficulty in breathing, Cessation of breathing

death.

May have effects on: Central nervous system

heart, liver, kidneys, urine (dark)

Components:

phenol:

General Information : Absorbs rapidly into the body by inhalation, skin contact and

oral intake.



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Further information

Product:

Remarks : Symptoms may be delayed.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Long-term (chronic) aquatic

hazard

: Toxic to aquatic life with long lasting effects.

Components:

phenol:

Toxicity to fish : Remarks: Toxic to aquatic life with long lasting effects.

LC50 (Oncorhynchus mykiss (rainbow trout)): 8,9 mg/l

Exposure time: 96 h
Test substance: phenol

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Ceriodaphnia dubia (water flea)): 3,1 mg/l

Exposure time: 48 h
Test substance: phenol

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): 61,1

mg/l

Exposure time: 96 h
Test substance: phenol

EC50 (Entomoneis of punctulata (diatom)): 76 mg/l

Exposure time: 72 h
Test substance: phenol

EC50 (Lemna minor (duckweed)): 61,82 mg/l

Exposure time: 7 d Test substance: phenol

Toxicity to fish (Chronic

toxicity)

: NOEC: 0,077 mg/l

Exposure time: 60 d Species: Cirrhina mrigala Test substance: phenol



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: EC10: 0,46 mg/l Exposure time: 16 d

Species: Daphnia magna (Water flea)

Test substance: phenol

Plant toxicity : EC50: 79 mg/kg

Exposure time: 14 d

Species: Lactuca sativa (lettuce)

Test substance: phenol

12.2 Persistence and degradability

Components:

phenol:

Biodegradability : activated sludge

Result: Readily biodegradable.

Biodegradation: 62 %

Method: OECD Test Guideline 301C

Test substance: phenol

Chemical Oxygen Demand

(COD)

: 2.300 mg/g

Test substance: phenol

Photodegradation : Test substance: phenol

Remarks: Estimated atmospheric lifetime:

14h

Photodegradable.

12.3 Bioaccumulative potential

Components:

phenol:

Bioaccumulation : Species: Danio rerio (zebra fish)

Bioconcentration factor (BCF): 17,5

Elimination: yes

Test substance: phenol

Method: OECD Test Guideline 305E Remarks: Bioaccumulation not expected.

12.4 Mobility in soil

Components:

phenol:

Mobility : Medium: Air

: Medium: Water

Remarks: The product evaporates slowly., The product is



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

soluble in water.

: Medium: Soil

Remarks: High mobility

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological

information

: Should not be released into the environment.

Prevent product from entering drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of as hazardous waste in compliance with local and

national regulations.

Where possible recycling is preferred to disposal or

incineration.

European waste code:

07 01 99 (wastes not otherwise specified (basic organic

chemicals))

Contaminated packaging : Dispose of as hazardous waste in compliance with local and

national regulations.

Reuse or recycle if not contaminated.



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

SECTION 14: Transport information

14.1 UN number or ID number

 ADR
 : UN 2312

 RID
 : UN 2312

 IMDG
 : UN 2312

14.2 UN proper shipping name

ADR : PHENOL, MOLTEN : PHENOL, MOLTEN IMDG : PHENOL, MOLTEN

14.3 Transport hazard class(es)

ADR : 6.1 **RID** : 6.1 **IMDG** : 6.1

14.4 Packing group

ADR

Packing group : II
Classification Code : T1
Hazard Identification Number : 60
Labels : 6.1
Tunnel restriction code : (D/E)

RID

Packing group : II
Classification Code : T1
Hazard Identification Number : 60
Labels : 6.1

IMDG

Packing group : II Labels : 6.1 EmS Code : F-A, S-A

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

BOREALIS

according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Remarks : Other UN-Number: 1671 (PHENOL, SOLID)

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Ship type Υ Pollution category

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Not applicable

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 2 Category Quantity 1 **ACUTE TOXIC** 200 t 50 t H2

E2 **ENVIRONMENTAL** 200 t 500 t

HAZARDS

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of other abbreviations



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0	R	evision Date: 27.12.2023	Former date: 26.08.2021
2009/161/EU	:	Europe. COMMISSION DIRECTIVE : a third list of indicative occupational e implementation of Council Directive 9 Commission Directive 2000/39/EC	exposure limit values in
2009/161/EU / TWA 2009/161/EU / STEL	:	Limit Value - eight hours Short term exposure limit	
Further information			
Training advice	:	Provide adequate information, instruction operators.	ction and training for
		Regular trainings of all employees whetransport of dangerous goods (accord	
Other information	:	Issued according to Regulation (EC) and its amendments. Changes since the last version are hi This version replaces all previous ver	ghlighted in the margin.
Issuer	:	Borealis, Group Product Stewardship	ı
Sources of key data used to compile the Safety Data Sheet	:	REACH Registration Dossier Phenol. Consortium, 2023 International Chemical Safety Card, F (http://www.inchem.org/documents/io	Phenol, October 2001

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Annex: Exposure Scenarios

Table of Contents

Identified uses:

Use: Manufacture of substance, Manufacture

Main User Groups : SU3: Industrial uses

Process categories : **PROC1:** Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

Environmental Release Categories : ERC1: Manufacture of the substance

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-1-

Manufacture.pdf

Use: Formulation & (re)packing of substances and mixtures, Distribution of substance, Formulation or re-packing

Main User Groups : SU3: Industrial uses

Process categories : PROC1: Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure

or processes with equivalent containment condition

PROC5: Mixing or blending in batch processes

PROC6: Calendering operations **PROC7:** Industrial spraying

PROC8a: Transfer of substance or mixture

(charging/discharging) at non dedicated-facilities **PROC8b:** Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring **PROC14:** Tabletting, compression, extrusion, pelettisation,

granulation



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Environmental Release Categories : ERC2: Formulation into mixture

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-2-Formulation-or-repacking.pdf

Use: Use as an intermediate, Use at industrial sites

Main User Groups : SU3: Industrial uses

Sectors of end-use : **SU8, SU9:** Manufacture of bulk, large scale chemicals

(including petroleum products), Manufacture of fine chemicals

Chemical product category : **PC0**: Other

PC21: Laboratory chemicals PC29: Pharmaceuticals PC30: Photo-chemicals

PC35: Washing and cleaning products **PC39:** Cosmetics, personal care products

Process categories : **PROC1:** Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure

or processes with equivalent containment condition **PROC5**: Mixing or blending in batch processes

PROC6: Calendering operations **PROC7:** Industrial spraying

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring **PROC14:** Tabletting, compression, extrusion, pelettisation,

granulation

PROC15: Use as laboratory reagent

PROC28: Manual maintenance (cleaning and repair) of

machinery

Environmental Release Categories : ERC6a: Use of intermediate

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-3-Use-at-industrial-site-Use-as-Intermediate.pdf



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Use: Use in polymer production, Use at industrial sites

Main User Groups : SU3: Industrial uses

Sectors of end-use : SU12: Manufacture of plastics products, including

compounding and conversion

Chemical product category : **PC32:** Polymer preparations and compounds

Process categories : **PROC1:** Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with

equivalent containment conditions

PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure

or processes with equivalent containment condition

PROC4: Chemical production where opportunity for exposure

arises

PROC5: Mixing or blending in batch processes

PROC6: Calendering operations

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities **PROC8b:** Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring **PROC14:** Tabletting, compression, extrusion, pelettisation,

granulation

PROC15: Use as laboratory reagent

PROC28: Manual maintenance (cleaning and repair) of

machinery

Environmental Release Categories : **ERC6c:** Use of monomer in polymerisation processes at

industrial site (inclusion or not into/onto article)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-4-Use-at-industrial-site-Polymer-manufacturing.pdf

Use: Use in polymer processing, Use at industrial sites

Main User Groups : SU3: Industrial uses

Sectors of end-use : SU12: Manufacture of plastics products, including



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

compounding and conversion

PC32: Polymer preparations and compounds Chemical product category

: PROC5: Mixing or blending in batch processes Process categories

PROC6: Calendering operations

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC28: Manual maintenance (cleaning and repair) of

machinery

ERC6c: Use of monomer in polymerisation processes at **Environmental Release Categories**

industrial site (inclusion or not into/onto article)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-5-Use-atindustrial-site-Polymer-Processing.pdf

Use: Use in rubber production and processing, Use at industrial sites

Main User Groups SU3: Industrial uses

Sectors of end-use **SU11:** Manufacture of rubber products

Chemical product category : PC0: Other

Process categories : **PROC1:** Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with

equivalent containment conditions

PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure

or processes with equivalent containment condition

PROC4: Chemical production where opportunity for exposure

PROC5: Mixing or blending in batch processes

PROC6: Calendering operations

PROC7: Industrial spraying

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring PROC14: Tabletting, compression, extrusion, pelettisation,

granulation



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

PROC28: Manual maintenance (cleaning and repair) of

machinery

Environmental Release Categories : **ERC6d:** Use of reactive process regulators in polymerisation

processes at industrial site (inclusion or not into/onto article)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-6-Use-at-industrial-site-Rubber-production-and-processing.pdf

Use: Phenolic resin processing (uses of downstream users of phenolic resins), Use at industrial sites

Main User Groups : SU3: Industrial uses

Sectors of end-use : SU8, SU12: Manufacture of bulk, large scale chemicals

(including petroleum products), Manufacture of plastics products, including compounding and conversion

Chemical product category : **PC32:** Polymer preparations and compounds

Process categories : **PROC1:** Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with

equivalent containment conditions

PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure

or processes with equivalent containment condition

PROC4: Chemical production where opportunity for exposure

arises

PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC14: Tabletting, compression, extrusion, pelettisation,

granulation

PROC15: Use as laboratory reagent

Environmental Release Categories : ERC4: Use of non-reactive processing aid at industrial site (no

inclusion into or onto article)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-7-Use-at-industrial-site-Phenolic-Resin-processing-DU-uses-of-Phenolic-Resins-25.pdf



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Use: Use as binders and release agents, Use at industrial sites

Main User Groups : SU3: Industrial uses

Chemical product category : **PC24:** Lubricants, greases, release products

Process categories : **PROC1:** Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with

equivalent containment conditions

PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure

or processes with equivalent containment condition

PROC4: Chemical production where opportunity for exposure

arises

PROC5: Mixing or blending in batch processes

PROC6: Calendering operations **PROC7:** Industrial spraying

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities **PROC8b:** Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring **PROC28:** Manual maintenance (cleaning and repair) of

machinery

Environmental Release Categories : ERC5: Use at industrial site leading to inclusion into/onto

article

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-8-Use-at-industrial-site-Use-as-binder-or-release-agent.pdf


Use: Use in coatings, Use at industrial sites

Main User Groups : SU3: Industrial uses

Chemical product category : **PC9a:** Coatings and paints, thinners, paint removers

Process categories : PROC5: Mixing or blending in batch processes

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities





according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring

Environmental Release Categories : ERC4: Use of non-reactive processing aid at industrial site (no

inclusion into or onto article)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-9-Use-at-industrial-site-Uses-in-coatings.pdf

Use: Use in laboratories, Use at industrial sites

Main User Groups : SU3: Industrial uses

Sectors of end-use : SU8, SU9, SU24: Manufacture of bulk, large scale chemicals

(including petroleum products). Manufacture of fine chemicals.

Scientific research and development

Chemical product category : **PC1:** Adhesives, sealants

PC3: Air care products

PC4: Anti-freeze and de-icing products

PC8: Biocidal products

PC9a: Coatings and paints, thinners, paint removers

PC9b: Fillers, putties, plasters, modelling clay

PC9c: Finger paints PC12: Fertilizers

PC15: Non-metal surface treatment products

PC21: Laboratory chemicals

PC24: Lubricants, greases, release products

PC27: Plant protection products

PC29: Pharmaceuticals PC30: Photo-chemicals

PC31: Polishes and wax blends

PC32: Polymer preparations and compounds **PC35:** Washing and cleaning products

PC38: Welding and soldering products, flux products

PC39: Cosmetics, personal care products

PC40: Extraction agents

PC0: Other

Process categories : PROC8a: Transfer of substance or mixture

(charging/discharging) at non dedicated-facilities

PROC10: Roller application or brushing PROC15: Use as laboratory reagent

PROC19: Manual activities involving hand contact **PROC28:** Manual maintenance (cleaning and repair) of

machinery

Environmental Release Categories : ERC4: Use of non-reactive processing aid at industrial site (no



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

inclusion into or onto article)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-10-Use-at-industrial-site-Use-in-laboratories.pdf

Use: Formulation & (re)packing of substances and mixtures, Leather treatment products, Use at industrial sites

Main User Groups : SU3: Industrial uses

Chemical product category : PC23: Leather treatment products

Process categories : PROC1: Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with

equivalent containment conditions

PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure

or processes with equivalent containment condition PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities

PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities

Environmental Release Categories : ERC6a: Use of intermediate

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-11-Use-at-industrial-site-DoU-Formulation-Leather-treatment.pdf

Use: Use in agrochemicals, Use at industrial sites

Main User Groups : SU3: Industrial uses

Sectors of end-use : SU9: Manufacture of fine chemicals


Chemical product category : PC12: Fertilizers

PC0: Other

Process categories : **PROC4:** Chemical production where opportunity for exposure

arises

PROC5: Mixing or blending in batch processes **PROC8a:** Transfer of substance or mixture (charging/discharging) at non dedicated-facilities





according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) **PROC14:** Tabletting, compression, extrusion, pelettisation,

granulation

PROC15: Use as laboratory reagent

Environmental Release Categories : ERC6a: Use of intermediate

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-12-Use-at-industrial-site-Agrochemical-uses.pdf

Use: Phenolic resin processing (uses of downstream users of phenolic resins), Use at industrial sites

Main User Groups : SU3: Industrial uses

Chemical product category : PC32: Polymer preparations and compounds

Process categories : PROC1: Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with

equivalent containment conditions

PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure

or processes with equivalent containment condition

PROC4: Chemical production where opportunity for exposure

arises

PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC14: Tabletting, compression, extrusion, pelettisation,

granulation

PROC15: Use as laboratory reagent

Environmental Release Categories : ERC4: Use of non-reactive processing aid at industrial site (no

inclusion into or onto article)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-13-Use-at-industrial-site-Phenolic-Resin-processing-DU-uses-of-Phenolic-Resins-1.pdf



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Use: Use in polymer production, Widespread use by professional workers

Main User Groups : **SU22:** Professional uses

Chemical product category : **PC32:** Polymer preparations and compounds

Process categories : **PROC1:** Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with

equivalent containment conditions

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities **PROC8b:** Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) **PROC14:** Tabletting, compression, extrusion, pelettisation,

granulation

Environmental Release Categories : ERC8c: Widespread use leading to inclusion into/onto article

(indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-14-Widespread-use-by-professional-workers-Polymer-manufacturing.pdf

Use: Use in polymer processing, Widespread use by professional workers

Main User Groups : SU22: Professional uses

Chemical product category : PC32: Polymer preparations and compounds

Process categories : **PROC1:** Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with

equivalent containment conditions

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities **PROC8b:** Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Environmental Release Categories : ERC8c: Widespread use leading to inclusion into/onto article

(indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-15-Widespread-use-by-professional-workers-Polymer-processing.pdf

Use: Phenolic resin processing (uses of downstream users of phenolic resins), Widespread use by professional workers

Main User Groups : **SU22:** Professional uses

Chemical product category : **PC32:** Polymer preparations and compounds

Process categories : **PROC1**: Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with

equivalent containment conditions

PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure

or processes with equivalent containment condition

PROC4: Chemical production where opportunity for exposure

arises

PROC5: Mixing or blending in batch processes **PROC8a:** Transfer of substance or mixture (charging/discharging) at non dedicated-facilities **PROC8b:** Transfer of substance or mixture

(charging/discharging) at dedicated facilities

PROC14: Tabletting, compression, extrusion, pelettisation,

granulation

PROC15: Use as laboratory reagent

Environmental Release Categories : ERC8a: Widespread use of non-reactive processing aid (no

inclusion into or onto article, indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-16-Widespread-use-by-professional-workers-Phenolic-resins-processing-DU-uses-of-phenolic-resins.pdf

Use: Use in laboratories, Widespread use by professional workers

Main User Groups : **SU22:** Professional uses Chemical product category : **PC21:** Laboratory chemicals



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

Process categories : PROC10: Roller application or brushing

PROC15: Use as laboratory reagent

Environmental Release Categories : ERC8a: Widespread use of non-reactive processing aid (no

inclusion into or onto article, indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-17-Widespread-use-by-professional-workers-Use-in-laboratories.pdf

Use: Use in coatings, Widespread use by professional workers

Main User Groups : SU22: Professional uses

Chemical product category : **PC9a:** Coatings and paints, thinners, paint removers

Process categories : PROC5: Mixing or blending in batch processes

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring

Environmental Release Categories : **ERC8b**: Widespread use of reactive processing aid (no

inclusion into or onto article, indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-18-Widespreaduse-by-professional-workers-Use-in-coatings.pdf

Use: Use in binder and release agents, Widespread use by professional workers

Main User Groups : SU22: Professional uses

Chemical product category : PC24: Lubricants, greases, release products

Process categories : **PROC1:** Chemical production or refinery in closed process

without likelihood of exposure or processes with equivalent

containment conditions

PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with

equivalent containment conditions

PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure

or processes with equivalent containment condition

PROC4: Chemical production where opportunity for exposure

arıses

PROC5: Mixing or blending in batch processes



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

PROC6: Calendering operations

PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities

PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC14: Tabletting, compression, extrusion, pelettisation,

granulation

Environmental Release Categories : ERC8b: Widespread use of reactive processing aid (no

inclusion into or onto article, indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-19-Widespread-use-by-professional-workers-Use-as-binders-and-release-agents.pdf

Use: Use in agrochemicals, Widespread use by professional workers

Main User Groups : SU22: Professional uses

Chemical product category : **PC12:** Fertilizers

PC0: Other

Process categories : PROC4: Chemical production where opportunity for exposure

arises

PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities

Environmental Release Categories : ERC8b: Widespread use of reactive processing aid (no

inclusion into or onto article, indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-20-Widespread-use-by-professional-workers-Agrochemical-uses.pdf

Use: Consumer uses, Service life - consumers

Main User Groups : **SU21:** Consumer uses Article categories : **AC 0:** Other Articles

Environmental Release Categories : ERC10a, ERC11a: Widespread use of articles with low



according to Regulation (EC) No. 1907/2006

Phenol

Version 19.0 Revision Date: 27.12.2023 Former date: 26.08.2021

release (outdoor), Widespread use of articles with low release (indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-21-Service-life-consumers-Paper-phenolic-circuit-board-and-phenol-resin-impregnated-paper.pdf

Use: Consumer uses, Service life - consumers

Main User Groups : SU21: Consumer uses

Article categories : AC2: Machinery, mechanical appliances, electrical/electronic

articles

Environmental Release Categories : ERC10a, ERC11a: Widespread use of articles with low

release (outdoor), Widespread use of articles with low release

(indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Phenol/Exposure-Scenarios/ES-22-Service-life-consumers-Indoor-air-exposure-from

