

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Fuel Gas  
REACH Registration Number : 01-2119489781-24-XXXX  
Substance name : 68476-26-6  
EC-No. : 270-667-2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Raw material in chemical industry, Manufacture, Distribution, Formulation, Foaming (blowing) agents, Use in functional fluids, Fuel, Use in polymer production, Use in polymer processing

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer : Borealis AB  
S-444 86 Stenungsund, Sweden  
Telephone: +46 303 86000

Borealis Polymers Oy  
P.O.Box 330, FI-06101 Porvoo, Finland  
Telephone: +358 9 394900

Supplier : Borealis AG  
Trabrennstrasse 6-8, 1020 Vienna, Austria  
Telephone: +43 1 22400 0

E-mail address : [sds@borealisgroup.com](mailto:sds@borealisgroup.com)

#### 1.4 Emergency telephone number

☎+1 760 476 3962 (3E), Access code: 336296

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Flammable gases, Category 1A

H220: Extremely flammable gas.

Gases under pressure, Compressed gas

H280: Contains gas under pressure; may explode if heated.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H220 Extremely flammable gas.  
H280 Contains gas under pressure; may explode if heated.

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

##### **Response:**

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 In case of leakage, eliminate all ignition sources.

##### **Storage:**

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Rapid evaporation of the product may cause frostbite.  
Vapours can cause suffocation by reducing oxygen available for breathing.  
Vapours may form explosive mixtures with air.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Substance name : 68476-26-6

EC-No. : 270-667-2

Chemical nature : A combination of light gases. It consists predominantly of hydrogen and/or low molecular weight hydrocarbons.

#### Components

| Chemical name   | CAS-No.<br>EC-No.       | Concentration (%<br>w/w) | M-Factor, SCL, ATE |
|---|-------------------------|--------------------------|--------------------|
| Substance of unknown or variable composition, complex reaction products or biological material (UVCB) : |                         |                          |                    |
| Fuel gases; Petroleum gas   | 68476-26-6<br>270-667-2 | <= 100                   |                    |
| Contains :  |                         |                          |                    |
| methane   | 74-82-8<br>200-812-7    | > 60 - < 85              |                    |
| hydrogen  | 1333-74-0<br>215-605-7  | > 15 - < 30              |                    |
| nitrogen  | 7727-37-9<br>231-783-9  | > 2 - < 10               |                    |

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

If inhaled : Move to fresh air.  
Do not leave the victim unattended.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
If breathing is difficult, give oxygen.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

- In case of eye contact : Remove contact lenses.  
Rinse immediately with plenty of water for at least 15 minutes.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Not probable:  
The product evaporates readily.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Inhalation may provoke the following symptoms:  
Drowsiness  
Suffocation  
Skin contact may provoke the following symptoms:  
Frostbite

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.  
Treat frost-bitten areas as needed.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Dry powder, carbon dioxide, foam and water mist.
- Unsuitable extinguishing media : Do NOT use water jet.

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Incomplete combustion may produce:  
Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), dense black smoke.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Risk of explosion.

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.
- Further information : Attempt to stop leakage without personal risk.  
If conditions permit, let fire burn itself out.  
Cool containers/tanks with water spray.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Keep people away from and upwind of spill/leak.  
Vapours can cause suffocation by reducing oxygen available for breathing.  
Use personal protective equipment.  
Eliminate all ignition sources if safe to do so.  
Attempt to stop leakage without personal risk.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so.  
Prevent product from entering environment and drains.  
Observe the risk of explosion.  
If major spillage occurs, contact the proper local authorities.

#### 6.3 Methods and material for containment and cleaning up

Allow to evaporate.  
Ensure adequate ventilation, especially in confined areas.

#### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Refill and handle product only in closed system.  
Prevent leaks by checking valves, pipelines and joints regularly.  
Avoid and prevent all spillage, contact and exposure.  
Ensure adequate ventilation.

Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Ensure adequate ventilation. High risk of fire in case of leakage.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep containers tightly closed in a cool, well-ventilated place.  
Keep product and empty container away from heat and sources of ignition. Containers which are opened must be carefully resealed and kept upright to prevent leakage. No smoking.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

Advice on common storage : Keep away from incompatible materials.  
See chapter 10.

### 7.3 Specific end use(s)

Specific use(s) : Reserved for industrial and professional use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use        | Exposure routes | Potential health effects | Value |
|----------------|----------------|-----------------|--------------------------|-------|
| Fuel Gas       |                |                 |                          |       |
| Remarks:       | Not applicable |                 |                          |       |

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|----------------|---------------------------|-------|
| Fuel Gas       |                           |       |
| Remarks:       | Not applicable            |       |

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Safety goggles or face-shield.  
Equipment should conform to EN 166

Hand protection

Remarks : Cold-insulating gloves (e.g. nitrile rubber).  
Skin and body protection : Wear suitable protective clothing and rubber boots.  
Respiratory protection : In case of insufficient ventilation: Self-contained breathing apparatus.

#### Environmental exposure controls

General advice : Prevent further leakage or spillage if safe to do so. Prevent product from entering environment and drains. Observe the risk of explosion. If major spillage occurs, contact the proper local authorities.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : Refrigerated liquefied gas

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

|  |   |   |
|--|---|---|
| Colour   | : | colourless  |
| Odour  | : | odourless   |
| Odour Threshold                                  | : | No data available   |
| Melting point/range                              | : | -259 - -183 °C  |
| Boiling point/boiling range                      | : | -161 °C Methane   |
| Flammability                                     | : | Extremely flammable.  |
| Upper explosion limit / Upper flammability limit | : | Upper flammability limit<br>15 %(V)<br>methane<br><br>Upper explosion limit<br>75 %(V)<br>hydrogen  |
| Lower explosion limit / Lower flammability limit | : | Lower flammability limit<br>5 %(V)<br>methane<br><br>Lower flammability limit<br>4 %(V)<br>hydrogen |
| Flash point                                      | : | No data available   |
| Decomposition temperature                        | : | Heating or fire can release toxic and irritating gases.   |
| pH   | : | No data available   |
| Viscosity  |   |   |
| Viscosity, dynamic                               | : | No data available   |
| Viscosity, kinematic                             | : | No data available   |
| Solubility(ies)                                  |   |   |
| Water solubility                                 | : | > 1 g/l   |
| Solubility in other solvents                     | : | No data available   |
| Vapour pressure                                  | : | No data available   |
| Relative density                                 | : | No data available   |
| Relative vapour density                          | : | 0,6<br>methane  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

0,07  
hydrogen

### Particle characteristics

Particle Size Distribution : Not applicable

## 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : > 470 °C

Evaporation rate : No data available

Surface tension : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Keep away from heat and sources of ignition.  
Observe the risk of explosion.

### 10.5 Incompatible materials

Materials to avoid : Air  
Oxygen  
Halogenated compounds  
Strong oxidizing agents

### 10.6 Hazardous decomposition products

None.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### Components:

###### methane:

Acute oral toxicity : Remarks: Not applicable  
(gaseous)  
study technically not feasible

Acute inhalation toxicity : LC50: > 20 mg/l  
Remarks: Acute toxicity:  
low.

Acute dermal toxicity : Remarks: Not applicable  
(gaseous)  
study technically not feasible

##### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

##### Product:

Remarks : Contact with liquid or refrigerated gas can cause cold burns  
and frostbite.

##### Components:

###### methane:

Result : No skin irritation  
Remarks : Contact with liquid or refrigerated gas can cause cold burns  
and frostbite.

##### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

##### Product:

Remarks : Contact with liquid or refrigerated gas can cause cold burns  
and frostbite.

##### Components:

###### methane:

Result : No eye irritation  
Remarks : Contact with liquid or refrigerated gas can cause cold burns

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

and frostbite.

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Components:

##### methane:

Remarks : study technically not feasible  
(gaseous)

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Components:

##### methane:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Remarks: No data available

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Components:

##### methane:

Remarks : This information is not available.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### methane:

Effects on fertility :  
Remarks: This information is not available.

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### Components:

##### methane:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

Remarks : study scientifically unjustified  
(gaseous)

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Components:

##### methane:

Exposure routes : Inhalation  
Remarks : study scientifically unjustified  
(gaseous)

Exposure routes : Ingestion  
Remarks : study scientifically unjustified  
(gaseous)

Exposure routes : Skin contact  
Remarks : study scientifically unjustified  
(gaseous)

### Aspiration toxicity

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Health injuries are not known or expected under normal use.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### methane:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

|  |   |
|--|---|
| Toxicity to fish   | : 147,54 mg/l<br>Exposure time: 96 h<br>Test Type: Short term<br>Method: QSAR                             |
| Toxicity to daphnia and other aquatic invertebrates                    | : LC50 (Daphnia (water flea)): 69,43 mg/l<br>Exposure time: 48 h<br>Test Type: Short term<br>Method: QSAR |
| Toxicity to algae/aquatic plants                                       | : 12,32 mg/l<br>Exposure time: 96 h<br>Method: QSAR   |
| Toxicity to microorganisms   | :<br>Remarks: No data available   |
| Toxicity to fish (Chronic toxicity)                                    | : 7,66 mg/l<br>Exposure time: 30 d<br>Method: QSAR<br>Remarks: No data available                          |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : 3,886 mg/l<br>Exposure time: 30 d<br>Method: QSAR<br>Remarks: No data available                         |

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Method: QSAR  
Remarks: Readily biodegradable.

#### Components:

##### **methane:**

Biodegradability : Water  
Method: QSAR  
Remarks: Readily biodegradable.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Bioaccumulation not expected: Partition coefficient (n-octanol/water) log Pow < 3.

#### Components:

##### **methane:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

Bioaccumulation : Bioconcentration factor (BCF): 1,38  
Remarks: Bioaccumulation not expected: Partition coefficient (n-octanol/water) log Kow < 3.

Partition coefficient: n-octanol/water : log Pow: 1,09 (20 °C)

### 12.4 Mobility in soil

#### Product:

Mobility : Medium: Soil  
Remarks: Not expected to adsorb on soil., Partition coefficient (n-octanol/water) log Kow < 3., The product evaporates readily.

#### Components:

##### **methane:**

Mobility : Medium: Soil  
Remarks: Not expected to adsorb on soil., Partition coefficient (n-octanol/water) log Kow < 3., The product evaporates readily.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : This product has no known ecotoxicological effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : Where possible recycling is preferred to disposal or incineration.
- Contaminated packaging : In accordance with local and national regulations.

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

- ADR : NA 1954
- IMDG : NA 1954

#### 14.2 UN proper shipping name

- ADR : COMPRESSED GAS, FLAMMABLE, N.O.S.  
(hydrogen, methane)
- IMDG : COMPRESSED GAS, FLAMMABLE, N.O.S.  
(hydrogen, methane)

#### 14.3 Transport hazard class(es)

- ADR : 2
- IMDG : 2.1

#### 14.4 Packing group

- ADR**
- Packing group : Not assigned by regulation
- Classification Code : 1F
- Hazard Identification Number : 23
- Labels : 2.1
- Tunnel restriction code : (B/D)
- IMDG**
- Packing group : Not assigned by regulation
- Labels : 2.1
- EmS Code : F-D, S-U

#### 14.5 Environmental hazards

- ADR**
- Environmentally hazardous : no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

Remarks : SDS: No specific instructions needed.  
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : No data is available on the product itself.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 75, 40  
Fuel gases; Petroleum gas (Number on list 29, 28)  
methane  
1,3-butadiene (Number on list 29, 28)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

| Category |                 | Quantity 1 | Quantity 2 |
|----------|-----------------|------------|------------|
| P2       | FLAMMABLE GASES | 10 t       | 50 t       |
| 15       | Hydrogen        | 5 t        | 50 t       |

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fuel Gas

Version 3.0

Revision Date: 04.04.2024

Former date: 11.08.2022

### SECTION 16: Other information

#### Full text of other abbreviations

#### Further information

Issuer : Borealis, Group Product Stewardship

Sources of key data used to compile the Safety Data Sheet : International Chemical Safety Card, Methane, February 2000 (<http://www.inchem.org/documents/icsc/icsc/eics0291.htm>)  
International Chemical Safety Card, Hydrogen, April 2014 (<http://www.inchem.org/documents/icsc/icsc/eics0001.htm>)  
Chemical Safety Report, Other Petroleum Gases. Lower Olefins and Aromatics REACH Consortium, 2021

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

**Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.**

**It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.**

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.