Version 7.0

Revision Date: 02.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: Borcoat ME0433
Unique Formula Identifier (UFI)	: PWAM-5FQG-EPA1-XD8M
1.2 Relevant identified uses of t	he substance or mixture and uses advised against
Use of the	: Raw material for plastics industry
Substance/Mixture	· · ·····
1.3 Details of the supplier of the	e safety data sheet
Supplier	: Borealis AG
• • • • • • • • • • • • • • • • • • •	Trabrennstrasse 6-8, 1020 Vienna, Austria
	Telephone: +43 1 22400 0
E-mail address	: <u>sds@borealisgroup.com</u>
1.4 Emergency telephone numb	er
+1 760 476 3962 (3E), Acces	ss code: 336296
SECTION 2: Hazards identific	cation
2.1 Classification of the substar	nce or mixture
Classification (REGULATIO	N (EC) No 1272/2008)
Skin sensitisation, Category	
2.2 Label elements	
Labelling (REGULATION (E	C) No 1272/2008)

Hazard pictograms:Image: Constraint of the second se

Borcoat is a trademark of the Borealis group.



Borcoat ME0433 Version 7.0

maleic anhydride

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product burns, but is not classified as flammable. Dust from the product gives a potential risk for dust explosion.

SECTION 3: Composition/information on ingredients

The product is a polyethylene polymer.

3.2 Mixtures

Chemical nature	:	The product is a polyethylene polymer.
-----------------	---	--

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
maleic anhydride	108-31-6	Acute Tox. 4; H302	>= 0,001 - <



Borcoat ME0433

Version 7.0	Revision Date: 02.02.2024	Forme	r date: 06.03.2023
	203-571-6 607-096-00-9 UK-20-7333232785- 4-0000	Skin Corr. 1B; H314 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1A; H317 STOT RE 1; H372 EUH071 specific concentration limit Skin Sens. 1A; H317 >= 0,001 %	0,1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures			
If inhaled	: Move to fresh air. If symptoms persist, call a physician.		
In case of skin contact	: Wash off with soap and plenty of water. Call a physician if irritation develops or persists. If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as removal could result in severe tissue damage.		
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.		
If swallowed	: Rinse mouth with water. Consult a physician if necessary.		
4.2 Most important symptoms a	nd effects, both acute and delayed		
Symptoms	: Inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.		
	Skin contact may provoke the following symptoms: Irritation		
Risks	: May cause an allergic skin reaction.		



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 **Borcoat ME0433**

BUICUAL MIEU433		
Version 7.0	Revision Date: 02.02.2024	Former date: 06.03.2023
4.3 Indication of any immediate	medical attention and special treat	ment needed
Treatment	: Treat symptomatically. No specific instructions needed.	
SECTION 5: Firefighting meas	sures	
5.1 Extinguishing media Suitable extinguishing media	: Water in spread jet, dry chemica	als, foam or carbon dioxide.
5.2 Special hazards arising from	the substance or mixture	
Specific hazards during firefighting	: Principal toxicant in the smoke is	s carbon monoxide.
5.3 Advice for firefighters		

Special protective equipment : Wear self-contained breathing apparatus and protective suit. for firefighters

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

6.2 Environmental precautions

Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill. All spill of material must be removed immediately to prevent slipping accidents. Recycle or dispose loose material properly. Do not flush into surface water or sanitary sewer system.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.



Borcoat ME0433

Version 7.0

Revision Date: 02.02.2024

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling Advice on protection against fire and explosion	:	During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. Provide adequate ventilation. Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes. Avoid contact with skin and eyes. May cause sensitisation of susceptible persons. Personnel sensitised to this substance should not be allowed to handle the product. Dust from the product gives a potential risk for dust explosion. All equipment shall be grounded. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Therefore special focus is required for handling activities such as air conveying, which may form dust. Equipment exposed to dust needs to be ATEX compliant and designed accordingly. Further information available on request.
	Hygiene measures	:	When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.
7.2 (Conditions for safe storage, ir	nclu	uding any incompatibilities
	Requirements for storage areas and containers	:	Safety aspects do not require any special precautions in terms of storage.
	Further information on storage stability	:	Keep in a dry place.
7.3 \$	Specific end use(s)		
	Specific use(s)	:	Raw material for pipe applications.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

For national exposure limit (OEL) values, check country specific safety data sheets.

8.2 Exposure controls

Engineering measures

Provide adequate ventilation. Local exhaust ventilation may be necessary.



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Borcoat ME0433

_

Sorcoat WEU433		
Version 7.0	Revision Date: 02.02.2024	Former date: 06.03.2023
Personal protective equip	ment	
Eye protection	: Safety glasses Use eye protection according to) EN 166.
Hand protection		
Material	: polyvinyl alcohol (PVA, PVAL)	
Material	: PVC or other plastic material glo	oves
Remarks Skin and body protection Respiratory protection Protective measures	 Protective gloves Protective gloves complying with Please observe the instructions breakthrough time which are pro- gloves. Also take into considera conditions under which the prod danger of cuts, abrasion, and th Protective clothing In case of insufficient ventilation filter or self-contained breathing Appropriate personal protective worn in accordance with Regula 	regarding permeability and ovided by the supplier of the tion the specific local duct is used, such as the ne contact time. The Respirator with ABEK-P3 apparatus. equipment (PPE) shall be
Environmental exposure of	-	
General advice	: Should not be released into the It is recommended to implement as Operation Clean Sweep®) to plastics in to the environment.	t systems and practices (such

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour Odour Threshold	: : :	powder natural colour slight Not applicable
Melting point/range	:	100 - 140 °C
Boiling range	:	Decomposes on heating.
Flammability	:	The product is not flammable.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable



Borcoat N	NE0433
-----------	---------------

Version 7.0	Revision Date: 02.02.2024	Former date: 06.03.2023
Flash point	: Not applicable, (solid)	
Auto-ignition temperature	: > 320 °C	
рН	: Not applicable insoluble	
Viscosity Viscosity, dynamic	: No data available	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: Not applicable insoluble	
Vapour pressure	: Not applicable (solid)	
Density	: 0,9 - 1,0 g/cm ³	
Particle size	: 0,15 mm	
	Method: Image analysis (volum	e-based)
9.2 Other information		
Explosives	: Not explosive	
Oxidizing properties	: The substance or mixture is not cla	assified as oxidizing.
Evaporation rate	: Not applicable (solid)	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

The product is a stable thermoplastic.

10.3 Possibility of hazardous reactions

Hazardous reactions

: None known.

10.4 Conditions to avoid



Borcoat ME0433

Version 7.0	Revision Date: 02.02.2024	Former date: 06.03.2023
Conditions to avoid	: Extremes of temperature and dire	ect sunlight.
10.5 Incompatible materials		
Materials to avoid	: None known.	
10.6 Hazardous decomposition	n products	
Under fire conditions:		

Carbon monoxide During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.



_	0.00	~	
V	ersion 7	7.0	

Revision Date: 02.02.2024

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information		
Product:		
Remarks	:	Inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Not readily biodegradable.

12.3 Bioaccumulative potential

Product: Bioaccumulation	: Remarks: Does not accumulate in organisms.
12.4 Mobility in soil	
Product:	
Mobility	: Remarks: Not expected to adsorb on soil.
	Remarks: The product is insoluble and floats on water.



Borcoat ME0433		
Version 7.0	Revision Date: 02.02.2024	Former date: 06.03.2023
12.5 Results of PBT and vPvB	assessment	
Product:		
Assessment	 This substance/mixture contains n to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher 	lative and toxic (PBT), or
12.6 Endocrine disrupting pro	perties	
Product:		
Assessment	 The substance/mixture does not c considered to have endocrine disr to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher. 	upting properties according sion Delegated regulation
12.7 Other adverse effects		
Product: Additional ecological information	: Should not be released into the er	nvironment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Dispose of contents/ container to an approved waste disposal plant. Check with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good



Borcoat ME0433

Version 7.0

Revision Date: 02.02.2024

Former date: 06.03.2023

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

15.2 Chemical safety assessment

no

SECTION 16: Other information

Full text of H-State	nents
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H334	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H372	 Causes damage to organs through prolonged or repeated exposure if inhaled.
EUH071	: Corrosive to the respiratory tract.
Full text of other a	breviations
Acute Tox.	: Acute toxicity



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Borcoat ME0433

Version 7.0 Revision Date: 02.02.2024 Former date: 06.03.2023 Eve Dam. Serious eye damage ÷ Resp. Sens. Respiratory sensitisation ÷ Skin Corr. : Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure **Further information** Other information : Issued according to Regulation (EC) No 1907/2006, Annex II, and its amendments. Changes since the last version are highlighted in the margin. This version replaces all previous versions. Borealis, Group Product Stewardship Issuer Sources of key data used to The classification information of components is based on raw : compile the Safety Data material supplier data. Sheet Classification of the mixture: **Classification procedure:** Skin Sens. 1 H317 Calculation method

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

