# Daplen™ WH107AE-9510

Version 6.0 Revision Date: Date of last issue: 02.01.2020 12.04.2024 Date of first issue: 02.01.2020

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Daplen WH107AE-9510

Manufacturer or supplier's details

Supplier : Borealis AG

Address : Trabrennstrasse 6-8, 1020 Vienna, Austria

Telephone : +43 1 22400 0

Emergency telephone number : +1 760 476 3962 (3E), Access code: 336296

E-mail address : sds@borealisgroup.com

Recommended use of the chemical and restrictions on use

Recommended use : Raw material for plastics industry

Restrictions on use : Use only according to our recommendations.

#### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Skin sensitisation : Category 1

**GHS-Labelling** 

Hazard pictograms



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical

Borcom is a trademark of the Borealis group.



## Daplen WH107AE-9510

Version 6.0 Revision Date: Date of last issue: 02.01.2020 12.04.2024 Date of first issue: 02.01.2020

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards which do not result in classification

The product burns, but is not classified as flammable.

Dust from the product gives a potential risk for dust explosion.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical nature : The product is an elastomer modified polypropylene.

It contains talc.
It contains colorants.

### Components

Chemical name	CAS-No.	Classification	MAC value	Concentration (%
			mg/m3 /	w/w)
			TSEL value	
magnesium silicate	14807-96-6		No data available	10 - 20
N,N,N,N-tetrakis(4,6-bis(butyl-(N-methyl-2,2,6,6-tetramethyl piperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine	106990-43-6	Skin Sens.1; H317 STOT RE2; H373 Aquatic Chronic2; H411	No data available	>= 0,25 - < 1

For explanation of abbreviations see section 16.

#### 4. FIRST AID MEASURES

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

Call a physician if irritation develops or persists.

If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as

removal could result in severe tissue damage.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.



## Daplen WH107AE-9510

Version 6.0 Revision Date: Date of last issue: 02.01.2020 12.04.2024 Date of first issue: 02.01.2020

If swallowed : Rinse mouth with water.

Consult a physician if necessary.

Most important symptoms and effects, both acute and

Inhalation of dust may irritate the respiratory tract.

and effects, both acute and findelayed r

Prolonged inhalation of high doses of decomposition products

may give headache or irritation of the respiratory tract. Skin contact may provoke the following symptoms:

Local irritation

May cause an allergic skin reaction.

Notes to physician : Treat symptomatically.

No specific instructions needed.

### 5. FIREFIGHTING MEASURES

Flammable properties

Flash point : Not applicable (solid)

Ignition temperature : > 320 °C

Upper explosion limit / Upper :

flammability limit

Not applicable

Lower explosion limit / Lower :

flammability limit

Not applicable

Flammability (solid, gas) : The product is not flammable.

Suitable extinguishing media :

Unsuitable extinguishing

media

Water in spread jet, dry chemicals, foam or carbon dioxide.

High volume water jet

Specific hazards during

firefighting

Principal toxicant in the smoke is carbon monoxide.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus and protective suit.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Ensure adequate ventilation.

Environmental precautions : Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of

plastics in to the environment.

Methods and materials for containment and cleaning up

Vacuum or sweep up spill.

All spill of material must be removed immediately to prevent



## Daplen WH107AE-9510

Version 6.0 Revision Date: Date of last issue: 02.01.2020 12.04.2024 Date of first issue: 02.01.2020

slipping accidents.

Recycle or dispose loose material properly.

Do not flush into surface water or sanitary sewer system.

#### 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Dust from the product gives a potential risk for dust explosion.

All equipment shall be grounded.

Routine housekeeping should be instituted to ensure that

dusts do not accumulate on surfaces.

Advice on safe handling : During processing and thermal treatment of the product, small

amounts of volatile hydrocarbons may be released.

Provide adequate ventilation.

Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes.

Avoid contact with skin and eyes.

Conditions for safe storage : Safety aspects do not require any special precautions in terms

of storage.

Further information on

storage stability

Keep in a dry place.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Data Source
magnesium silicate	14807-96-6	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC

However, as the chemical is embedded in a solid polymer, exposure is unlikely, unless the polymer is processed in a way that makes such exposure possible.

**Engineering measures** : Provide adequate ventilation.

Local exhaust ventilation may be necessary.

### Personal protective equipment

Respiratory protection : In case of dust development use dust mask.

In the case of vapour formation use a respirator with an

approved filter.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

The filter class for the respirator must be suitable for the

maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-



## Daplen WH107AE-9510

Version 6.0 Revision Date: Date of last issue: 02.01.2020 12.04.2024 Date of first issue: 02.01.2020

contained breathing apparatus must be used.

Hand protection

Material : Nitrile rubber

Remarks : Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Eye protection : Safety glasses
Skin and body protection : Protective clothing

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday. Take off contaminated clothing and wash before reuse.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Colour : black

Odour : odourless

pH : Not applicable insoluble

Melting point/range : 130 - 170 °C

Boiling range : Decomposes on heating.

Flash point : Not applicable (solid)

Evaporation rate : Not applicable (solid)

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : Not applicable (solid)

Relative vapour density : Not applicable

Density : 0,9 - 1,0 g/cm<sup>3</sup>



## Daplen WH107AE-9510

Version 6.0 Revision Date: Date of last issue: 02.01.2020 12.04.2024 Date of first issue: 02.01.2020

Bulk density : 500 - 600 kg/m<sup>3</sup>

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: Not applicable insoluble

Auto-ignition temperature : > 320 °C

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : 3 - 10 mm

Method: Image analysis (surface-based)

#### 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : The product is a stable thermoplastic, with no chemical

reactivity.

Possibility of hazardous

reactions

None known.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : None known.

Hazardous decomposition

products

Under fire conditions: Carbon monoxide

During processing and thermal treatment of the product, small

amounts of volatile hydrocarbons may be released.

#### 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

## Skin corrosion/irritation

Based on available data, the classification criteria are not met.

## Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.



## Daplen WH107AE-9510

Version 6.0 Revision Date: Date of last issue: 02.01.2020 12.04.2024 Date of first issue: 02.01.2020

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

## Germ cell mutagenicity

Based on available data, the classification criteria are not met.

## Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

## STOT - single exposure

Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

#### **Further information**

#### **Product:**

Remarks : Inhalation of dust may irritate the respiratory tract.

Prolonged inhalation of high doses of decomposition products

may give headache or irritation of the respiratory tract.

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

No data available

## Persistence and degradability

#### **Product:**

Biodegradability : Remarks: Not readily biodegradable.

## **Bioaccumulative potential**

**Product:** 

Bioaccumulation : Remarks: Does not accumulate in organisms.



## Daplen WH107AE-9510

Version 6.0 Revision Date: Date of last issue: 02.01.2020 12.04.2024 Date of first issue: 02.01.2020

Mobility in soil

**Product:** 

Mobility : Remarks: Not expected to adsorb on soil.

Remarks: The product is insoluble and floats on water.

Other adverse effects

**Product:** 

Additional ecological

information

: Should not be released into the environment.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Dispose of contents/ container to an approved waste disposal

plant.

Reuse or recycle if not contaminated.

Check with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

## 14. TRANSPORT INFORMATION

**ADR** 

Not regulated as a dangerous good

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,

IMDG-Code, ICAO/IATA-DGR



## Daplen WH107AE-9510

Version 6.0 Revision Date: Date of last issue: 02.01.2020 12.04.2024 Date of first issue: 02.01.2020

#### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

#### 16. OTHER INFORMATION

#### **Full text of H-Statements**

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition



## Daplen WH107AE-9510

Version 6.0 Revision Date: Date of last issue: 02.01.2020 12.04.2024 Date of first issue: 02.01.2020

Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information** 

Other information : SDS According to GOST 30333-2007

Issuer

Borealis, Group Product Stewardship

Sources of key data used to compile the Safety Data

Sheet

: The classification information of components is based on raw

material supplier data.

#### **Disclaimer**

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

