# Borlink™ LE0592

Version 4.0 Revision Date: Date of last issue: - 02.01.2020 Date of first issue: 02.01.2020

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Borlink LE0592

Manufacturer or supplier's details

Supplier : Borealis AG

Address : Wagramer Strasse 17-19, 1220 Vienna, Austria

Telephone : +43 1 22400 0

Emergency telephone number : +44 (0) 1235 239 670 (NCEC Carechem 24)

E-mail address : sds@borealisgroup.com

Recommended use of the chemical and restrictions on use

Recommended use : raw material for plastics industry

Restrictions on use : Use only according to our recommendations.

## 2. HAZARDS IDENTIFICATION

## **GHS Classification**

Not a hazardous substance or mixture.

# **GHS-Labelling**

Not a hazardous substance or mixture.

## Other hazards which do not result in classification

The product burns, but is not classified as flammable.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical nature : The product is a polyethylene copolymer.

It contains carbon black.

**Hazardous components** 

Borlink is a trademark of the Borealis group.



# **Borlink LE0592**

Version 4.0 Revision Date: Date of last issue: - 02.01.2020 Date of first issue: 02.01.2020

Chemical name	CAS-No.	Classification	MAC value mg/m3 / TSEL value	Concentration (% w/w)
1,4-bis[1-(tert-butylperoxy)-1-methylethyl]benzene	25155-25-3	Org. Perox. D; H242 Aquatic Chronic 4; H413		>= 1 - < 2,5

For explanation of abbreviations see section 16.

#### 4. FIRST AID MEASURES

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion.

In case of skin contact : If molten material comes in contact with the skin, cool with

plenty of water. DO NOT remove solidified product, as

removal could result in severe tissue damage.

Obtain medical attention.

In case of eye contact : Flush eyes with water as a precaution.

If swallowed : Rinse mouth with water.

Most important symptoms and effects, both acute and

delayed

: Inhalation of dust may irritate the respiratory tract.

Prolonged inhalation of high doses of decomposition products

may give headache or irritation of the respiratory tract.

Notes to physician : Treat symptomatically.

## **5. FIREFIGHTING MEASURES**

Flammable properties

Flash point

Not applicable (solid)

Ignition temperature : > 320 °C

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable



# **Borlink LE0592**

Version 4.0 Revision Date: Date of last issue: -02.01.2020 Date of first issue: 02.01.2020

Flammability (solid, gas) : The product is not flammable.

Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.

Specific hazards during

firefighting

: Principal toxicant in the smoke is carbon monoxide.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment. Ensure adequate ventilation.

**Environmental precautions** : Prevent product from entering environment and drains.

Methods and materials for containment and cleaning up : Vacuum or sweep up spill.

All spill of material must be removed immediately to prevent

slipping accidents.

### 7. HANDLING AND STORAGE

Advice on protection against fire and explosion

: Dust from the product represents a risk for dust explosions when dispersed with air in a sufficient concentration and with the presence of an ignition source. All equipment shall be grounded. Routine housekeeping will also contribute in

preventing risks of dust explosions.

Advice on safe handling : During processing and thermal treatment of the product, small

amounts of volatile hydrocarbons may be released. Avoid inhalation of dust and decomposition fumes.

Conditions for safe storage Safety aspects do not require any special precautions in terms

of storage.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Provide adequate ventilation.

Local exhaust ventilation may be necessary.



# **Borlink LE0592**

Version 4.0 Revision Date: Date of last issue: - 02.01.2020 Date of first issue: 02.01.2020

Personal protective equipment

Respiratory protection : In case of dust development use dust mask.

In the case of vapour formation use a respirator with an

approved filter.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

PVC or other plastic material gloves

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Eye protection : Safety glasses

Skin and body protection : Protective clothing

Hygiene measures : When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Colour : black

Odour : odourless

pH : Not applicable insoluble

Melting range : 100 - 140 °C

Boiling range : Decomposes on heating.

Flash point : Not applicable (solid)

Evaporation rate : Not applicable (solid)

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Vapour pressure : Not applicable (solid)



# **Borlink LE0592**

Version 4.0 Revision Date: Date of last issue: - 02.01.2020 Date of first issue: 02.01.2020

Density : 1,1 - 1,2 g/cm<sup>3</sup>

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: Not applicable insoluble

Auto-ignition temperature : > 320 °C

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

## 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : The product is a stable thermoplastic with no chemical

reactivity below 140°C. Above 140°C the intended

crosslinking reaction occurs.

Possibility of hazardous

reactions

None known.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : Strong oxidizing agents

Reducing agents

Strong acids and strong bases

Hazardous decomposition

products

: Under fire conditions: Carbon monoxide

During processing and thermal treatment of the product, small

amounts of volatile hydrocarbons may be released.



# **Borlink LE0592**

Version 4.0 Revision Date: Date of last issue: - 02.01.2020 Date of first issue: 02.01.2020

#### 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

### **Product:**

Remarks: Inhalation of dust may irritate the respiratory tract.

Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

No data available

## Persistence and degradability

### **Product:**



# **Borlink LE0592**

Version 4.0 Revision Date: Date of last issue: - 02.01.2020 Date of first issue: 02.01.2020

Biodegradability : Remarks: Not readily biodegradable.

Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Does not accumulate in organisms.

Mobility in soil

Product:

Mobility : Remarks: The product is insoluble and sinks in water.

Not expected to adsorb on soil.

Other adverse effects

**Product:** 

Additional ecological

information

: The product is not classified as hazardous for the

environment.

### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Reuse or recycle if not contaminated.

The product may be safely used as fuel.

Proper combustion does not require any special flue gas

control.

Check with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

# 14. TRANSPORT INFORMATION

ADR

Not regulated as a dangerous good

**UNRTDG** 

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 



## **Borlink LE0592**

Version 4.0 Revision Date: Date of last issue: - 02.01.2020 Date of first issue: 02.01.2020

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 16. OTHER INFORMATION

### **Full text of H-Statements**

H242 Heating may cause a fire.

H413 May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Org. Perox. : Organic peroxides

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory: TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations



# **Borlink LE0592**

Version 4.0 Revision Date: Date of last issue: - 02.01.2020 Date of first issue: 02.01.2020

Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information** 

Other information : SDS According to GOST 30333-2007

Issuer : Borealis, Group Product Stewardship / Aino Haritonova

Sources of key data used to compile the Safety Data

Sheet

: The classification information of components is based on raw

material supplier data.

#### **Disclaimer**

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

