

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fibremod™ CB201SY

Version 1.0

Revision Date: 30.04.2020

Former date: -

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Fibremod CB201SY

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Raw material for plastics industry

#### 1.3 Details of the supplier of the safety data sheet

Supplier : Borealis AG  
Wagramer Strasse 17-19, 1220 Vienna, Austria  
Telephone: +43 1 22400 0

E-mail address : [sds@borealisgroup.com](mailto:sds@borealisgroup.com)

#### 1.4 Emergency telephone number

+44 (0) 1235 239 670 (NCEC Carechem 24)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

##### Additional Labelling:

EUH210 Safety data sheet available on request.

EUH208 Contains maleic anhydride. May produce an allergic reaction.

#### 2.3 Other hazards

The product burns, but is not classified as flammable.  
Dust from the product gives a potential risk for dust explosion.

Fibremod is a trademark of the Borealis group.

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria  
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333  
FN 269858a | CCC Commercial Court of Vienna | Website [www.borealisgroup.com](http://www.borealisgroup.com)

SDS-EUR - EN



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fibremod CB201SY

Version 1.0

Revision Date: 30.04.2020

Former date: -

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

The product is a polypropylene polymer.

#### 3.2 Mixtures

Chemical nature : Raw material for plastics industry

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
maleic anhydride	108-31-6 203-571-6 607-096-00-9	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1A; H317 STOT RE 1; H372	$\geq 0,0001$ - $< 0,001$

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and plenty of water.  
Call a physician if irritation develops or persists.  
If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as removal could result in severe tissue damage.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : Rinse mouth with water.  
Consult a physician if necessary.

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria  
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333  
FN 269858a | CCC Commercial Court of Vienna | Website [www.borealisgroup.com](http://www.borealisgroup.com)

SDS-EUR - EN



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fibremod CB201SY

Version 1.0

Revision Date: 30.04.2020

Former date: -

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Inhalation of dust may irritate the respiratory tract.  
Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.
- Skin contact may provoke the following symptoms:  
Local irritation
- Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.  
No specific instructions needed.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Principal toxicant in the smoke is carbon monoxide.

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Use personal protective equipment.  
Ensure adequate ventilation.

### 6.2 Environmental precautions

- Prevent product from entering environment and drains.

### 6.3 Methods and material for containment and cleaning up

- Vacuum or sweep up spill.

---

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria  
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333  
FN 269858a | CCC Commercial Court of Vienna | Website [www.borealisgroup.com](http://www.borealisgroup.com)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fibremod CB201SY

Version 1.0

Revision Date: 30.04.2020

Former date: -

All spill of material must be removed immediately to prevent slipping accidents.

### 6.4 Reference to other sections

For personal protection see section 8.

For disposal considerations see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. Provide adequate ventilation. Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes. Avoid contact with skin and eyes.

The product contains small amounts of a substance classified as sensitising, which may produce an allergic reaction to susceptible personnel. Personnel sensitised to this substance should not be allowed to handle the product.

Advice on protection against fire and explosion : Dust from the product gives a potential risk for dust explosion. All equipment shall be grounded. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

Hygiene measures : When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Safety aspects do not require any special precautions in terms of storage.

Other data : Keep in a dry place.

### 7.3 Specific end use(s)

Specific use(s) : Raw material for plastics industry

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fibremod CB201SY

Version 1.0

Revision Date: 30.04.2020

Former date: -

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

For national exposure limit (OEL) values, check country specific safety data sheets.

#### 8.2 Exposure controls

##### Engineering measures

Provide adequate ventilation.

Local exhaust ventilation may be necessary.

##### Personal protective equipment

Eye protection : Safety glasses

Use eye protection according to EN 166.

Hand protection

Material : polyvinyl alcohol (PVA, PVAL)

Material : PVC or other plastic material gloves

Remarks : Protective gloves complying with EN 374.  
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Skin and body protection : Protective clothing

Respiratory protection : In case of insufficient ventilation: Respirator with ABEK-P3 filter or self-contained breathing apparatus.

Protective measures : Appropriate personal protective equipment (PPE) shall be worn in accordance with Regulation (EU) 2016/425.

##### Environmental exposure controls

General advice : Prevent product from entering environment and drains.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance : pellets

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria  
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333  
FN 269858a | CCC Commercial Court of Vienna | Website [www.borealisgroup.com](http://www.borealisgroup.com)

SDS-EUR - EN



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fibremod CB201SY

Version 1.0

Revision Date: 30.04.2020

Former date: -

Colour	: black
Odour	: slight
pH	: Not applicable insoluble
Melting range	: 130 - 170 °C
Boiling range	: Decomposes on heating.
Flash point	: Not applicable, (solid)
Evaporation rate	: Not applicable (solid)
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: Not applicable (solid)
Density	: 0,9 - 1,0 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n-octanol/water	: Not applicable insoluble
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

### 9.2 Other information

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fibremod CB201SY

Version 1.0

Revision Date: 30.04.2020

Former date: -

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Stable under recommended storage conditions.

#### 10.2 Chemical stability

The product is a stable thermoplastic, with no chemical reactivity.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

#### 10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

#### 10.5 Incompatible materials

Materials to avoid : None known.

#### 10.6 Hazardous decomposition products

Under fire conditions:, Carbon monoxide

During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Not classified based on available information.

##### Skin corrosion/irritation

Not classified based on available information.

##### Serious eye damage/eye irritation

Not classified based on available information.

##### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

##### Product:

The product contains small amounts of a substance classified as sensitising, which may produce an allergic reaction to susceptible personnel.

Personnel sensitised to this substance should not be allowed to handle the product.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fibremod CB201SY

Version 1.0

Revision Date: 30.04.2020

Former date: -

### **Germ cell mutagenicity**

Not classified based on available information.

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

#### **Product:**

Remarks: The product is not classified as hazardous to human health. Information given is based on data of the components.

Remarks: Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

No data available

### **12.2 Persistence and degradability**

#### **Product:**

Biodegradability : Remarks: Not readily biodegradable.

### **12.3 Bioaccumulative potential**

#### **Product:**

Bioaccumulation : Remarks: Does not accumulate in organisms.



**Fibremod CB201SY**

Version 1.0

Revision Date: 30.04.2020

Former date: -

**12.4 Mobility in soil**

**Product:**

Mobility : Remarks: Not expected to adsorb on soil.

Remarks: The product is insoluble and sinks in water.

**12.5 Results of PBT and vPvB assessment**

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

**12.6 Other adverse effects**

**Product:**

Additional ecological information : Remarks: The product is not considered hazardous for the environment.  
Should not be released into the environment.

---

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Product : Dispose of contents/ container to an approved waste disposal plant.  
Reuse or recycle if not contaminated.  
Check with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

**SECTION 14: Transport information**

**14.1 UN number**

Not regulated as a dangerous good

**14.2 UN proper shipping name**

Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fibremod CB201SY

Version 1.0

Revision Date: 30.04.2020

Former date: -

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

### 15.2 Chemical safety assessment

no

---

## SECTION 16: Other information

### Full text of H-Statements

H302 : Harmful if swallowed.  
H314 : Causes severe skin burns and eye damage.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H372 : Causes damage to organs through prolonged or repeated exposure if inhaled.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Eye Dam. : Serious eye damage

---

Borealis AG | Wagramer Strasse 17-19 | 1220 Vienna | Austria  
Telephone +43 1 224 00 0 | Fax +43 1 22 400 333  
FN 269858a | CCC Commercial Court of Vienna | Website [www.borealisgroup.com](http://www.borealisgroup.com)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Fibremod CB201SY

Version 1.0

Revision Date: 30.04.2020

Former date: -

Resp. Sens. : Respiratory sensitisation  
Skin Corr. : Skin corrosion  
Skin Sens. : Skin sensitisation  
STOT RE : Specific target organ toxicity - repeated exposure

### Further information

Other information :

Issued according to Regulation (EC) No 1907/2006, Annex II, and its amendments.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Issuer : Borealis, Group Product Stewardship / Niina Kerttula

Sources of key data used to compile the Safety Data Sheet :

The classification information of components is based on raw material supplier data.

### Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

**Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.**

**It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.**

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.