according to Regulation (EC) No. 1907/2006, as amended

# **Fibremod FS65G30-7650**

Version 8.0 Revision Date: 03.04.2025 Former date: 09.04.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Fibremod FS65G30-7650

Unique Formula Identifier

(UFI)

: JKQ9-RR29-MF7A-CX20

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Raw material for plastics industry

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Supplier : Borealis AG

Trabrennstrasse 6-8, 1020 Vienna, Austria

Telephone: +43 1 22400 0

E-mail address : sds@borealisgroup.com

1.4 Emergency telephone number

+1 760 476 3962 (3E), Access code: 336296

### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

**(!)** 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

Fibremod is a trademark of the Borealis group.

Borealis AG | Trabrennstrasse 6-8 | 1020 Vienna | Austria Telephone +43 1 224 00 0 | Fax +43 1 22 400 333 FN 269858a | CCC Commercial Court of Vienna | Website www.borealisgroup.com



according to Regulation (EC) No. 1907/2006, as amended

# **Fibremod FS65G30-7650**

Version 8.0 Revision Date: 03.04.2025 Former date: 09.04.2024

P261 Avoid breathing dust.

P272 Contaminated work clothing should not be allowed out

of the workplace.

P280 Wear protective gloves.

### Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

# Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Hazardous components which must be listed on the label:

maleic anhydride

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product burns, but is not classified as flammable.

Dust from the product gives a potential risk for dust explosion.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : The product is a polypropylene polymer.

It contains glass fibre.

## Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
maleic anhydride	108-31-6	Acute Tox. 4; H302	>= 0,001 - <
	203-571-6	Skin Corr. 1B; H314	0,1



according to Regulation (EC) No. 1907/2006, as amended

# **Fibremod FS65G30-7650**

Version 8.0	Revision Date: 03.04.2025	Former date: 09.04.2024

607-096-00-9	Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1A; H317 STOT RE 1; H372 EUH071	
	specific concentration limit Skin Sens. 1A; H317 >= 0,001 %	

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

Call a physician if irritation develops or persists.

If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as

removal could result in severe tissue damage.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : Rinse mouth with water.

Consult a physician if necessary.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation of dust may irritate the respiratory tract.

Prolonged inhalation of high doses of decomposition products

may give headache or irritation of the respiratory tract.

Skin contact may provoke the following symptoms:

Irritation

Risks : May cause an allergic skin reaction.

May cause an allergic skin reaction.



according to Regulation (EC) No. 1907/2006, as amended

# Fibremod FS65G30-7650

Version 8.0 Revision Date: 03.04.2025 Former date: 09.04.2024

### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** : Treat symptomatically.

No specific instructions needed.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Principal toxicant in the smoke is carbon monoxide.

### 5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus and protective suit.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment.

#### 6.2 Environmental precautions

Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

#### 6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill.

All spill of material must be removed immediately to prevent slipping accidents.

Recycle or dispose loose material properly.

Do not flush into surface water or sanitary sewer system.

#### 6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.



according to Regulation (EC) No. 1907/2006, as amended

# Fibremod FS65G30-7650

Version 8.0 Revision Date: 03.04.2025 Former date: 09.04.2024

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling : During processing and thermal treatment of the product, small

amounts of volatile hydrocarbons may be released.

Provide adequate ventilation.

Local exhaust ventilation may be necessary.

Avoid inhalation of dust and decomposition fumes.

Avoid contact with skin and eyes.

May cause sensitisation of susceptible persons.

Personnel sensitised to this substance should not be allowed

to handle the product.

Advice on protection against

fire and explosion

Dust from the product gives a potential risk for dust explosion. All equipment shall be grounded. Routine housekeeping

should be instituted to ensure that dusts do not accumulate on surfaces.

Hygiene measures : When using do not eat, drink or smoke. Wash hands before

breaks and at the end of workday.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Safety aspects do not require any special precautions in terms

of storage.

Further information on

storage stability

Keep in a dry place.

7.3 Specific end use(s)

Specific use(s) : Raw material for automotive applications.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

For national exposure limit (OEL) values, check country specific safety data sheets.

# 8.2 Exposure controls

## **Engineering measures**

Provide adequate ventilation.

Local exhaust ventilation may be necessary.

#### Personal protective equipment

Eye protection : Safety glasses

Use eye protection according to EN 166.

Hand protection

Material : polyvinyl alcohol (PVA, PVAL)



according to Regulation (EC) No. 1907/2006, as amended

# **Fibremod FS65G30-7650**

Version 8.0 Revision Date: 03.04.2025 Former date: 09.04.2024

Material : PVC or other plastic material gloves

Remarks : Protective gloves

Protective gloves complying with EN 374.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Skin and body protection : Protective clothing

Respiratory protection : In case of insufficient ventilation: Respirator with ABEK-P3

filter or self-contained breathing apparatus.

Protective measures : Appropriate personal protective equipment (PPE) shall be

worn in accordance with Regulation (EU) 2016/425.

**Environmental exposure controls** 

General advice : Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of

plastics in to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state : pellets
Colour : grey
Odour : odourless
Odour Threshold : Not applicable

Melting point/ range : 130 - 170 °C

Boiling range : Decomposes on heating.

Flammability : The product is not flammable.

Upper explosion limit / Upper :

flammability limit

Not applicable

Lower explosion limit / Lower :

flammability limit

Not applicable

Flash point : Not applicable, (solid)

Auto-ignition temperature : 320 °C



according to Regulation (EC) No. 1907/2006, as amended

# **Fibremod FS65G30-7650**

Version 8.0 Revision Date: 03.04.2025 Former date: 09.04.2024

pH : Not applicable insoluble

Viscosity

Viscosity, dynamic : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n- : Not applicable octanol/water : insoluble

Vapour pressure : Not applicable

(solid)

Density : 1,1 - 1,2 g/cm<sup>3</sup>

Particle size : 3 - 10 mm

Method: Image analysis (surface-based)

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

(solid)

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

The product is a stable thermoplastic.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : None known.



according to Regulation (EC) No. 1907/2006, as amended

# Fibremod FS65G30-7650

Version 8.0 Revision Date: 03.04.2025 Former date: 09.04.2024

#### 10.6 Hazardous decomposition products

Under fire conditions:

Carbon monoxide

During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation

### Skin sensitisation

May cause an allergic skin reaction.

### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT - single exposure

Based on available data, the classification criteria are not met.

# STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

## **Endocrine disrupting properties**

# **Product:**



according to Regulation (EC) No. 1907/2006, as amended

# **Fibremod FS65G30-7650**

Version 8.0 Revision Date: 03.04.2025 Former date: 09.04.2024

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : Inhalation of dust may irritate the respiratory tract.

Prolonged inhalation of high doses of decomposition products

may give headache or irritation of the respiratory tract.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: Not readily biodegradable.

## 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Does not accumulate in organisms.

#### 12.4 Mobility in soil

**Product:** 

Mobility : Remarks: Not expected to adsorb on soil.

Remarks: The product is insoluble and sinks in water.

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...



according to Regulation (EC) No. 1907/2006, as amended

# **Fibremod FS65G30-7650**

Version 8.0 Revision Date: 03.04.2025 Former date: 09.04.2024

### 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:** 

Additional ecological

information

: Should not be released into the environment.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of contents/ container to an approved waste disposal

plant.

Check with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user



according to Regulation (EC) No. 1907/2006, as amended

# Fibremod FS65G30-7650

Version 8.0 Revision Date: 03.04.2025 Former date: 09.04.2024

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,

IMDG-Code, ICAO/IATA-DGR

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

### 15.2 Chemical safety assessment

no

# **SECTION 16: Other information**

### **Full text of H-Statements**

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eve damage.

H334 : May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H372 : Causes damage to organs through prolonged or repeated

exposure if inhaled.

EUH071 : Corrosive to the respiratory tract.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Eye Dam. : Serious eye damage Resp. Sens. : Respiratory sensitisation

Skin Corr. : Skin corrosion
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

**Further information** 

Other information : Issued according to Regulation (EC) No 1907/2006, Annex II,

and its amendments.



according to Regulation (EC) No. 1907/2006, as amended

# **Fibremod FS65G30-7650**

Version 8.0 Revision Date: 03.04.2025 Former date: 09.04.2024

Changes since the last version are highlighted in the margin.

This version replaces all previous versions.

Issuer : Borealis, Group Product Stewardship

Sources of key data used to compile the Safety Data

The classification information of components is based on raw

material supplier data.

Sheet

Classification of the mixture: Classification procedure:

Skin Sens. 1 H317 Calculation method

#### **Disclaimer**

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

