.....

Version 5.0

Revision Date: 23.02.2024

Former date: 06.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name:	Fibremod GB366WG	
Unique Formula Identifier : (UFI)	R1S8-UXY6-N5JW-4U77	
1.2 Relevant identified uses of the s	ubstance or mixture and uses advised against	
Use of the : Substance/Mixture	Raw material for plastics industry	
1.3 Details of the supplier of the safety data sheet		
Supplier :	Borealis AG Trabrennstrasse 6-8, 1020 Vienna, Austria Telephone: +43 1 22400 0	
E-mail address :	sds@borealisgroup.com	
1.4 Emergency telephone number		

+1 760 476 3962 (3E), Access code: 336296

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1A

H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)Hazard pictograms:Signal word:WarningHazard statements:H317May cause an allergic skin reaction.

Fibremod is a trademark of the Borealis group.



Fibremod GB366WG		
Version 5.0	Revision Date: 23.02.2024	Former date: 06.03.2023
Precautionary statements	: Prevention: P261 Avoid breathing dust/ fume/ P272 Contaminated work clothing of the workplace. P280 Wear protective gloves.	
	Response: P333 + P313 If skin irritation or ra advice/ attention. P362 + P364 Take off contamina before reuse.	
	Disposal: P501 Dispose of contents/ contain disposal plant.	ner to an approved waste

Hazardous components which must be listed on the label:

maleic anhydride

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product burns, but is not classified as flammable. Dust from the product gives a potential risk for dust explosion.

SECTION 3: Composition/information on ingredients

The product is a polypropylene polymer. It contains glass fibre.

3.2 Mixtures

Chemical nature

: Raw material for plastics industry

Components

CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Registration number		



Fibremod GB366WG

Version 5.0 Revision Date: 23.02.2024		Former date: 06.03.202		
maleic anhydride	108-31-6 203-571-6 607-096-00-9 UK-20-7333232785- 4-0000	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1A; H317 STOT RE 1; H372 EUH071 	>= 0,001 - < 0,1	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	: Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash off with soap and plenty of water. Call a physician if irritation develops or persists. If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as removal could result in severe tissue damage.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: Rinse mouth with water. Consult a physician if necessary.
4.2 Most important symptoms	s and effects, both acute and delayed
Symptoms	: Inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.
	Skin contact may provoke the following symptoms: Irritation
Risks	: May cause an allergic skin reaction.



Fibremod GB366WG

Version 5.0	Revision Date: 23.02.2024	Former date: 06.03.2023
4.3 Indication of any immediate	medical attention and special treatn	nent needed
Treatment	: Treat symptomatically. No specific instructions needed.	
SECTION 5: Firefighting mea	sures	
5.1 Extinguishing media		
Suitable extinguishing media	: Water in spread jet, dry chemical	s, foam or carbon dioxide.
5.2 Special hazards arising from	the substance or mixture	
Specific hazards during firefighting	: Principal toxicant in the smoke is	carbon monoxide.
5.3 Advice for firefighters		
Special protective equipment for firefighters	: Wear self-contained breathing ap	pparatus and protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

6.2 Environmental precautions

Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill. All spill of material must be removed immediately to prevent slipping accidents. Recycle or dispose loose material properly. Do not flush into surface water or sanitary sewer system.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.



Fibremod GB366WG

Version 5.0

Revision Date: 23.02.2024

SECTION 7: Handling and storage

7.1 Precautions for safe handling

,	Advice on safe handling	:	During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. Provide adequate ventilation. Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes. Avoid contact with skin and eyes.
			May cause sensitisation of susceptible persons. Personnel sensitised to this substance should not be allowed to handle the product.
	Advice on protection against fire and explosion	:	Dust from the product gives a potential risk for dust explosion. All equipment shall be grounded. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
I	Hygiene measures	:	When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.
7.2 C	conditions for safe storage, in	cl	uding any incompatibilities
	Requirements for storage areas and containers	:	Safety aspects do not require any special precautions in terms of storage.

Further information on storage stability	: Keep in a dry place.
--	------------------------

7.3 Specific end use(s)

Specific use(s)

: Raw material for automotive applications.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

For national exposure limit (OEL) values, check country specific safety data sheets.

8.2 Exposure controls

Engineering measures

Provide adequate ventilation. Local exhaust ventilation may be necessary.

Personal protective equipment



Fibremod GB366WG

Version 5.0	Revision Date: 23.02.2024	Former date: 06.03.2023
Eye protection	: Safety glasses	
	Use eye protection according to EN 16	6.
Hand protection Material	: polyvinyl alcohol (PVA, PVAL)	
Material	: PVC or other plastic material gloves	
Remarks	: Protective gloves Protective gloves complying with EN 37 Please observe the instructions regardid breakthrough time which are provided by gloves. Also take into consideration the conditions under which the product is under danger of cuts, abrasion, and the conta	ng permeability and by the supplier of the specific local sed, such as the
Skin and body protection	: Protective clothing	
Respiratory protection	: In case of insufficient ventilation: Respi filter or self-contained breathing appara	
Protective measures	: Appropriate personal protective equipm worn in accordance with Regulation (El	
Environmental exposure co	ntrols	
General advice	: Should not be released into the enviror It is recommended to implement system as Operation Clean Sweep®) to prever plastics in to the environment.	ns and practices (such

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: pellets
Colour	: white
Odour	: odourless
Odour Threshold	: Not applicable
Melting point/range	: 130 - 170 °C
Boiling range	: Decomposes on heating.



Fibremod GB366WG

Version 5.0	Revision Date: 23.02.2024 Former date: 06.0	03.2023
Flammability	: The product is not flammable.	
Upper explosion limit / Upper flammability limit	: Not applicable	
Lower explosion limit / Lower flammability limit	: Not applicable	
Flash point	: Not applicable, (solid)	
Auto-ignition temperature	: 320 °C	
рН	: Not applicable insoluble	
Viscosity Viscosity, dynamic	: No data available	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: Not applicable insoluble	
Vapour pressure	: Not applicable (solid)	
Density	: 1,1 - 1,2 g/cm ³	
Particle size	: ca. 3 - 10 mm	
	Method: Image analysis (surface-based)	
9.2 Other information		
Explosives	: Not explosive	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	
Evaporation rate	: Not applicable (solid)	



Fibremod GB366WG

Version 5.0

Revision Date: 23.02.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

The product is a stable thermoplastic.

10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Under fire conditions: Carbon monoxide During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.



Fibremod GB366WG

Version 5.0

Revision Date: 23.02.2024

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information		
Product:		
Remarks	:	Inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

Product:

Biodegradability

: Remarks: Not readily biodegradable.



Fibremod GB366WG

Version 5.0	Revision Date: 23.02.2024	Former date: 06.03.2023
12.3 Bioaccumulative poter	ntial	
Product:		
Bioaccumulation	: Remarks: Does not accumulate	in organisms.
12.4 Mobility in soil		
Product:		
Mobility	: Remarks: Not expected to adsor	rb on soil.
	Remarks: The product is insolub	ble and sinks in water.
12.5 Results of PBT and vP	vB assessment	
Product:		
Assessment	 This substance/mixture contains to be either persistent, bioaccurr very persistent and very bioaccu 	nulative and toxic (PBT), or
	0.1% or higher	
12.6 Endocrine disrupting p	, i i i i i i i i i i i i i i i i i i i	
12.6 Endocrine disrupting p <u>Product:</u>	, i i i i i i i i i i i i i i i i i i i	
	, i i i i i i i i i i i i i i i i i i i	srupting properties according nission Delegated regulation
Product:	 The substance/mixture does not considered to have endocrine di to REACH Article 57(f) or Comm (EU) 2017/2100 or Commission 	srupting properties according nission Delegated regulation
<u>Product:</u> Assessment	 The substance/mixture does not considered to have endocrine di to REACH Article 57(f) or Comm (EU) 2017/2100 or Commission 	srupting properties according nission Delegated regulation

13.1 Waste treatment methods

Product

: Dispose of contents/ container to an approved waste disposal plant. Check with local regulations.



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Fibremod GB366WG

Version 5.0	Revision Date: 23.02.2024	Former date: 06.03.2023
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.	

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

15.2 Chemical safety assessment

no



Fibremod GB366WG

Version 5.0

Revision Date: 23.02.2024

SECTION 16: Other information

Full text of H-Statements				
H302	:	Harmful if swallowed.		
H314	:	Causes severe skin burns and eye damage.		
H317	:	May cause an allergic skin reaction.		
H318	:	Causes serious eye damage.		
H334	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
H372	:	Causes damage to organs through prolonged or repeated exposure if inhaled.		
EUH071	:	Corrosive to the respiratory tract.		
Full text of other abbreviations				
Acute Tox.	:	Acute toxicity		
Eye Dam.	:	Serious eye damage		
Resp. Sens.	:	Respiratory sensitisation		
Skin Corr.	:	Skin corrosion		
Skin Sens.	:	Skin sensitisation		
STOT RE	:	Specific target organ toxicity - repeated exposure		
Further information				
Other information	:	Issued according to Regulation (EC) No 1907/2006, Annex II, and its amendments.		
		Changes since the last version are highlighted in the margin. This version replaces all previous versions.		
		This version replaces all previous versions.		
lssuer	:	Borealis, Group Product Stewardship		
Sources of key data used to compile the Safety Data	:	The classification information of components is based on raw material supplier data.		
Sheet				
Classification of the mixture:		Classification procedure:		
Skin Sens. 1A	НЗ	Calculation method		



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Fibremod GB366WG

Version 5.0

Revision Date: 23.02.2024

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

