

Polyethylene

Visico™ LE4421

1. Identification of the substance/mixture and of the company/undertaking

Trade name: Visico LE4421
Material use: Raw material for plastics industry
Supplier: Borealis GmbH
E-mail address: product.safety@borealisgroup.com

2. Hazards identification

Classification of the substance or mixture

The product is not classified as hazardous according to Regulation (EC) No 1272/2008 and its amendments.

Label elements

Not a hazardous substance or mixture. No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

The product burns, but is not classified as flammable. Dust from the product gives a potential risk for dust explosion. During crosslinking reaction in combination with catalyst masterbatch: methanol (Flam. Liq. 2; H225, Acute Tox. 3; H301, Acute Tox. 3; H311, Acute Tox. 3; H331, STOT SE 1; H370 - see chapter 16) may be released. This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

3. Composition/information on ingredients

The product is a polyethylene polymer.

Contains no substance classified as hazardous in concentrations, which should be taken into account according to EU regulations.

4. First aid measures

If inhaled: Move to fresh air in case of accidental inhalation of vapors or decomposition products.

In case of skin contact: If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as removal could result in severe tissue damage. Obtain medical attention.

Most important symptoms and effects, both acute and delayed:

Inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

Methanol: Toxic by inhalation, in contact with skin and if swallowed. Very serious irreversible effects through inhalation, in contact with skin and if swallowed.

5. Fire-fighting measures

Suitable extinguishing media: Water in spread jet, dry chemicals, foam or carbon dioxide.

Specific hazards during fire fighting: Principal toxicant in the smoke is carbon monoxide.

6. Accidental release measures

Vacuum or sweep up spill. All spill of material must be removed immediately to prevent slipping accidents. Recycle or dispose loose material properly. Do not flush into surface water or sanitary sewer system. Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

Visico is a trademark of the Borealis group.

Polyethylene

Visico LE4421

7. Handling and storage

Advice on safe handling: During use, dust may be formed. Avoid breathing dust. During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. Avoid inhalation of decomposition fumes. Provide adequate ventilation. Local exhaust ventilation or additional personal protective equipment (PPE) may be necessary.

Advice on protection against fire and explosion: Dust from the product represents a risk for dust explosions when dispersed with air in a sufficient concentration and with the presence of an ignition source. All equipment shall be grounded. Routine housekeeping will also contribute in preventing risks of dust explosions.

Storage: Safety aspects do not require any special precautions in terms of storage.

8. Exposure controls/personal protection

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Appropriate personal protective equipment (PPE) shall be worn in accordance with Regulation (EU) 2016/425.

Respiratory protection: In case of insufficient ventilation: Suitable mask with particle filter P3.

9. Physical and chemical properties

Appearance: pellets, natural color

Odor: odorless

Melting point/ range: 100 - 140 °C

Density: 0,9 - 1,0 g/cm³

Ignition temperature: > 320 °C

Water solubility: insoluble in water

10. Stability and reactivity

The product is a stable thermoplastic. The intended crosslinking reaction occurs in combination with the catalyst masterbatch and moisture: at ambient conditions, in steam or hot water bath.

11. Toxicological information

The product is not classified as hazardous to human health. However, during crosslinking reaction in combination with catalyst masterbatch: methanol may be released. Methanol: Toxic by inhalation, in contact with skin and if swallowed. Very serious irreversible effects through inhalation, in contact with skin and if swallowed.

12. Ecological information

The product is not considered hazardous for the environment. Not readily biodegradable. Does not accumulate in organisms. Avoid release to the environment.

13. Disposal considerations

Reuse or recycle if not contaminated. The product may be safely used as fuel. Proper combustion does not require any special flue gas control. Check with local regulations.

Polyethylene

Visico LE4421

14. Transport information

The product is not regulated by ADR/RID, IMDG or IATA.

15. Regulatory information

The synthetic polymer microparticles supplied is subject to conditions laid down by entry 78 of Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the Council. No data available.

Generic information on the identity of the polymers contained in the substance or mixture: 3901 Polymers of ethylene, in primary forms.

Concentration of Synthetic Polymer Microparticles in the substance or mixture: 90-100%

16. Other information

Product does not require Safety Data Sheet in accordance with Article 31 of Regulation (EC) No 1907/2006, and its amendments.

Full text of H-Statements referred to under sections 2 and 3.

H225: Highly flammable liquid and vapor.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H370: Causes damage to organs.

Issuer: Borealis, Group Product Stewardship

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.