

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : MS64T20-9502

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Raw material for plastics industry

Recommended restrictions on use : Use only according to our recommendations.


#### 1.3 Details of the supplier of the safety data sheet

 : Borealis UK Ltd  
One St Peters Square, M2 3DE Manchester, United Kingdom  
Telephone: +44 (0) 1625 537390

E-mail address : [sds@borealisgroup.com](mailto:sds@borealisgroup.com)

#### 1.4 Emergency telephone number

+44 (0) 1235 239 670 (NCEC Carechem 24)

 In an emergency, call NHS 111 or contact a doctor.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Not a hazardous substance or mixture.

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Not a hazardous substance or mixture.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

### Additional Labelling

EUH208 Contains diamine. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The product burns, but is not classified as flammable.

Dust from the product gives a potential risk for dust explosion.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : The product is a polypropylene polymer.  
It contains talc.

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N,N,N,N-tetrakis(4,6-bis(butyl-(N-methyl-2,2,6,6-tetramethyl piperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine	106990-43-6 401-990-0 613-078-00-1 01-0000015180-83	Skin Sens. 1; H317 Aquatic Chronic 2; H411 STOT RE 2; H373	>= 0,1 - < 0,25
bis(2,2,6,6-tetramethyl-4-piperidinyloxy)decanedioate	52829-07-9 258-207-9	Eye Dam. 1; H318 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 1	>= 0,1 - < 0,25
Substances with a workplace exposure limit :			
magnesium silicate	14807-96-6 238-877-9		>= 20 - < 30

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and plenty of water.  
Call a physician if irritation develops or persists.  
If molten material comes in contact with the skin, cool with plenty of water. DO NOT remove solidified product, as removal could result in severe tissue damage.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : Rinse mouth with water.  
Consult a physician if necessary.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Inhalation of dust may irritate the respiratory tract.  
Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.
- Skin contact may provoke the following symptoms:  
Local irritation
- Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.  
No specific instructions needed.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Principal toxicant in the smoke is carbon monoxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.  
Ensure adequate ventilation.

### 6.2 Environmental precautions

Should not be released into the environment.

It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

### 6.3 Methods and material for containment and cleaning up

Vacuum or sweep up spill.  
All spill of material must be removed immediately to prevent slipping accidents.  
Recycle or dispose loose material properly.  
Do not flush into surface water or sanitary sewer system.

### 6.4 Reference to other sections

For personal protection see section 8.  
For disposal considerations see section 13.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.  
Provide adequate ventilation.  
Local exhaust ventilation may be necessary.  
Avoid inhalation of dust and decomposition fumes.  
Avoid contact with skin and eyes.

The product contains small amounts of a substance classified as sensitising, which may produce an allergic reaction to susceptible personnel.  
Personnel sensitised to this substance should not be allowed to handle the product.

Advice on protection against fire and explosion : Dust from the product gives a potential risk for dust explosion.  
All equipment shall be grounded. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

Hygiene measures : When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Safety aspects do not require any special precautions in terms of storage.

Further information on storage stability : Keep in a dry place.

#### 7.3 Specific end use(s)

Specific use(s) : Raw material for automotive applications.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
magnesium silicate	14807-96-6	TWA (Respirable dust)	1 mg/m <sup>3</sup>	GB EH40
magnesium silicate	14807-96-6	TWA (Respirable dust)	0,1 mg/m <sup>3</sup>	2004/37/EC
Further information: Carcinogens or mutagens				

### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
N,N,N,N-tetrakis(4,6-bis(butyl-(N-methyl-2,2,6,6-tetramethyl piperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine	Workers	Inhalation	Long-term	0,36 mg/kg
	Workers	Dermal	Long-term	0,05 mg/kg
	Consumers	Dermal	Long-term	0,025 mg/kg
	Consumers	Oral	Long-term	0,025 mg/kg

### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
N,N,N,N-tetrakis(4,6-bis(butyl-(N-methyl-2,2,6,6-tetramethyl piperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine	Fresh water	0,06 mg/l
	Marine water	0,006 mg/l
	Fresh water sediment	28,3 mg/kg
	Marine sediment	2,83 mg/kg

## 8.2 Exposure controls

### Engineering measures

Provide adequate ventilation.  
Local exhaust ventilation may be necessary.

### Personal protective equipment

Eye protection : Safety glasses

Use eye protection according to EN 166.

Hand protection

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

- Remarks : Protective gloves complying with EN 374.  
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- Skin and body protection : Protective clothing
- Respiratory protection : In case of insufficient ventilation: Respirator with ABEK-P3 filter or self-contained breathing apparatus.
- Protective measures : Appropriate personal protective equipment (PPE) shall be worn in accordance with Regulation (EU) 2016/425.

### Environmental exposure controls

- General advice : Should not be released into the environment.  
It is recommended to implement systems and practices (such as Operation Clean Sweep®) to prevent accidental release of plastics in to the environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance : pellets
- Colour : black
- Odour : odourless
- pH : Not applicable insoluble
- Melting point/range : 130 - 170 °C
- Boiling range : Decomposes on heating.
- Flash point : Not applicable, (solid)
- Evaporation rate : Not applicable (solid)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

Flammability (solid, gas)	:	The product is not flammable.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	Not applicable (solid)
Density	:	1,1 - 1,2 g/cm <sup>3</sup>
Bulk density	:	500 - 600 kg/m <sup>3</sup>
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable insoluble
Auto-ignition temperature	:	> 320 °C
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Particle size	:	3 - 10 mm Method: Image analysis (surface-based)
---------------	---	---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

The product is a stable thermoplastic, with no chemical reactivity.



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

### 10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

Under fire conditions:

Carbon monoxide

During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Components:

#### **bis(2,2,6,6-tetramethyl-4-piperidinyl)decanedioate:**

Acute oral toxicity : LD50 (Rat): 3.700 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,5 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rat): > 3.170 mg/kg

#### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

#### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : The product contains small amounts of a substance classified as sensitising, which may produce an allergic reaction to susceptible personnel.  
Personnel sensitised to this substance should not be allowed to handle the product.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT - single exposure

Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration toxicity

Based on available data, the classification criteria are not met.

#### Further information

#### Product:

Remarks : The product is not classified as hazardous to human health. Information given is based on data of the components.

Remarks : Inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

Remarks : Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **bis(2,2,6,6-tetramethyl-4-piperidinyl)decanedioate:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,57 mg/l  
Exposure time: 48 h  
Test Type: Short term

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50: 0,96 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: Not readily biodegradable.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Does not accumulate in organisms.

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: Not expected to adsorb on soil.

Remarks: The product is insoluble and sinks in water.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : Should not be released into the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of contents/ container to an approved waste disposal plant.  
Reuse or recycle if not contaminated.  
Check with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: Transport information

### 14.1 UN number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,  
IMDG-Code, ICAO/IATA-DGR

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

### 15.2 Chemical safety assessment

no

## SECTION 16: Other information

### Full text of H-Statements

H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H361f : Suspected of damaging fertility.  
H373 : May cause damage to organs through prolonged or repeated exposure.  
H400 : Very toxic to aquatic life.  
H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Repr. : Reproductive toxicity  
Skin Sens. : Skin sensitisation

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

STOT RE : Specific target organ toxicity - repeated exposure  
2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers  
from the risks related to exposure to carcinogens or mutagens  
at work  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
2004/37/EC / TWA : Long term exposure limit  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information : Issued according to Regulation (EC) No 1907/2006, Annex II,  
and its amendments.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## MS64T20-9502

Version 14.0

Revision Date: 28.11.2022

Date of last issue: 28.11.2022

Date of first issue: 28.09.2020

Changes since the last version are highlighted in the margin.  
This version replaces all previous versions.

Sources of key data used to compile the Safety Data Sheet : The classification information of components is based on raw material supplier data.

### Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

**Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.**

**It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.**

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.